US ENVIRONMENTAL PROTECTA OFFICE OF PESTICIDES PROGRAMS **REGISTRATION DIVISION (TS-767)** WASHINGTON, DC 20460

33818-12 TERM OF ISSUANCE

EPA REGISTRATION NO.

NOTICE OF PESTICIDE: REGISTRATION

L

REREGISTRATION

(Under the Federal Insecticide, Fungicide,

NAME OF PESTICIDE PRODUCT

and Rodenticide Act, as amended)

Septan L 205

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Prescett Chemical, Inc. P.O. BOX 240677 Charlotte, NC 28228

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his mot on, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - Add the phrase "EPA Registration No. 33818-12."
 - b. Revise the statement:

Herpes Simplex Types I and 11

to read:

Herpes Simplex Type 1 and Type 2.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

what is like and all the Medica

c. Revise the statement:

Hazardous to Humans . . .

to read:

Hazards to Humans . . .

- d. Delete the statement: GEMERAL CLASSIFICATION.
- e. Revise Caco, to read Caco,
- f. Revise the statement:

Causes eye and skin irritation

to read:

Causes eye damage and skin irritation.

- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.
- 4. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
Product Manager (31)
Disinfectants Branch

Registration Division (TS-767C)

Enclosures

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, reinigerated storage and display equipment and other hard non-porous surfaces. No Potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz Septon L20 In 4 gallons of water (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Frash solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. No Potable water rinse is re-

Dishes, silverware, glasses, cooking utensils and other similar size lood processing equipment can be sanitized by immersion in a 1 oz./4 gallon solution of Septon L20" No Potable water rinsa is required.

At 1 oz./4 gallont Septon L205ulfills the criteria of Appendix F of the Grade a rasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services In waters up to 800 ppm of hardness calculated as CaCo, when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus. The udders, fianks and leats of dairy cows can be sanitized by washing with a solution of 1 oz Sept on LZUS in 4 gallons of warm water. No Potable water rinse is required. Use a frash towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanilizing solution. When solution becomes visibly dirty, discard and provide Iresh solution.

Precautionary Statements Hazardous to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

Storage and Disposal

- -Do not contaminate water, food, or feed by storage disposal.
- Do not store on side.
 Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsale is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide. or Emironmental Control Agency, or the Hazardous Waste

CONTAINER DISPOSAL

Triple rinse (or equivalent). Than offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple tinse (or equivalent), then offer for recycling or reconditioning, or otsoose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.) statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

SEPTAN L 205

Disinfectant-Sanitizer Fungicide-Virucide*Deodorizer with Organic Soil Tolerance for Hospital, Institutional

Industrial, School, Dairy and Other Farm Use

Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Dioctyl dimethyl ammonium chloride	1.125%
Alkyl (C14, 50%; C12, 40%; C18, 10%)	1115070
dimethyl benzyl ammonium chloride	3.000%

Inert Ingredients

92.500% 100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flus eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash conlaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

33818

EPA Establishment No.

33818-NCAPR 8 1986

Net Contents

Under the first of Inserticide. est di Act

registered autor EUA Reg. No. Manufactured by: PRESCOTT CHEMICAL, ING33818-12 P. O. Box 240677 Charlotte, N. C. 28224

> For Sale For Use And Storage By Maintenance Personnel Only

D **GEN**

It is a viola product in labeli ig. ApplySepton device. Then ap must be aprayed remain set for 1 daily or when th Disinfection in I Care Institution bathing areas, la poils and other Add 35 ox Sept

viously cleans Septon L205 aeruginosa. Sta aesuis in the pre the AOAC Use-E •Viruelial Dark Septon L205 and found to be a simplex Types Ic.

on inanimate ha Disinfection in I Septan L20
Function Days
level Septan Trichophyton mei used on surfaces shower and bath t Fungicidal Test. Disinfection of E

as combs, brushe 0 a ol gnieremmi Disinfection of I Kennels, Poultry and other animal be disinfected at of 2 of Septon should be immen poultry, other anii the premises. Thi Other feeding and droppings from fi

traversed by pour After disinfection, spaces. Do not ho ment until treatme

All treated equipments be rinsed with