

SOUTHCHEM ALGAE CONTROL is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using SOUTHCHEM ALGAE CONTROL.

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. In case of contact, flush with plenty of water for at least 15 minutes. If eye irritation persists, get medical attention. Avoid contamination of food.

Rinse empty container thoroughly with water and discard container. Do not reuse empty container. Bury or discard in a safe place away from water supplies. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

SOUTHCHEM ALGAE CONTROL



Active Ingredients ---- Poly [Oxyethylene (Dimethyliminio)
Ethylene (Dimethyliminio) - Ethylene Dichloride]15%
Inert Ingredients85%
Net Contents1.0 Gal.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Manufactured by
Southchem, Inc.
750 E. Markham Ave.
Durham, N.C. 27702

EPA Reg. No. 33871-1.

DIRECTIONS

For pools having just visible algae growth, add an initial dose of 50 to 77 fl. oz. of SOUTHCHEM ALGAE CONTROL per 10,000 gallons of water and remove settled algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially 27 to 50 fl. oz. of SOUTHCHEM ALGAE CONTROL per 10,000 gallons of water.

To maintain pools free of visible algae growth, subsequent additions of 9 to 18 fl. oz. of SOUTHCHEM ALGAE CONTROL per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment. Uniform distribution of SOUTHCHEM ALGAE CONTROL throughout the water in the pool is necessary for maximum effectiveness.

SOUTHCHEM ALGAE CONTROL is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH.

ACCEPTED

33871-1

JUN 10 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.