# OXIDIZER OXIDIZER

SODIUM DICHLORO 6-TRIAZINETRIONE



# **NISSAN**

## D.C.C.Na.

GR/

ACTIVE INGREDIZAT

SODIUM DICHLORO-SI-RIAZINETRIONE 96.2
INERT INGREDIENTS 3.8
TOTA 100.0:
PROVIDES 62 AVAILABLE CHLORINE

## KEEP OUT OF FEACH OF CHILDREN

#### DANGER

#### FIRST AID (PRACTICAL TREATMENT)

IF SWALLOWED, drink promptly a large quantity of water. A oid alcohol. Call physician.

IF IN EYES, flush with plenty of water. Get medical attention

IF ON SKIN, wash with plenty of soap and water. Call physic an if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

#### **Directions For Use**

It is a violation of Federal law to use this product in a mann a inconsistent with its labeling. For Manufacturing, Repackaging or Reformulating Disinfec ants, Sanitizers and Algicides. Each repacker or reformulator must obtain his own registration from the Environmental Prote product.

#### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals:

**DANGER:** Corrosive. Causes eye and skin damage. No not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. May be fatal if swallowed. Avoid breathing dust. Wash thoroughly with soap and waser after handling.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying "assewage treatment plant authority. For guidance contact y u State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARD: Oxidizing material Avoid contact with combustible materials. Keep away from all sources of heat, flame or sparks. At elevated temperatures (above about 325°F) a self propagating thermal decomposition may occur with resultant irritating including gases. In case of fire, flood with large quantity of warm in the event of contamination or decomposition, do coreseal container.

### STORAGE AND DISPO

STORAGE: Retie polyethylen keep container tightly closed. allow water to get into contain floors. Do not contaminate wated dispusal.

PESTICIDE DISPOSAL: Pes hazardous. Improper disposal mixture, or rinsate is a violatio wastes cannot be disposed of instructions, contact your state Control Agency, or the Hazardo the nearest EPA Regional Office CONTAINER DISPOSAL: C

CONTAINER DISPOSAL: O shaking and tapping sides and particles. Empty residue into a dispose of liner in a sanitary allowed by State or local authori with water, and dispose of in the

300 LBS