33907

10/22/2001

age 176



)

للأفلاف وتلاذ وملاقص لقادموه

time a management with a more of the second as a second to

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OCT 2 2 2001

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Iain Weatherston, Senior Regulatory Consultant Jones-Hamilton Company 30354 Tracy Road Walbridge, OH. 43465-9792

SUBJECT: July 21, 2001 Amendment PLT EPA Registration 33907-3

Dear Mr. Weatherston:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the following conditions:

- Add the statement "See side panels for additional precautionary statements" to the front panel.
- Add the Effluent Discharge Labeling Statement (NPDES) in accordance with PR Notice 95-1: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

The NPDES statement should placed under the Environmental Hazards section since the possibility of this product being introduced into water treatment facilities does exist and is a 50 pound container.

• Remove date from label.

• Add Inhalation precaution to First Aid statement in accordance with PR Notice 2001-1. This should be listed under "If Swallowed":

If Inhaled	• Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to mouth, if possible.
	Call a poison control center or doctor for further treatment advice.

In general, the following requested revisions have taken place:

- Original proposed label was revised as conditionally accepted.
- First Aid statement partially updated per PR 2001-1.

)

Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling. A stamped copy of the label is enclosed for your records. If you have any questions regarding this letter, please contact Tom Luminello of my staff at (703) 308-8075.

Sincerely your Robert S. Brennis

Product Manager 32 Regulatory Management Branch II Antimicrobial Division (7510-C)

6



July 21, 2001

FRONT PANEL

.)



EFFECTIVE MANAGEMENT IN REDUCING BACTERIA IN POULTRY LITTER

EFFECTIVE AMMONIA CONTROL

ACTIVE INGREDIENT

Sodium bisulfate [CAS# 7681-38-1]	93.2%
	<u> 6.8%</u>

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE, CAUSES IRREVERSIBLE EYE DAMAGE, CAUSES SKIN BURNS DO NOT GET IN EYES OR ON CLOTHING WEAR PROTECTIVE EYEWEAR [GOGGLES, FACE SHIELD OR SAFETY GLASSES] WEAR PROTECTIVE CLOTHING AND RUBBER GLOVES WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING, AVOID BREATHING DUST. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Manufactured by Jones-Hamilton Co. Wallbridge, OH 43465

EPA Registration No.33907-3

EPA Establishment No. 33907-0H-1

To receive information concerning the proper use of the product and/or د د specific actions to be taken in case of emergencies, call ACCEPTED

1-800-xxx-xxxx

with COMMENTS in EPA Letter Dated:

NET CONTENTS: 50 lbs

OCT 2 2 2001 Under the Federal Insecticide, Pungicide, and Rodenticide Actas amended, for the periods, registered under EFA Roy, Ho. 33907-3

د. • • • • • • • • •

added to the state of the

BACK PANEL

•

•

)

A CARLENDER CONSIDER OF A CARLENDER

July 21, 2000

4 2-6

, , , , , , ,

HAZAR	PRECAUTIONARY STATEMENTS DS TO HUMANS AND DOMESTIC ANIMALS
	DANGER
IF IN EYES:	 FIRST AID Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLO	 Take off contaminated clothing Take skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice
IF SWALLOWED:	 Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person
NOTE TO PHYSICIAN	I: Probable mucosal damage may contraindicate the use of gastric lavage
to intertidal areas be	ENVIRONMENTAL HAZARDS to water, or to areas where surface water is present or elow the mean high water mark. Do not contaminate equipment or disposing of equipment washwaters.
	PHYSICAL & CHEMICAL HAZARDS ucts containing chlorine. Never use or mix with other ACCEPTED , with COMMENTS in EPA Letter Dated:
	OCT 2 2 2001 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pest registered under EF

BACK PANEL

SEPTEMBER 1, 2000

5

6

· · · · · · · · · · · · · · · · · · ·						
STORAGE AND DISPOSAL STATEMENTS						
Do not contaminate water, food or feed by storage or disposal						
PESTICIDE STORAGE:	Store in original container in a cool, dry area.					
PESTICIDE DISPOSAL:	Pesticides are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.					
CONTAINER DISPOSAL:	Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke					

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

FOR ALL APPLICATIONS

Apply PLT® evenly on top of the litter, do not mix PLT® into the litter. PLT® is activated by moisture. The ambient relative humidity of the poultry house must be maintained at greater than 30%. Bacterial 3 - 4 log reduction occurs with a 1 hour contact time.

AMMONIA CONTROL AND LITTER pH REDUCTION

FOR ALL BIRDS

.)

ŵ.

Apply PLT® at rate of 5 - 8lbs/100 ft² floor, a minimum of 1 hour prior to bird placement. For litter older than 2 years, apply PLT® at a rate up to 10 lbs/100 ft². With new litter, PLT® may be applied at the same rate at any time during the flock for ammonia control. Off chambers should be applied at the same rate a minimum of 1 hour prior to bird migration...

BACTERIAL MANAGEMENT

BROILERS

Apply PLT® at rate of 8 - 12 lbs/100 ft² in the entire house a minimum of 1 hour before bird placement. Retreat the entire house at 10 lbs/100 ft².7 - 10 days before bird movement.

	ACCEPTED		
, with COMMENTS		••••	; ;
in EPA Letter Dated:		د د ب د د د ب	ر د د د د ر د
		ر ڈ د د) , , , , , , , , , , , , , , , , , , ,
Under the Federal Insecticide,		، ر د د د ر د د د	ر ر [.]
Fungicide, and Rodenticide Act as		آر دو د	
amended, for the pesticide, registered under EPA Reg. No.	33907-3	د د د د د . ر ر د د د د	

BACK PANEL

July 21, 2001

BROILER BREEDERS

Apply PLT® to scratch area at rate of 8 - 12 lbs/100 ft² a minimum of 1 hour prior to bird placement in the breeder house. Apply PLT® at the rate of 5 - 10 lbs/100 ft² when using antibiotic therapy. Apply PLT® at the rate of 5 - 10 lbs/100 ft² one week prior to peak production or at any other times of stress. Retreat the entire house at 10 lbs/100 ft² 7 - 10 days before bird movement.

PULLETS

Apply PLT® to whole house at rate of 8 - 12 lbs/100 ft² a minimum of 1 hour prior to pullet placement Apply PLT® at the rate of 5 - 10 lbs/100 ft² immediately prior to periods of stress, especially prior to vaccination or antibiotic therapy, or routinely apply PLT® at this rate every 3 weeks.


TURKEYS

)

Apply PLT® at rate of 8 - 12 lbs/100 ft² prior to bird placement in brood or grow out barn and at the rate of 5 - 10 lbs/100 ft² especially under feed and watering areas.

WARRANTY

Jones-Hamilton Co., warrant that this product conforms to the chemical description on the label. Jones-Hamilton Co., neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. Jones-Hamilton Co.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material.



33907-3

