



**ACCEPTED**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND ROENTINOCIDE ACT  
FOR ECONOMIC POISON REGISTERED  
EFFECT UNDER NO.

*Comment 33955-90*

# SHERWIN-WILLIAMS

## BASIC COPPER ARSENATE

**PIGMENT,  
COLOR &  
CHEMICAL  
DEPARTMENT**

<b>ACTIVE INGREDIENT:</b>		
Basic Copper Arsenate		<b>91%</b>
<b>INERT INGREDIENTS:</b>		<b>9%</b>
	<b>TOTAL</b>	<b>100%</b>

Total arsenic (expressed as metallic) not less than 24.2%. Water soluble arsenic (expressed as metallic) not more than 0.5%. Copper (expressed as metallic) not less than 41%.

### DIRECTIONS FOR USE

**CABBAGE, CAULIFLOWER, BRUSSELS SPROUTS AND KOHLRABI:** To control Imported Cabbageworm and Cabbage Looper, use 8 pounds per acre in sufficient water to wet the foliage, add spreader if necessary. Treat plants as soon as transplanted. These worms are best controlled when they are small. Badly damaged plants will be stunted. Do not apply after edible parts, cabbage heads or cauliflower curd begins to form. Remove all sprayed foliage at harvest.

**TOMATOES:** To control tomato flea beetle, tomato hornworm, apply 15 pounds per acre. This also reduces early and late blight. If used within 30 days of picking, remove residues by wiping or washing.



**POISON**



**DANGER: KEEP OUT OF REACH OF CHILDREN**

See other panels for other cautions

ANTIDOTE FOR ARSENIC

CALL A PHYSICIAN IMMEDIATELY!

50 POUNDS

NET WEIGHT

**The SHERWIN-WILLIAMS Co.**

GENERAL OFFICES: CLEVELAND, OHIO 44101

MADE IN U. S. A.

**WARNING:** Pesticide. Avoid contact with skin. Wash off immediately with soap and water. Avoid contact with eyes. Avoid contact with clothing. Keep away from children, animals, and birds. Avoid contact with water. Do not use in areas where it is prohibited by law.

Highly toxic. Pesticide. Destroy container when empty.


Highly toxic. Pesticide. Destroy container when empty.

**NOTICE:** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label, when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

SOLD FOR INSECTICIDE AND FUNGICIDE PURPOSES

U.S.A. Registration No. 57190

U.S. PATENT OFFICE



# SHERWIN-WILLIAMS

## BASIC COPPER ARSENATE

PIGMENT,  
COLOR &  
CHEMICAL  
DEPARTMENT

ACTIVE INGREDIENT:		
Basic Copper Arsenate		91%
INERT INGREDIENTS:		9%
	TOTAL	100%

1. Arsenic expressed as metallic not less than 24.2. Water-soluble arsenic expressed as metallic not more than 0.5. Copper expressed as metallic not less than 41.



HAZARDOUS

CABBAGE, CAULIFLOWER, MEMBRANE FRUIT, AND  
SWEET POTATOE: To control imported Cabbageworm, no  
Cabbageworm, use 5 pounds per acre in suf-  
ficient water to wet the foliage, and spreader  
if necessary. Treat plants as soon as trans-  
planted. These worms are best controlled when  
they are small. Heavily damaged plants will be  
killed. Do not apply after mid-July. For  
cauliflower, use 5 pounds per acre in 10  
days before the first flower buds appear.

For the control of the Colorado potato beetle,  
use 5 pounds per acre. This material  
is effective on early and late blight. Do not apply  
to cauliflower, or to plants in flower.

50 POUNDS NET WEIGHT

### The SHERWIN-WILLIAMS Co.

GENERAL OFFICES CLEVELAND, OHIO 44101

MADE IN U.S.A.

NOTICE: This product contains arsenic and is highly toxic. It is for use only on the crops listed on the label. When used in accordance with the directions on the label, it will not harm the crops. No other warranty, of merchantability or fitness for a particular purpose, is made. The user assumes all liability for any damage or injury resulting from the use of this product.

SOLD FOR INSECTICIDE AND FUNGICIDE PURPOSES