

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 33955-112	DATE OF ISSUANCE JUL 9 1987
	TERM OF ISSUANCE 1	
	NAME OF PESTICIDE PRODUCT Acme Wettable Dusting Sulphur	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

PBI/Gordon Corporation  
 Acme Division  
 1217 West 12th Street  
 P.O. Box 4090  
 Kansas City, MO 64101

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Registration Standard Guidance Package, EPA has reregistered the product listed above. This registration is granted under the authority of FIFRA section 3(c).

The labeling referred to above, submitted in connection with registration under FIFRA, is acceptable subject to the comment listed below. Five copies of the finished labeling must be submitted.

- Change "as" to "an" under Directions for Use for citrus.

*Lois A. Rossi*

Lois A. Rossi  
 Product Manager (21)  
 Fungicide-Herbicide Branch  
 Registration Division (TS-767C)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 33955-112	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Acme Wettable Dusting Sulfur	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

189715    656  
12        17

PBI/Gordon Corporation  
Acme Division  
1217 West 12th Street  
P.O. Box 4090  
 Kansas City, MO 64101

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Registration Standard Guidance Package, EPA has reregistered the product listed above. This registration is granted under the authority of FIFRA section 3(g).

The labeling referred to above, submitted in connection with registration under FIFRA, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.


1. Change "Sulphur" to Sulfur" wherever it appears.
2. Change "as" to "an" under the Directions for Use for citrus.

Lois A. Rossi  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

ACME (R)



W E T T A B L E  
D U S T I N G S U L P H U R

AN INSECTICIDE/FUNGICIDE FOR  
THE CONTROL OF CERTAIN  
INSECTS AND DISEASES  
OF PLANTS AS LISTED.

ACCEPTED  
with COMMENTS  
EPA Letter Dated

JUN 15 1987

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
amended, for the pesticide  
registered under EPA Reg. No.  
33955-112


KEEP OUT OF REACH OF CHILDREN  
  
C A U T I O N  
See Side Panels for Additional  
Cautions.

ACTIVE INGREDIENT:

Sulphur.....	92.0%
<u>INERT INGREDIENTS.....</u>	<u>8.0%</u>
	Total 100.0%

The material in this can is guaranteed to  
pass 95% through a 325 mesh screen.

NET WEIGHT 1½ POUNDS



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans & Domestic Animals

**CAUTION:** Keep out of reach of children. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

##### Environmental Hazards

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water or wetland. Apply this product only as specified on this label.

##### Physical Hazards

Keep away from heat, sparks, or flame. Do not smoke while applying this product.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE:** Store in original container in a locked storage area inaccessible to children or pets.

**DISPOSAL:** Do not reuse container. Wrap in newspaper and discard in trash.

#### USE PRECAUTIONS

Do not apply within 4 weeks of an oil spray treatment or within 21 - 60 days on citrus. Do not apply any spray containing an oil emulsion within 30 days to foliage dusted or sprayed with Sulphur. Sulphur may burn foliage if applied when temperature is high (90° to 95°F). Do not make applications at this time. Note: Sulphur may injure certain varieties of beans.

#### RE-ENTRY STATEMENT

Do not re-enter treated areas until 24 hours after application.

#### HOW TO USE

**AS A LIQUID SPRAY:** For one gallon of spray, mix 3 to 4 level tablespoons of ACME WETTABLE DUSTING SULPHUR with an equal amount of water and stir into a thick paste, then add water slowly, stirring constantly until the gallon of water has been thoroughly combined. Apply with an ordinary sprayer. Keep well stirred at all times.

1 level tablespoon of product per gallon of water is equivalent to 2.2 pounds of product per 100 gallons of water.

AS A DUST: ACME WETTABLE DUSTING SULPHUR is ready to use as it comes in the package. This canister is furnished with punch-out holes on the top for dusting directly from the package or use in a suitable hand duster.

WHEN TO APPLY

Apply early in the morning or in the cool of the evening when the air is still. Thoroughly cover all stems, leaves, and blossoms on both upper and lower surfaces. As a fungicide, applications should begin when diseases begin to appear. during the summer and fall, applications should be made at 10 day intervals. As an insecticide, apply carefully when the insects threaten and repeat every few days until the pests are eliminated.

ACME WETTABLE DUSTING SULPHUR may be used as follows. Use the higher rates when disease or insect pressure is heavy and the lowest rates when pressure is light.

ROSES - Black Spot, Powdery Mildew. Dust or spray every 7 to 10 days during growing season. Use 2 1/4 to 2 3/4 level tablespoons per gallon.

ORNAMENTALS:

- |                                       |  |
|---------------------------------------|--|
| Calendula-Powdery Mildew              | Lilacs-Powdery Mildew                    |
| Chrysanthemums - Rust, Powdery Mildew | Phlox-Leaf Spot, Powdery Mildew          |
| Dahlias-Powdery Mildew                | Snapdragons (Before or after blossoming) |
| Delphiniums-Powdery Mildew            | -Rust                                    |
| Hollyhocks-Leaf Spot                  | Sweet Pea-Powdery Mildew                 |

Use 2 1/4 to 2 3/4 level tablespoons per gallon. Dust or spray every 7 to 10 days.

Carnations-Rust. Dust or spray every 7 to 10 days. Use 2 to 4 level tablespoons per gallon.

VEGETABLES & FRUITS:

- |                              |                             |
|------------------------------|-----------------------------|
| *Asparagus-Rust              | Gooseberries-Powdery Mildew |
| **Beans-Rust, Powdery Mildew | Peaches-Powdery Mildew      |
| Currants-Powdery Mildew      | Peas-Powdery Mildew         |

\*Apply only after harvest is completed.

\*\*Sulphur may injure certain varieties of beans.

Dust or spray every 7 to 10 days.

Beans, Asparagus, Currants and Peas - Use 2 to 4 level tablespoons per gallon.

For Peaches - Use 2 to 5 level tablespoons per gallon.

GRAPES-Powdery Mildew. Dust or spray when buds begin to break and at intervals of 2 weeks for at least 4 applications (6 treatments may be necessary). Use 1 to 3 level tablespoons per gallon. Concord and other Labrusa-type grapes may be injured by sulphur.

APPLES, PEARS-Scab. Spray when buds begin to swell and at 10 day intervals until 2 weeks after petal fall. During wet weather make additional treatments. Use 1½ to 4 level tablespoons per gallon.

CHERRIES, PEACHES, PLUMS, PRUNES-Brown Rot, Blossum Blight and Fruit Rot. Spray or dust in teh pre-bloom, bloom and post-bloom periods. Use 2 to 5 level tablespoons per gallon.

Common Red Spider & Pacific Mites are controlled on:

- \*Beans
- Currants
- Evergreens
- Figs
- Gooseberries
- Flums
- Prunes

\*Sulphur may injure certain varieties of beans.

CITRUS(Oranges, Grapefruit, Lemons)-Citrus Flat Mite, Yuma Spider Mite, Six Spotted mite, Citrus Rust Mite. Apply when mites appear and repeat as necessary. Do not make as oil application within 60 days prior to or after a sulphur application.

TOMATOES-Red Spiders, Russet Mite. Dust or spray when fruit begins to set to clean up early infestations. Repeat treatments as necessary. Do not apply on tomatoes within 40 days of harvest if they are to be canned in metal containers.

SOIL CORRECTIVE:

FOR AZALEAS, CAMELLIAS, HEATHER, RHODODENDRONS, and MANY OTHER ACID-LOVING PLANTS. Apply approximately 1 level tabelle spoon per square yard of soil surface around listed plants annually.

HEAVY ADOBE SOIL. Apply at same rate, preferably in fall.

PREPARED NEW LAWN SOIL. Use for deep correctin only. Do not use for surface correction.

Limited Warranty; Disclaimer. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even where label directions are followed. Except where such disclaimers and exclusions are specifically prohibited by applicable law, MANUFACTURER MAKES NO WARRANTY OF MERCHANTABILITY, THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF, AND IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR ANY CONSEQUENTIAL DAMAGE OR LOSS.



538/686  
EPA Reg. No. 33955-112  
EPA Est. No. 2217-KS-1

