Notification 1273 3-1:5-12

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060, Approval expires 11-30-93 OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 192002 **Application for Pesticide:** Other Section I 3. Proposed Classification 2. EPA Product Manager 1. Company/Product Number 33955-112 Susan Lewis Restricted > 4. Company/Product (Name) (PM 21) Acme® Wettable Dusting Sulfur 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling PBI/Gordon Corporation PO Box 4090 1217 West 12th Street EPA Reg. No.____ Kansas City, MO 64101 Check if this is a new address **Product Name** Section II Final printed labels in response to Amendment - Explain below Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II) Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meets every requirement of PR-Notice 88-6. NOTIFICATION Three copies of the revised labeling are enclosed. Section III 1. Material This Product Will Be Packaged In: 2. Type of Contains Water Soluble Packaging Child-Resistant Packaging Unit Packaging Metal Yes Yes' Yes Plastic Glass No No Paper If Yes. if "Yes " No. per No. per Other (Specify) Unit Package wgt. Package wgt. container Certification must be submitted. 5. Location of Label Directions 3. Location of Net Contents Information Size(s) or Retail Container On Label Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenciled Section IV 1 Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) (816)421-4070 James A. Armbruster, Ph.D. Mgr. Regulatory Services Certification Cax: Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete; " " Lacknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or 1 (Stamped) both under applicable law 2 Signature Mgr. Regulatory Services James A. Armbruster, Ph.D. May 20, 1993

ACME®WETTABLE DUSTING SULFUR

An Insecticide/Fungicide for the Control of Certain Insects and Diseases of Plants as listed.

ACTIVE INGREDIENTS:	
Sulfur	92.00%
INERT INGREDIENTS:	
	100.00%

The material in this can is guaranteed to pass 95% through a 325 mesh screen.

KEEP OUT OF REACH OF CHILDREN


CAUTION

See side panels for Precautionary Statements and Statements of Practical Treatment

NET WEIGHT 1-1/4 POUNDS

538/ AP052093 EPA REG. NO. 33955-112 EPA EST. NO. 2217-KS-1

DISTRIBUTED BY ACME DIVISION
PBI/GORDON CORPORATION
KANSAS CITY.MISSOURI 64101



STOPI READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazarde to Humans & Domestic Animals

CAUTION: Keep out of reach of children. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards: For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of rinsate or equipment washwater. Apply this product only as specified on this label.

Physical Hazards: Keep away from heat, sparks, or flame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE; Store in original container in a locked storage area inaccessible : / children or pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in

trash.

CONTAINER DISPOSAL: Do not reuse container. Pinse thoroughly before discarding in trash.

-USE PRECAUTIONS-

Do not apply within 4 weeks of an oil spray treatment or within 21 to 60 days on citrus. Do not apply any spray containing an oil emulsion within 30 days to foliage dusted or sprayed with Sulfur. Sulfur may bum foliage if applied when temperature is high (90' to 95'F). Do not make applications at this time.

NOTE: Sulfur may injure certain varieties of beans.

- HOW TO USE -

AS A LIQUID SPRAY: For one gallon of spray, mix the recommended dosage rate of ACME WETTABLE DUSTING SULFUR with an equal amount of water and stir into a thick paste, then add water slowly, stirring constantly until the gallon of water has been thoroughly combined. Apply with an ordinary sprayer. Keep well stirred at all times.

AS A DUST: ACME WETTABLE DUSTING SULFUR is ready to use as it comes in the package. This canister is furnished with punch-out holes on the top for dusting directly from the package or use in a suitable hand duster.

- WHEN TO APPLY -

Apply early in the morning or in the cool of the evening when the air is still. Thoroughly color all stems, leaves, and blossoms on both upper and lower surfaces. As a fungicide, applications should be made at \$0 day intervals. As an insecticide, apply carefully when the insects threaten and repeat every few days until the pests are eliminated.

ACME WETTABL - DUSTING SULFUR may be used as follows. Use the higher negles when disease or insect pressure is heavy and the lowest rates when pressure is light.

ROSES - Black Spot, Powdery Mildew. Dust or spray every 7 to 10 days during growing season. Use 1/4 to 2 3/4 level tablespoons per gallon.

ORNAMENTALS:

Calendula - Powdery Mildew
Chrysanthemums - Rust, Powdery Mildew
Dahlias - Powdery Mildew
Delphiniums - Powdery Mildew
Hollyhocks - Leaf Spot

Lilacs - Powdery Mildew
Phlox - Leaf Spot, Powdery Mildew
Snapdragons - (Before or after blossoming) - Rust
Sweet Pea - Powdery Mildew

Use 2 1/4 to 2 3/4 level tablespoons per gallon. Dust or gray e Gry 7 to 10 days.

Carnations - Rust. Dust or spray every 7 to 10 days. Use 2 to 4 level tablespoons per gallon.

VEGETABLES AND FRUITS:

'Asparagus - Rust
Beans - Rust, Powdery Mildew
Currants - Powdery Mildew

Gooseberries - Powdery Mildew Peaches - Powdery Mildew Peas - Powdery Mildew

Dust or spray every 7 to 10 days.

Beans, Asparagus, Currants and Peas - Use 2 to 4 level tablespoons per gallon.

For Peaches - Use 2 to 5 level tablespoons per gallon.

<u>GRAPES - Powdery Mildew.</u> Dust or spray when buds begin to break and at intervals of 2 weeks for at least 4 applications (6 treatments may be necessary). Use 1 to 3 level tablespoons per gallon. Concord and other Labrusa type grapes may be injured by sulfur.

<u>APPLES, PEARS - Scab.</u> Spray when buds begin to swell and at 10 day intervals until 2 weeks after petal fall. During wet weather make additional treatments. Use 1 2/3 to 4 level tablespoons per gal an

CHERRIES, PEACHES, FRESH PLUMS - Brown Rot, Blossom Blight and Fruit Rot. Spray or dust in the pre-bloom, bloom, and post-bloom periods. Use 2 to 5 level tablespoons per gallon.

Common Red Spider & Pacific Mites are controlled on:

Beans

Gooseberries

Currants Evergreens Fresh Plums (Prunes)

Figs

'Sulfur may injure certain varieties of beans.

CITRUS (Oranges, Grapefruit, Lemons) - Citrus Flat Mite, Yuma Spider Mite, Six Spotted Mite, Citrus Rust Mite. Apply when mites appear and repeat as necessary. Do not make an oil application within 60 days prior to or after a sulfur application.

TOMATOES - Red Spiders, Russet Mite. Dust or spray when fruit begins to sell to clean up early infestations. Repeat treatments as necessary. Do not apply on tomatoes within 40 days of harvest if they are to be canned in metal containers

- SOIL CORRECTIVE -

FOR AZALEAS, CAMELLIAS, HEATHER, RHODODENDRONS, and MANY OTHER ACID-LOVING PLANTS. Apply approximately 1 level tablespoon per square yard of soil surface around listed plants annually.

^{&#}x27;Apply only after har rest is completed.
"Sulfur may injure certain varieties of beans.

HEAVY ADOBE SOIL. Apply at same rate, preferably in fall.

PREPARED NEW LAWN SOIL. Use for deep correction only. Do not use for surface correction.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not cutend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

