

Label Copy No: LSC-213D 8


Date: 8/27/68

Product: S-W Parathion 15% Wettable Powder

Package: Printed Bag

Size: \*Pounds (two, three, four and five pounds)

(Front Panel)



SHERWIN-WILLIAMS

PARATHION 15%

WETTABLE POWDER  
DUSTLESS

FOUR POUNDS NET WEIGHT

33955-302

ACTIVE INGREDIENT: PARATHION*	.....	15%
INERT INGREDIENTS:	.....	85%
	TOTAL	100%

\*O,O-diethyl O-p-nitrophenyl thiophosphate.

☠ POISON ☠ - 18 FT.

18 FT. DANGER: KEEP OUT OF REACH OF CHILDREN - 12 FT.  
SEE BACK PANEL FOR OTHER WARNINGS - 6 FT. Min.

Before using, study safety directions. Consult your physician about obtaining an adequate supply of 1/100 gr. atropine tablets for emergency use.

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PARATHION POISONING. RAPIDLY ABSORBED THROUGH SKIN.

IF YOU SUSPECT EXPOSURE, SEE A DOCTOR. DO NOT BREATHE DUST OR VAPOR: WEAR A PROPER MASK OR RESPIRATOR. DO NOT GET ON SKIN, IN EYES, ON CLOTHING. IF SPILLED ON SKIN, IMMEDIATELY WASH THOROUGHLY WITH SOAP AND WATER. DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.

ATROPINE IS ANTIDOTAL--CONSULT PHYSICIAN FOR EMERGENCY SUPPLY FIRST AID TREATMENT CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED "PARATHION" POISONING. If symptoms or signs of poisoning include (See Physician's Note) blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 gr.) at once.

Remove contaminated clothes and wash skin clean with copious applications of soap and water to remove all traces of Parathion. Remove patient immediately from the area where Parathion is present. If swallowed, induce vomiting by giving warm salty or soapy water. Have victim lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT

PHYSICIAN'S NOTE: Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration and/or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

RED { HIGHLY TOXIC PESTICIDE--When empty rinse all powder into tank or sump hole that can be filled. Burn this container at once--stay out of smoke. Bury all ashes or residue.

MANUFACTURED BY

THE SHERWIN-WILLIAMS CO.

CLEVELAND, OHIO 44101--MADE IN U.S.A.

(Back Panel)

DIRECTIONS--READ PRECAUTIONS (other side) BEFORE USING } RED

PARATHION 15%--WETTABLE POWDER--DUSTLESS

R { WARNING: Whenever handling or applying Parathion, wear natural rubber gloves, goggles and clean waterproof or freshly laundered protective clothing (coveralls, cap, etc.) ~~covering exposed surfaces. Clothing must not get wet through. Destroy and replace gloves frequently. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Parathion protection. (Airplane pilots should wear a full-face canister-type mask.)~~ For any handling indoors, provide mechanical exhaust ventilation. Destroy containers; never re-use. Bury spillage; clean up area with strong lye solution. E { Bathe promptly with soap and water after using or handling and before eating or smoking. Wash clothing with soap and hot water before re-use. Remove unprotected persons and domestic animals from operating and adjacent areas where insecticides may drift; prohibit re-entry until drift and vapor dissipate. D

ENVIRONMENTAL PRECAUTIONS: This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label.

When bag is empty rinse all powder into the tank or a sump hole that can be filled. Burn bag at once. Stay out of smoke. Bury ashes.

FRUITS: Apple--For control of codling moth, plum curculio, orange tortrix, San Jose, Forbes, and scruffy scales red-banded leaf roller (second and third brood), woolly apple aphid and mealybug, use 1 3/4 lbs. per 100 gallons. Apple pests given below when present, are also controlled.

For control of bud moth, red bug, fruit tree leaf roller, rosy apple aphid, green apple aphid, red-banded leaf roller (first brood), grasshoppers, and European red mite, two-spotted mite, Pacific mite, Schoenli mite, Willamette mite, and clover mite, use 1 lb. per 100 gallons. For certain mites such as two-spotted and Willamette, repeat applications at 7 to 10-day intervals during the summer months. Do not apply closer than 14 days before harvest.

PEAR: For control of pear blister mite, use 1-3/4 lbs. per 100 gallons in pre-blossom spray. For pear psylla, use 1 lb. per 100 gallons either in pre-blossom or post-blossom sprays. Use dosages listed under apple for control of codling moth, mealybug, woolly aphid, and certain spider mites. Do not use on Bosc pears. Do not use closer than 14 days before harvest.

PEACH: Use 1-3/4 lbs. per 100 gallons for control of plum curculio, Oriental fruit moth, San Jose Scale, and cat-facing insects. For control of fruit tree leaf roller, cottony peach scale, green peach aphid, and spider mites, use 1 lb. per 100 gallons.

Do not apply within 14 days of harvest. Do not use more than 25 lbs. of this product per acre per year. Applicable only to areas other than California.

RECEIVED  
SEP 24 1968

Small illegible text at bottom right.

**PRUNE AND PLUM:** For control of plum curculio, use 2 lbs. per 100 gallons. For control of bud moth, mealy plum louse, tortrix, leaf roller, leafhoppers, aphids, and spider mites, use 1 to 1-3/4 lbs. per 100 gallons. Do not use closer than 14 days before harvest.

**CITRUS:** Purple scale, Florida red scale, cottony-cushion scale, snow scale, and mealybugs—use 1-2/3 to 2 lbs. per 100 gallons of water in full coverage spray between June and September; or use 1 lb. per 100 gallons of water in two full coverage sprays, the first in spring with melonose and scab treatments, and a second from June through September with sulfur. Make no applications to citrus within 30 days of harvest. Avoid use of citrus peel for food purposes.

**NOTE:** Avoid the use of Parathion sprays during flowering and pollination periods. Parathion is compatible with Arsenate of Lead, DDT Wettable Powder, insoluble coppers and wettable sulfurs. Do not use Bordeaux Mixture or lime. Do not apply more than 1/2 pound of Parathion in 100 gallons of water on McIntosh, Cortland, Macoun, Kendall, Melba, Golden Delicious, or Jonathan apples. Do not use Parathion with Ferbam before the ~~fruit is on Golden Delicious or Jonathan apples.~~

Do not prune trees or thin fruit in dense orchards until at least two weeks have been allowed for dissipation of vapors from residues.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

SOLD FOR INSECTICIDE PURPOSES

SS4-66  
\*\*\*

USDA REGISTRATION NUMBER 577-302

LSC-213D8 \*\*

- \* This label copy is used for 2,3,4 & 5 pound bags. Correct weight designation should be inserted.
- \*\* Insert month and year of current printing e.g.: 8-68
- \*\*\* Change proper bag code number for other sizes.