


PM16 33955-394

10/3

60-14
60-52

ACME®
malathion
50% spray
for garden insects

893/984
EPA REG. NO. 33955-394
EPA EST. NO. 2217-KS-1

 DISTRIBUTED BY ACME DIVISION
pbi/gordon
corporation
KANSAS CITY, KANSAS 64108



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

WARNING: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Causes eye irritation. Do not get in eyes, skin or clothing. Wash skin thoroughly after handling. Remove and wash contaminated clothing before reuse.

Statement of Practical Treatment:

If swallowed, do not induce vomiting. Get medical attention! In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse.

Note to Physician: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

Environmental Hazards:

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treated area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

Physical or Chemical Hazards:

Do not use or store near heat or open flame.

ACME

60-14

**malathion
50% spray**

for flies and garden insects



NET CONTENTS ONE-PINT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before using.

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals.

PRODUCT DISPOSAL: Securely wrap container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

893/984
EPA REG NO 33955-394
EPA EST NO 2217-KS-1

REFER TO NECK-TAG FOR USE INSTRUCTIONS.

DISTRIBUTED BY ACME DIVISION
G pbi / Gordon
corporation
KANSAS CITY, KANSAS 64118



ACCEPTED
EPA 893/984
EPA REG NO 33955-394

BEST AVAILABLE COPY

30/3

3 of 3

BEST AVAILABLE COPY

APPLES & PEARS: To control European Red Mi. Clover Mite, and Two Spotted Mite, mix 2 tsp in 1 gal water. To control Woolly Apple Aphid and Forbes Scale, mix 1 tsp in 1 gal water. To control Green Apple Aphid and Rosy Apple Aphid, mix 1 tsp in 1 1/2 gal water. Make two or more applications as needed for mites, one or more for aphids. At pre-pink or pink stage of bloom or when aphids appear. Do not use within 3 days of harvest. This product may injure foliage on some varieties of apples and pears.

TOMATOES: To control spiders and mites, mix 3 tsp in 1 gal water. To control aphids, mix 3 tsp in 1 gal water. Make one or more applications as needed. Do not use within 3 days of harvest.

BEANS: To control Mexican Bean Beetle, Spider Mites, Leafhopper, and aphids, mix 3 tsp in 1 gal water. Make one or more applications as needed. Do not use within 3 days of harvest.

PEAS & POTATOES: To control Pea Aphid on peas or aphids on potatoes, mix 3 tsp in 1 gal water. Make one or more applications as needed. Do not use within 3 days of harvest. Do not use pea vines for forage.

CABBAGE, BROCCOLI, KALE, MUSTARD, & TURNIP: To control aphids, Imported Cabbage Worm, mix 3 tsp in 1 gal water. Make full coverage applications. Repeat as necessary. Do not use within 3 days of harvest on broccoli and turnips. 7 days on other.

LIQUID FLY BAIT: To control House and Stable Flies in Barns, Feed Lots, Poultry Houses, and other buildings and around disposal areas, mix 5 ounces with 5 ounces of

corn syrup and add to 2 gals water. Paint or spray on desired surfaces. Avoid contamination of milk, milk equipment and water. Avoid contamination of feed and food products. Also drinking fountains and feed troughs. Remove lactating dairy animals from buildings before treating. Remove animals under one month of age before treating.

MOSQUITOES, FLIES, & OTHER SMALL FLYING INSECTS OUTDOORS: Use 11 tablespoons per gallon of water, fuel oil or diesel oil and spray yard, lawn patio or other outdoor area using a fine mist spray. Repeat as needed. Do not apply oil solutions to valuable ornamentals; injury may occur. Do not contaminate food, dishes, or utensils.

FLOWERS, ORNAMENTALS, EVERGREENS, SHADE TREES, & SHRUBS: To control bagworms, use 2 tsp in 1 gal water and apply in late May or early June as soon as first small bags appear. Spray all leaves or needles thoroughly. To control Oyster Shell Scale and Euonymus Scale, mix 1 tsp in 1 gal water. To control aphids, Spider Mites, White Fly, Thrips, Mealy bugs, Japanese Beetle Adult, Four Lined Plant Bug, Tarnished Plant Bug, Rose Leafhopper, and Potato Leafhopper, mix 1 1/2 tsp in 1 gal water. To control Juniper Scale, mix 2 tsp in 1 gal water. To control Soft Brown Scale, mix 2 1/2 tsp in 1 gal water. To control Pine Needle Scale, mix 4 tsp in 1 gal water. Apply in summer when infestation occurs. Repeat in 10 to 12 days. For scales, apply when crawlers have settled on foliage. Do not use on certain ferns, including Boston

Canariis Juniper, Maidenhair and Plants, as well as some species of Grassula because of possible injury to these ornamentals.

Limited Warranty: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies: Except where such disclaimers and exclusions are specifically prohibited by applicable law, **THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and upon Manufacturer's compliance with said limited warranty BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.**