

DIRECTIONS FOR USE

Chlordane is powerful and effective in controlling insects 2 ways - by contact and when eaten.

Apply ACME 10% CHLORDANE DUST as it comes from the package through sifter top or with hand duster.

USES

FOR GARDEN SOIL

To control wireworms, white grubs, and cutworms on cabbage, work into top 2 or 3 inches of soil when preparing seed beds. On cabbage make second application at base of the plants when thinning or transplanting. One pound treats 1,000 square feet. Remains effective all season.

FOR FOLIAGE DUST

To control grasshoppers, thrips and plant bugs on rose-buds, flowers, shrubs and other ornamentals dust directly on the plant and insect. Repeat as necessary to prevent damage.

FOR BULB TREATMENT

Before storing bulbs and for treatment just before planting to control thrips on Dahlias, Gladiolus, Hyacinths, Tulips, and most flowering bulbs, place a few bulbs in a strong paper bag, dust a tablespoonful of ACME 10% CHLORDANE DUST on the bulbs, close opening and shake vigorously.

FOR LAWNS

To control ants and chiggers, dust lightly at the rate of 1 pound to 900 to 1000 square feet of area. Repeat as necessary. For white grubs, Japanese beetle grubs and sod webworm (lawn moth) apply liberally at the rate of 1 pound to 400 square feet. Water well with hose to get material into nests and living places. Effective entire season. Keep children and pets off treated areas until insecticide has been washed into the soil and the grass is thoroughly dry. Birds feeding on treated areas may be harmed.

IN THE GARDEN

To control cutworms, earwigs, mole crickets, sowbugs, millipedes and leaf cutting ants; apply as under garden soil when seeding beans and peas. Dust around tomatoes when transplanting. Apply around base of flowers. One pound treats 400 to 500 square feet.

ONE POUND

ACME®

NET WEIGHT



**For CHIGGERS
EARWIGS
MOLE CRICKETS
CUTWORMS
WHITE GRUBS
and certain other
insects infesting
LAWN - GARDEN
SOIL**

HUMAN CAUTIONS: Harmful if swallowed. Avoid breathing of dust. Wash with soap and water immediately after use. Do not contaminate feed or food-stuffs. Do not use on or around vegetables after edible parts begin to form. Keep out of the reach of children. Do not apply in any manner not specified on this label.

ENVIRONMENTAL CAUTIONS: This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by wastes or treat areas with heavy runoff.

This product is highly toxic to bees. Do not dust when bees are visiting the area.

**DO NOT REUSE CONTAINER.
DESTROY WHEN EMPTY.**

12-86

for



ANTS



Active Ingredient—	
*Technical Chlordane	10%
Inert Ingredients	90%
Total	100%

*Equivalent to 6% octachloro-4,7-methanotetrahydroindane and 4% related compounds.

**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER PANELS FOR OTHER CAUTIONS**

DISTRIBUTED BY
ACME DIVISION
GORDON CORPORATION
KANSAS CITY, KANSAS 66110

EPA REG. NO. 33955-399-AA
EPA EST. NO. 2217-KS-1

LD 240 C12 626-474

10-4-74

UNDER THE FL
EPA REG. NO. 33955-399-AA
EPA EST. NO. 2217-KS-1
EPA REG. NO. 33955-399-AA
EPA EST. NO. 2217-KS-1



DIRECTIONS FOR USE

HOUSEHOLD

For control of Ants, Roaches, Silverfish, Carpet Beetles, Black Widow and House Spiders, use 4 tablespoonfuls per quart of water. Paint on with a brush or use coarse droplet spray. Treat baseboards, cracks under sinks, water pipes and other hiding places. Treat under carpets and any infested carpet areas, behind shelves and bookcases. Be careful not to contaminate food or cooking utensils. Treat basement and garage storage areas, window ledges, heating pipes and woodpiles for spiders. Do not use on bedding or pets. Repeat as needed.

TERMITES

Dig a Trench 30" deep around foundations and piers, but not below footings. Dilute 1 quart per 12 gallons of water, apply 2 gallons per 5 linear feet. Mix the same amount in the dirt as replaced. Treat all junctures of house and ground. Apply 1 gallon per 10 square feet under new slabs before pouring concrete. Repeat as needed.

ANT HILLS AND MOUNDS

Use 2 tablespoonfuls per gallon. Break down large hills with a stick or hoe. Use one or more gallons to soak the area. Repeat as needed.

LAWNS AND SHRUBS

For control of Ants, Chiggers, Fleas, Sod Webworms, Crickets, Box Elder Bugs, Grasshoppers, Earwigs, White Grubs, Japanese Beetle Larvae, Sowbugs and Cutworms, use 3 tablespoonfuls per gallon. Apply 2½ gallons of dilution per 1000 square feet. Spray foliage until wet. Spray around foundations, window ledges, and steps to help prevent access to the home. Repeat as needed. Do not allow children or pets on treated areas until after sprinkling and the grass is dry. Note: Birds feeding on treated areas may be harmed.

GARDENS

For control of Cutworms, Sowbugs, Flea Beetles and Wireworms, use 4 tablespoonfuls per gallon. Apply to soil at seedling stage or to soil around transplants of cabbage, tomato, pepper and celery when setting out in rows. Apply to soil when planting beans and corn. Do not apply to green or Spring onions or root crops. Do not spray cabbage after edible parts begin to form.

For control of Leaf Miners, use 4 tablespoonfuls per gallon. Spray birches, flowers, holly, syringa, in late May or first sign of infestation. Repeat in 15 days.

