

ACME®

71-86

rose dust

controls diseases & insects

ACCEPTED
 SEP 12 1986
 Under the
 Federal
 Insecticide, Fungicide,
 and Rodenticide Act
 Reg. No. 33955-401

Controls Aphids, Thrips, Red Spiders,
 Rose Chafers, Leafhoppers, Japanese
 Beetles, Black Spot, Powdery Mildew,
 and certain other pests as described on
 the side panel.

ACTIVE INGREDIENTS:

Captan*.....	6.620%	- 6.35
Related Derivatives.....	0.380%	
Malathion (,)-Dimethyl dithiophosphate of diethyl mercaptosuccinate).....	4.000%	- 7.65
Technical Methoxychlor**.....	5.000%	- 4.5
(2,4-dinitro-6-octyl***phenyl crotonate 2,6-dinitro-4-octyl*** phenyl crotonate).....	0.675%	+ 7.5 VS 7.0
Nitro octyl phenols.....	0.075%	
INERT INGREDIENTS.....	82.350%	
TOTAL	100.000%	

*(N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide)
 **Equivalent to 4.4% 2,2-Bis(p-Methoxyphenyl)-1,1,1-Trichloroethane and
 0.6% other isomers and reaction products.
 ***A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl isomers.
 Karathane is a trademark of Rohm & Haas Company.

KEEP OUT OF REACH OF CHILDREN

D A N G E R

See Side Panels for Statement of Practical
 Treatment and Additional Precautionary
 Statements.

NET WEIGHT ONE POUND

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not inhale dust. May cause allergic skin reactions. May cause irritation of nose, throat, and skin. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Wash thoroughly after each use. Remove and separately launder clothing before reuse.

Statement of Practical Treatment

IF IN EYES: Wash thoroughly with water for at least 15 minutes and contact a physician if necessary.

IF ON SKIN: In case of contact wash with soap and water.

IF INHALED: Move to fresh air and call emergency medical care.

IF SWALLOWED: Seek immediate medical attention if ingestion has occurred.

ENVIRONMENTAL HAZARDS

Fish: This pesticide is toxic to fish. Do not apply directly to water or wetlands, swamps, bogs, marshes, and potholes. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

Bees: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

Endangered Species Restrictions: The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal Law. The following endangered species and the general location of their habitats have been identified by county:

Slackwater Darter, Alabama (Lauderdale, Limestone and Madison)
Tennessee (Lawrence and Wayne)

Pecos gambusia, New Mexico (Chaves and Eddy)
Texas (Reeves, Jeff Davis and Pecos)

Freshwater Mussels, Tennessee (Hancock, Claiborne, Hawkins and Sullivan)
Virginia (Smyth, Scott, Lee, Washington & Grayson)

Commanche Springs
Pupfish, Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service Office (Endangered Species Specialist) or State Wildlife Agency; if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL:

Store in original container in a locked storage area inaccessible to children and pets. For disposal, securely wrap original container in several layers of newspaper and discard in trash. Do not reuse empty container. Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Wear natural or synthetic rubber, vinyl, or plastic gloves impermeable to captan when using. Do not use indoors. When using outdoors, wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing. Clothing worn while handling this product must be laundered separately from other clothing before reusing.

HOW TO USE:

Make application early in the morning or late evening when air is still and temperature low. Do not apply when temperature will reach 90°F during the day or when foliage remains wet. Cover all surfaces, upper and lower, of the plant with a light deposit of dust. Do not use in excess. Start application before insects are numerous or disease symptoms appear. Apply at 7 to 10 day intervals and more frequently during rainy periods throughout the growing season.

ACME ROSE DUST contains KARATHANE, CAPTAN, MALATHION, and METHOXYCHLOR for combined disease and insect control. See the list of pests below.

PESTS CONTROLLED

INSECTS- Aphids, Asiatic Garden Beetle, Japanese Beetle, Lacebugs, Mealy Bugs, Rose Chafer, Rose Leafhopper, Spider Mites, Tarnished Plant Bug, Thrips, White Fly.

DISEASES- Black Spot, Powdery Mildew.

Refill the ACME ROSE DUST 10 oz. squeeze duster with this canister or use a good mechanical dust.

NOTE: After use with pesticides, utensils should never be used for any other purpose.



REFILL FOR SQUEEZE DUSTER

ACME ROSE DUST is colored to leave a less

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility, with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on this label.

556/586

EPA Reg. No. 33955-401
EPA EST. NO. 2217-KS-1

