

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not inhale dust. May cause allergic skin reactions. May cause irritation of nose, throat, and skin. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Wash thoroughly after each use. Remove and separately launder clothing before reuse.

Statement of Practical Treatment

IF IN EYES: Wash thoroughly with water for at least 15 minutes and contact a physician if necessary.
IF ON SKIN: In case of contact wash with soap and water.
IF INHALED: Move to fresh air and call emergency medical care.
IF SWALLOWED: Seek immediate medical attention if ingestion has occurred.

ENVIRONMENTAL HAZARDS

Check this

Fish: This pesticide is toxic to fish. Do not apply directly to water or wetlands, swamps, bogs, marshes, and potholes. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

✓

Bees: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

Endangered Species Restrictions: The use of this product in a manner which may harm endangered species or adversely modify their habitat is prohibited by Federal Law. The following endangered species and the general location of their habitats have been identified by county:

- Slackwater Darter, Alabama (Lauderdale, Limestone and Madison)
Tennessee (Lawrence and Wayne)
- Pecos gambusia, New Mexico (Chaves and Eddy)
Texas (Reeves, Jeff Davis and Pecos)
- Freshwater Mussels, Tennessee (Hancock, Claiborne, Hawkins and Sullivan)
Virginia (Smyth, Scott, Lee, Washington & Grayson)
- Commanche Springs Pupfish, Texas (Reeves and Jeff Davis)

Prior to use of this product in the above counties you must determine that these species are not located in, or immediately adjacent to, the areas to be treated with captan. Consult your regional U.S. Fish and Wildlife Service Office (Endangered Species Specialist) or State Wildlife Agency if there is any doubt as to the areas where the outdoor use of captan is prohibited.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL:

Store in original container in a locked storage area inaccessible to children and pets. For disposal, securely wrap original container in several layers of newspaper and discard in trash. Do not reuse empty container. Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Wear natural or synthetic rubber, vinyl, or plastic gloves impermeable to captan when using. Do not use indoors. When using outdoors, wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing. Clothing worn while handling this product must be laundered separately from other clothing before reusing.

HOW TO USE:

Make application early in the morning or late evening when air is still and temperature low. Do not apply when temperature will reach 90°F during the day or when foliage remains wet. Cover all surfaces, upper and lower, of the plant with a light deposit of dust. Do not use in excess. Start application before insects are numerous or disease symptoms appear. Apply at 7 to 10 day intervals and more frequently during rainy periods throughout the growing season.

ACME ROSE DUST contains KARATHANE, CAPTAN, MALATHION, and METHOXYCHLOR for combined disease and insect control. See the list of pests below.

PESTS CONTROLLED

INSECTS- Aphids, Asiatic Garden Beetle, Japanese Beetle, Lacebugs, Mealy Bugs, Rose Chafer, Rose Leafhopper, Spider Mites, Tarnished Plant Bug, Thrips, White Fly.

DISEASES- Black Spot, Powdery Mildew.

Refill the ACME ROSE DUST 10 oz. squeeze duster with this canister or use a good mechanical dust.

NOTE: After use with pesticides, utensils should never be used for any other purpose.



REFILL FOR SQUEEZE DUSTER

ACME ROSE DUST is colored to leave a less visible deposit on the leaves.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility, with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on this label.

556/586

EPA Reg. No. 33955-401
EPA EST. NO. 2217-KS-1

 **G** Manufactured by ACME Gordon
obi / GORDON
CORPORATION
KANSAS CITY, KANSAS 64108

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

PARATHION 25W

ACTIVE INGREDIENTS:

Parathion (O, O-Diethyl O-p-Nitrophenyl Phosphorothioate	25.0%
INERT INGREDIENTS	75.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN



POISON

DANGER

RECEIVED
 JUL 27 1987
 PELKRO
 Note: This is a Federal Insecticide, Fungicide, and Rodenticide as amended, for the pesticide registered under EPA Reg. No. 51-17

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto. El uso de este producto se explica ampliamente.

NOT FOR HOME USE

FIRST AID TREATMENT STATEMENT OF PRACTICAL TREATMENT

If a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. If doctor cannot come, take victim to clinic or hospital. Move victim immediately from the area where parathion is present.

IF INHALED, remove victim to fresh air. If not breathing, immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim. If breathing is difficult, give oxygen.

IF IN EYES OR ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated personal clothing and shoes to avoid continued possible exposure to victim or persons in attendance.

IF SWALLOWED, induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS. Do not breathe vapors or dust. Do not get in eyes, on skin or on clothing.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces *eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.*

Some of the signs and symptoms of poisoning are: Headaches, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

POISON ATROPINE IS AN ANTIDOTE CONSULT PHYSICIAN FOR EMERGENCY SUPPLY

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and lightness in the chest, do not wait for a doctor but give two atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.)

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS BECAUSE THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECT ACCENTUATING THE PHARMACOLOGIC EFFECT OF THIS PRODUCT. This product is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvements; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

ENVIRONMENTAL HAZARDS

product is toxic to fish, shrimp, crab, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

In case of:

FIRE — Use water spray, foam, dry chemical or CO₂.