


1/4

33955-401

PM, 12



Controls Aphids, Thrips, Red Spiders  
 Rose Chafers, Leafhoppers, Japanese  
 Beetles, Black Soot, Powdery Mildew  
 and certain other pests as described on  
 the side panel.

*ACC*  
*Personal-cert*  
*OCT 20 1987*  
 33955-401

ACTIVE INGREDIENTS:

Capzan.....	6.846%
Related Derivatives.....	0.154%
Malathion (0,0)-Dimethyl dithiophosphate of diethyl mercaptosuccinate).....	4.000%
Technical Methoxychlor**.....	5.000%
(2,4-dinitro-6-octyl***phenyl crotonate 2,6-dinitro-4-octyl*** phenyl crotonate).....	0.675%
Nitro octyl phenols.....	0.066%
INERT INGREDIENTS.....	83.279%
TOTAL	100.000%

\* N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide  
 \*\*Equivalent to 4.4% 2,2-Bis(p-Methoxyphenyl)-1,1,1-Trichloroethane and  
 0.6% other isomers and reaction products.  
 \*\*\*A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl isomers.  
 Kerathane is a trademark of Rohm & Haas Company.

KEEP OUT OF REACH OF CHILDREN

DANGER

See Side Panels for Statement of Practical  
 Treatment and Additional Precautionary  
 Statements.

NET WEIGHT ONE POUND

BEST AVAILABLE COPY

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not inhale dust. May cause allergic skin reactions. May cause irritation of nose, throat, and skin. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Wash thoroughly after each use. Remove contaminated clothing and separately launder before reuse.

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Call a physician.

IF ON SKIN: In case of contact, wash with soap and water.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol.


ENVIRONMENTAL HAZARDS

Fish: This pesticide is toxic to fish. Do not apply directly to water or wetlands, swamps, bogs, marshes, and potholes. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

Bees: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



3/4

### STORAGE & DISPOSAL

**Storage:** Store in original container in a locked storage area inaccessible to children and pets.

**Pesticide Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

**Container Disposal:** Do not reuse container. Rinse thoroughly before discarding in trash.

Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse.

Wear chemical resistant gloves when using. Do not use indoors. When using outdoors, wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing.

### HOW TO USE:

Make application early in the morning or late evening when air is still and temperature low. Do not apply when temperature will reach 90°F during the day or when foliage remains wet. Cover all surfaces, upper and lower, of the plant with a light deposit of dust. Do not use in excess. Start application before insects are numerous or disease symptoms appear. Apply at 7 to 10 day intervals and more frequently during rainy periods throughout the growing season.

ACME ROSE DUST contains KARATHANE, CAPTAN, MALATHION, and METHYOXYCHLOR for combined disease and insect control. See the list of pests below.

### PESTS CONTROLLED:

**INSECTS** - Aphids, Asiatic Garden Beetle, Japanese Beetle, Lacebugs, Mealy Bugs, Rose Chafer, Rose Leafhopper, Spider Mites, Tarnished Plant Bug, Thrips, White Fly.

**DISEASES** - Black Spot, Powdery Mildew.

Refill the ACME ROSE DUST 10 oz. squeeze duster with this canister or use a good mechanical dust.

**NOTE:** After use with pesticides, utensils should never be used for any other purpose.



**REFILL FOR SQUEEZE DUSTER**  
ACME ROSE DUST is colored to leave a less  
distinct residue on the leaves

4/4  
NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility, with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on this label.

556/987

EPA Reg. No. 33955-401  
EPA EST. NO. 2217-KS-1

4  
5  
6  
7  
8  
9  
0