

33955-417  
~~417~~  
**ACCEPTED**  
 Nov 3 1968  
 THE FEDERAL INSECTICIDE  
 AND RODENTICIDE AGENCY  
 ECONOMIC POISON REGISTER  
 REGISTER NO. \_\_\_\_\_  
 ATTACHED COMMENTS

ONE GALLON **ACME** U. S. MEASURE

**CHLORDANE**  
**45% SPRAY**

HOME • LAWN • GARDEN



**ACTIVE INGREDIENTS:**  
 \*Technical Chlordane . . 45.0%  
 Petroleum Distillates 50.0%  
**INERT INGREDIENTS . . 5.0%**  
**TOTAL . . 100.0%**



\*Equivalent to 27% octachloro-4,7-methanotetrahydroindane and 18% related compounds.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
 SEE OTHER PANELS FOR OTHER CAUTIONS

**CAUTION**  
 Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of skin contact, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep away from heat and open flame. Do not treat forage for animals.  
 Keep out of any body of water. Fish may be killed.  
 Do not apply in any manner not specified on the label.  
 Do not reuse container. Destroy when empty.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

**ACME INSECTICIDE DIVISION**  
**THE SHERWIN-WILLIAMS Co.**  
 8250 St. Aubin Ave., Detroit, Mich. 48211  
 Made in U.S.A.

LD-282X9 8-66 22964 USDA REG. NO. 57-417

**DIRECTIONS FOR USE**

**HOUSEHOLD**  
 For control of Ants, Roaches, Silverfish, Carpet Beetles, Black Widow and House Spiders, use 4 tablespoonfuls per quart of water. Paint on with a brush or use coarse droplet spray. Treat baseboards, cracks under sinks, water pipes and other hiding places. Treat under carpets and any infested carpet areas, behind shelves and bookcases. Be careful not to contaminate food or cooking utensils. Treat basement and garage storage areas, window ledges, heating pipes and woodpiles for spiders. Do not use on bedding or pets. Repeat as needed.

**LAWNS AND SH**  
 For control of Ants, Ch Sod Webworms, Cricket Bugs, Grasshoppers, Ea Grubs, Japanese Beetle bugs and Cutworms, spoonfuls per gallon. A lons of dilution per 100 Spray foliage until wet. foundations, window steps to help prevent home. Repeat as needed. children or pets on treat after sprinkling and the Note: Birds feeding on may be harmed.

**TERMITES**  
 Dig a Trench 30" deep around foundations and piers, but not below footings. Dilute 1 quart per 12 gallons of water, apply 2 gallons per 5 linear feet. Mix the same amount in the dirt as replaced. Treat all junctures of house and ground. Apply 1 gallon per 10 square feet under new slabs before pouring concrete. Repeat as needed.

**GARDENS**  
 For control of Cutwort Flea Beetles and Wiret tablespoonfuls per gall soil at seedling stage or transplants of cabbage, per and celery when s rows. Apply to soil w beans and corn. Do not a or Spring onions or re not spray cabbage after begin to form.

**ANT HILLS AND MOUNDS**  
 Use 2 tablespoonfuls per gallon. Break down large hills with a stick or hoe. Use one or more gallons to soak the area. Repeat as needed.

For control of Leaf M tablespoonfuls per ga birches, flowers, holly, late May or first sign c Repeat in 15 days.

Label Copy No: LD-277W8

Product: Acme Chlordane 72% Spray

Size: 1 Quart

Date: 8/27/68

Package: Printed Bottle

-2-

(Face Panel)

ONE QUART

ACME

U.S. MEASURE

CHLORDANE  
72% SPRAY

HOME--LAWN--GARDEN  
ANTS, ROACHES, SPIDERS, SOIL INSECTS, CRABGRASS  
BOX ELDER BUGS--CUTWORMS--GRASSHOPPERS

1 1/4 PT. - CAUTION: KEEP OUT OF REACH OF CHILDREN - 10 PT.  
See left panel for other cautions - 6 PT. Min.

ACTIVE INGREDIENTS:	*TECHNICAL CHLORDANE	72.0%
	PETROLEUM DISTILLATES	23.0%
INERT INGREDIENTS		5.0%
	TOTAL	100.0%

\*Equivalent to 43.2% octachloro-4,7-methanotetrahydroindane and 28.8% related compounds.

(Right Side Panel)

DIRECTIONS FOR USE:

EFFECTIVE CONTROL WHEN USED AS SUGGESTED. MAKE REPEATED APPLICATION AS NEEDED TO MAINTAIN CONTROL.

CRABGRASS: FOR PREVENTION USE 5 TABLESPOONFULS PER GALLON OF WATER PER 100 SQUARE FEET OF TURF. 1 1/2 PINTS PER 1,000 SQUARE FEET IN ENOUGH WATER TO COVER FOR LARGER AREAS. APPLY IN EARLY SPRING NOT LATER THAN MAY 1. WATER AREA AFTER TREATMENT. WILL CONTROL ORNAMENTAL TURF AND SOIL INSECTS. DO NOT APPLY TO NEWLY SEEDED LAWNS. DO NOT ALLOW CHILDREN OR PETS TO PLAY ON TREATED AREAS UNTIL AFTER SPRINKLING AND GRASS IS DRY.

LAWNS AND SHRUBS: FOR CONTROL OF ANTS, CHIGGERS, FLEAS, SOLEBEWORMS, WHITE GRUBS AND CUTWORMS: USE 1 1/2 TABLESPOONFULS PER GALLON OF WATER PER 250 SQUARE FEET. FOR GRASSHOPPERS, CRICKETS, AND BOX ELDER BUGS: WET ALL FOLIAGE. SPRAY BIRCH, HOLLY, SYRINGA AND FLOWERS IN LATE MAY FOR LEAF MINER CONTROL. REPEAT IN 15 DAYS. SOAK LARGE ANT HILLS WITH A GALLON OR MORE OF DILUTED SPRAY. SPRAY AROUND FOUNDATIONS AND OUTSIDE ENTRY WAYS TO PREVENT ACCESS INTO THE HOME.

GARDENS: FOR CONTROL OF CUTWORMS, SOLEBUGS, ROOT MAGGOTS USE 2 TABLESPOONFULS PER GALLON. APPLY TO SOIL AROUND TRANSPIANTS OF CABBAGE, TOMATOES, PEPPERS AND CELERY. APPLY TO SOIL AROUND SEEDLING BEANS AND CORN. DO NOT APPLY TO GREEN ONIONS OR ROOT CROPS.

(Left Side Panel)

HOUSES: MAKE SPOT TREATMENTS FOR CONTROL OF ANTS, ROACHES, CARPET BEETLES, BLACK WIDOW AND HOUSE SPIDERS USE 2 TEASPOONFULS PER QUART OF WATER. USE A COARSE SPRAY OR PAINT ONTO BASEBOARDS, PIPES, UNDER SINKS, BEHIND BOOKCASES AND SHELVES. TREAT UNDER CARPETS AND ANY HEAVY CARPETING. BE CAREFUL NOT TO CONTAMINATE FOOD OR COOKING UTENSILS. SPOT TREAT STORAGE AREAS FOR SPIDERS. REPEAT APPLICATION AS NECESSARY.

CAUTION: HARMFUL IF SWALLOWED. CONTACT WITH SKIN CAN CAUSE TOXIC SYMPTOMS. AVOID BREATHING SPRAY MIST. IN CASE OF CONTACT WITH SKIN, WASH WITH SOAP AND WATER. AVOID CONTAMINATION OF FEED AND FEEDSTUFFS. KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM HEAT AND OPEN FIRES.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. BIRDS FEEDING ON TREATED AREAS MAY BE KILLED. KEEP OUT OF ANY BODY OF WATER. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.



ACME INSECTICIDE DIVISION  
The Sherwin-Williams Co.  
8250 St. Aubin Ave., Detroit, Mich. 48211  
Made in U.S.A.

LD-277W8

SOLD FOR INSECTICIDE PURPOSES

USDA REGISTRATION NO. 577-431

\*\*Insert month and year of current printing e.g.: 8-68



Label Copy No. 10-30721

Product: Acme Wash - Hornet Jet Spray

Size: 11 1/2 Av. Oz.

Acme Wash

ASAP  
JET SPRAY

Shed those Stingers  
from far away--  
Squirts a stream  
10 or more feet



ACCEPTED

JUL 26 1967

UNDER THE FEDERAL INSECTICIDE ACT  
REGISTERED UNDER NO. 100000-100000  
EXEMPT FROM REGISTRATION  
EXEMPT UNDER NO. 100000-100000  
SEE ATTACHED COMMENTS

ACTIVE INGREDIENTS:

Pyrethrins . . . . .	0.15%
Tech. Piperonyl butoxide* . . . . .	0.30%
N-Octyl bicycloheptene dicarboximide** . . . . .	0.53%
Tech. Chlordane*** . . . . .	2.00%
Petroleum Distillate . . . . .	91.02%
INERT INGREDIENTS: . . . . .	3.00%
TOTAL	100.00%



12 Pt. **WARNING--FLAMMABLE** RED  
**KEEP FROM HEAT OR FLAME**  
CONTENTS UNDER PRESSURE - 10 Pt.  
**CAUTION: KEEP OUT OF REACH OF CHILDREN - 10 Pt.**  
See left panel for other cautions - 6 Pt.

(Left Side Label)

U.S. Pat. No. 2,410,210  
U.S. Pat. No. 2,410,211  
U.S. Pat. No. 2,410,212

**CAUTIONS:** Do not place on stove or other hot places where temperature exceeds 120° F. Do not leave in direct sunlight. Do not spray near pilot lights or other open flames.

Repeated or prolonged contact with skin can cause toxic symptoms. If spilled on skin, wash thoroughly with soap and water. For eyes, flush with water, call a physician. Avoid inhalation of spray mist. Harmful if swallowed. Do not spray on pets or in same room with birds or fish. Not for use on plants. Avoid contamination of feed and foodstuffs. Do not use in dairy barns or poultry houses or milk rooms.

SOLD FOR RESIDENTIAL PURPOSES

Equivalent to 0.2% (by weight) of (piperonyl) ether and 0.01 of related compounds.

U.S. Pat. No. 2,410,210

Equivalent to 1.2% (by weight) of tetrahydroindane and 0.1% of related compounds.

Made in U.S.A. for  
ACME INSECTICIDE DIVISION  
ACME CHEMICAL PRODUCTS, INC.  
Detroit, Michigan 48211

Paragraph Heading in Red.

10-30721  
ACME INSECTICIDE DIVISION  
ACME CHEMICAL PRODUCTS, INC.  
DETROIT, MICHIGAN 48211

10-30721  
ACME INSECTICIDE DIVISION  
ACME CHEMICAL PRODUCTS, INC.  
DETROIT, MICHIGAN 48211

7-26-67  
UNDER THE FEDERAL INSECTICIDE ACT  
REGISTERED UNDER NO. 100000-100000  
EXEMPT FROM REGISTRATION  
EXEMPT UNDER NO. 100000-100000  
SEE ATTACHED COMMENTS