


NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather compatibility with other chemicals and condition of application equipment will vary, Seller makes no claims other than those stated on this label.



**ACCEPTED**  
APR 16 1981  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
EPA REG NO. 33955-454



ONE QUART COVERS 266 SQ. FT.

**ACTIVE INGREDIENTS:**

|                                     |               |
|-------------------------------------|---------------|
| Prometon (2, 4 bis(isopropylamino)) | 3.6%          |
| 6 methoxy s triazine                | 1.0%          |
| 2, 4 Dichlorophenoxyacetic acid     | 76.4%         |
| Aromatic petroleum distillates      | 19.0%         |
| <b>INERT INGREDIENTS</b>            | <b>100.0%</b> |
| <b>TOTAL</b>                        | <b>100.0%</b> |

Keep Out of Reach of Children

**DANGER**

See Back Panel for Other Precautions and Statement of Practical Treatment

**NET CONTENTS ONE QUART**

**NOT FOR USE ON LAWNS KILLS GRASS**

**Read Precautions First!**  
1. Mix 1 to 1 pint per gallon of water in sprayer or apply for application. If sprayer is used work at lowest possible pressure and use large nozzle opening to give large droplets.

2. Apply one gallon of mixed spray per 100 square feet. On scattered weeds wet all foliage to the ground. Full wetting is essential for good control. New shoots from deep rooted perennials such as Canada Thistle and Milkweed may require repeat spraying. Make application when weeds are young and actively growing. Action is slow if ground is dry or plants wilted.

3. Apply along fence lines, gravel drives, patio blocks and around buildings where no growth is desired. Kills grass and broadleaf weeds. Do not use on lawns. Some species such as Oxalis may not be completely killed. Annual weeds may sprout from seed 3 to 6 months following treatment. Tall weeds should be cut first as the dead foliage is a fire hazard.

4. Activity is apparent on plants in a few days but final kill by root penetration may take 7 or 8 weeks. The mixed spray is white and any claps are noticeable as that complete coverage is easy to obtain.

EPA REG NO 33955-454  
EPA EST NO 2217 RB-1  
810 481

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**DANGER:** Corrosive causes eye and skin irritation. Do not get in eyes, on skin or clothing. May cause allergic skin reaction. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breathe spray mist. Wash thoroughly after handling. Do not contaminate feed or foodstuffs.

**Statement of Practical Treatment:** In case of eye contact wash with water for at least 15 minutes and seek medical attention. In case of skin contact wash with plenty of soap and water. Get medical attention if skin irritation persists. If ingested do not induce vomiting. Drink milk, egg whites or gelatin if not available. Drink plenty of water. If inhaled remove victim to fresh air.

**Note to Physician:** There is no specific antidote. Do not induce emesis and take care to avoid aspiration of stomach contents during gastric lavage. Give a saline laxative and supportive therapy.

**Environmental Hazards:** This product is toxic to fish. Keep out of any body of water. Do not contaminate water used for irrigation or drinking purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**Physical or Chemical Hazards:** Do not use, pour, spill or store near heat or open flame.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Storage and Disposal:**

Do not reuse empty container. Wrap and put in trash collection. Do not store near feed or foodstuffs. Do not store near fertilizers, seeds, insecticides or fungicides.

**OTHER USE PRECAUTIONS:** Care must be taken that none of the material falls on flower beds or edges of lawns. Do not spray over roots of valuable trees, shrubs or grape vines. Never use a weed killer spray or equipment to apply insecticides or fungicides. Do not use same spray equipment to apply insecticides or fungicides. Do not use same spray equipment for other purposes. Avoid spray drift to vegetables, flowers, ornamentals or other desirable plants. Do not use fine mist sprays. Coarse sprays are less likely to drift away from target area.

Continued on side panel