

AFTER TEXT

ACME(R) VEGETATION KILLER

for driveways, patios, fence rows and other waste places

ONE QUART COVERS 266 SQ. FT.

ACTIVE INGREDIENTS

Prometon (2,4-bis[isopropylamino]	
-6-methoxy-s-triazine	3.6%
2,4-dichlorophenoxyacetic acid	1.0%
INERT INGREDIENTS	95.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

See Back Panel for Other Precautions
and Statement of Practical Treatment.

1-8-81

NET CONTENTS ONE QUART

918/791 AP070391

EPA REG. NO. 33955-454
EPA EST. NO. 2217-KS-1

Mfd by ACME DIVISION
PBI/GORDON CORPORATION
KANSAS CITY, KANSAS 66118

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS
AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, causes eye and skin irritation. Do not get in eyes, on skin or clothing. May cause allergic skin reaction. Wear goggles or face shield when handling. When handling this product wear chemical resistant gloves. Harmful or fatal if swallowed. Do not breath spray mist. Wash thoroughly after handling. Do not contaminate feed or foodstuffs.

Statement of Practical Treatment

In case of eye contact, wash with water for at least 15 minutes and seek medical attention. In case of skin contact, wash with plenty of soap and water. Get medical attention if skin irritation persists. If ingested, do not induce vomiting. Drink milk, egg whites or gelatin; if not available, drink plenty of water. Avoid alcohol. If inhaled, remove victim to fresh air.

NOTE TO PHYSICIAN: There is not specific antidote; if ingested, induce emesis and take care to avoid aspiration of stomach contents during gastric lavage. Give laxative and supportive therapy.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Drift or runoff may adversely affect nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. Do not contaminate water used for irrigation or domestic purposes.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and pets. Do not store near food or feedstuffs. To prevent cross contamination, do not store near fertilizers, insecticides, fungicides, or near seeds.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspapers and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

OTHER USE PRECAUTIONS

Care must be taken that none of this material falls on flower beds or edges of lawns. Do not spray roots of desirable trees, shrubs or grape vines. Never use a weed killer sprayer or equipment to apply insecticides or fungicides. Do not use same spray equipment to apply insecticides or fungicides. Do not use same spray equipment for other purposes. Avoid spray drift to vegetables, flowers, ornamentals or other desirable plants. Do not use fine mist sprays. Coarse sprays are less likely to drift away from target area.

NOT FOR USE ON LAWNS . . . KILLS GRASS

Read Precautions First!

- 5011
1. Mix 3/4 - 1 pint per gallon of water in sprayer or sprinkler applicator. If sprayer is used, work at lowest possible pressure and use large nozzle orifices to give large droplets.
 2. Apply one gallon of mixed spray per 100 square feet. On scattered weeds wet all foliage to the ground. Full wetting is essential for good control. New shoots from deep rooted perennials such as Canada thistle and milkweed may require repeat spraying. Make application when weeds are young and actively growing. Action is slow if ground is dry or plants wilted.
 3. Apply along fence lines, gravel drives, patio blocks, and around buildings where no growth is desired. Kills grass and broadleaf weeds. Do not use on lawns. Some species such as oxalis may not be completely killed. Annual weeds may sprout from seed 3 to 4 months following treatment. Tall weeds should be cut first as the dead foliage is a fire hazard.
 4. Activity is apparent on plants in a few days but final kill by root penetration may take 2 or 3 weeks. The mixed spray is white and any skips are noticeable so that complete coverage is easy to obtain.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

484
BEFORE TEXT

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.