P_M / 9 3. Please read instructions on reverse before completing form.	3955-462 Form Approved. OMB No 2070-0060, Approval expires 11-30-93	
(A) CEPA United States Environmental Protect Office of Pesticide Programs (H Washington, DC 20460 Application for Pesticide Programs)	Ction Agency Registration OPP Identifier Number 17505C) Amendment 1000000000000000000000000000000000000	
Section I		
1. Company/Product Number	2. EPA Product Manager 3. Proposed Classification	
33955-462	Dennis Edwards	
4. Company/Product (Name) Acme® Sevin® 5% Dura-Dust	PM# PM# Restricted	
5. Name and Address of Applicant (Include ZIP Code) PBI/(Sordon Corporation PO Box 4090 1217 West 12th Street Kansas City, MO 64101 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No	
	Product Name	
Section II Amendment - Explain below Resubmission in response to Agency letter dated Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application.	
Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in <u>Pesticide Regulation (PR)</u> <u>Notice 93-3</u> , "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meeting my requirement of PR-Notice 88-6. Three copies of the revised labeling are enclosed. LABEL NOT REVIEWED LABEL NOT REVIEWED LABEL NOT REVIEWED Section III		
1. Material This Product Will Be Packaged In:		
Yes* Yes No No * Certification must be If "Yes," Unit Package wgt. No. per container Submitted. If "Yes," 3 Location of Net Contents Information 4. Size(s) of Retail Container Label Container	ge wgt. container	
6. Manner In Which Label Is Affixed To Product Lithograph Other () Paper glued Stenciled		
Section IV Contact Point (Complete items directly below for identification of indu		
Name Title	Mouai to be contacted, if necessary, to process this application.) Mgr. Regulatory Services (816)421-4070	
Certification 6 Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete 6 Date Application I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Ctam.ped) both under applicable law (Ctam.ped)		
Signature J.A. Rembucater 3 Title Mgr. Regulatory Services		
Typed Name James A. Armbruster, Ph.D. S Date May 20, 1993 May 20, 1993 Yellow - Applicant copy Yellow - Applicant copy		

ACME® SEVIN® 5% DURA-DUST

Controls Mexican Bean Beetles, Japanese Beetles, squash bugs, and certain other insect pests of fruit, tobacco, vegetables, and animals.

ACTIVE INGREDIENT:		
Carbaryl (1-Naphthyl N-methylcarbamate)		5%
INERT INGREDIENTS		<u>95%</u>
	TOTAL	100%

'SEVIN® is the registered trademark of Rhône-Poulenc for carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN

OTIFICATION EVIEWED DATE

- 1 -+

ij

è


CAUTION

See back panel for Precautionary Statements and Statement of Practical Treatment

NET WEIGHT ONE POUND

611/ AP052093 EPA REG NO 33955-462 EPA EST NO 2217-KS-1

DISTRIBUTED BY ACME DIVISION PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



STOPI READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not treat puppies or kittens under 4 weeks of age. Do not use on pregnant dogs.

Note to Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal.

Environmental Hazards: This pesticide is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Securely wrap original container (bag) in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash. FOR BAGS: Do not reuse bag. Discard bag in trash.

u u

GENERAL INFORMATION & USE PRECAUTIONS:

Make application in morning or evening when it is cool. Treat upper and lower surfaces of all foliage. Do not apply in excess. Start application at first sign of insects. Repeat as necessary, generally at 7-day intervals, more often in rainy weather. Do not use closer to harvest than indicated following each crop. Light application should be made in seedbeds if plants show signs of insects. Subsequent planting of food and feed crops in treated soil must be make with crops on this or other carbaryl (Sevin) labels.

FOR CONTROL OF	Time to Stop Use Before Harv	est
Beans: Mexican beanbeetle, leafhoppers, flea beetles, com earworm, lygus & stinkbugs	, No Limit	
Carrots: Leafhoppers, flea beetles & spittlebugs	No Limit	
Com: Corn earworms, Fail armyworm (See Notes 1,2 & 4)	Day of Harvest	
Cabbage and Cauliflower: Flea beetles, imported cabbage worms, diamond-back moth larvae, harlequin bugs, corn earworm	3 Days	
Brussels Sprouts and Broccoli: Flea beetles, imported cabbage worms diamond-back moth larvae, harlequin bugs, com earworm	s, 3 Cays	
Cucumbers, Melons and Squash: Pickleworms, squash bugs, flea bee Cucumber beetles (See Note 3)	etles, Day of Harvest	
	====Continueo====================================	•

•

FERENE Continued Exercises	Time to Stop Use Before Harvest
Lettuce: Leafhoppers, armyworms, stinkbugs	Head 3 Days
	Leaf 14 Days
Okra: Stinkbugs, com earworms	No Li.nit
Potatoes: Colorado potato bectle, flea beetle, leafhopper	No Limit
Peppers: Tomato fruitworm, flea beetles, fall armyworm, leafhoppers,	Day of Harvest
lygus bug	
Eggplant: Lace bugs, tomato hornworm	Day of Harvest
Tomatoes: Tomato fruitworm, flea beetle, tomato hormworm, stinkbug	ps Day of Harvest
Strawberries: Meadow spittlebug, leafroller, and strawberry weevil	1 Day
Tobacco: Tobacco flea beetles, apply 1 to 2 lbs. per 100 square yards	No limit
(12 ounces to 1 1/2 pounds per 75 square yards) when plants come	e up.
Repeat in 10 to 14 days. Again just before transplanting from seed	ibed.

<u>NOTE</u>

- 1. Do not feed forage to dairy animals or animals being finished for slaughter.
- 2. Apply to com silks every 3 days until dry for earworm control.
- 3. Do not use on watermelon in Florida. Do not apply to melons or cucumbers when temperatures exceed 80°F or when vines are wet.
- 4. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee population.
- <u>Cats & Dogs:</u> Fleas and ticks on cats and dogs. Rub into hair, avoid eyes. Dust quarters weekly. Do not treat kittens or puppies under 4 weeks of age. Do not use on pregnant dogs.
- <u>Chickens:</u> Fleas, lice, mites, and fowl ticks. One pound is enough to treat 100 chickens (12 ounces treats 75 chickens). It can also be used on pheasants, pigeons, and partridge. Dust the chicken house and roosts for mites and fowl ticks with one pound per 40 square feet (12 ounces per 30 square feet). Direct dust to vent and fluff areas. Also treat head and neck for stick-tight fleas. Repeat in 4 weeks if needed. Force dust into cracks and crevices. Do not dust birds within 7 days of slaughter. Avoid dusting of nests or eggs. Do not use on pet birds.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product inconsistent with label instructions, warnings or cautions, or to use of the product inconsistent with label instructions, warnings or cautions, or to use of the product inconsistent with label instructions, warnings or cautions, or to use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written of verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Page 3