33955 - الله الله الله الله الله الله الله ال	Expires 2-28-95
Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval	Expires 2-28-9
	entifier Number
Application for Pesticide - Section I	
1. Company/Product Number2. EPA Product Manager3. Proposed Class33955-462George Tompkins, Ph.D.	ssification
4. Company/Product (Name) Acme® Sevin® 5% Dura-Dust PM# Insecticide-Rodenticide Branch Restricted	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 Check if this is a new address 6. Expedited Review. In accordance with FIFRA Section (b)(i), my product is similar or identical in composition are EPA Reg. No. Product Name	
Section - II	
Amendment - Explain below. Final printed labels in response to Agency letter dated NOTIFIE "Me Too" Application.	CATION
Notification - Explain below. Other - Explain below. OCT 2	4 2002
enclosed for your review. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been labeling or Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA. Section — III	statement to
Material This Product Will Be Packaged In:	
Child-Resistant Packaging Yes* No No No Water Soluble Packaging Yes Yes No No No If "Yes" Unit Packaging wgt. container Plastic Glass Certification must be submitted No. per Unit Packaging wgt. container Package wgt. container Other (Specify)	
3. Location of Net Contents Information Label Container 4. Size(s) Retail Container 5. Location of Label Directions On Label On Labeling accompanying product	
S. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	
Section - IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)	
Name Craig Martens Title Manager of Regulatory Services Telephone No. (Include Manager of Regulatory Services)	
	cation
3. Title Manager of Regulatory Services	
Typed Name Craig Martens 5. Date October 18, 2002	



SEVIN® 5% DUST

Controls Mexican bean beetle, Armyworm, Squash bug, and certain other insect pests of fruit, vegetables, and anim als.

ACTIVE INGREDIENT:

Carbaryl (1-napthyl N-methylcarbamate)		5%
INERT INGREDIENTS:	************************************	95%
	TOTAL	100%

SEVIN® is the registered trademark of Rhône-Poulenc Nederlund B.V.

NOTIFICATION

OCT 2 4 2002

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements and Statement of Practical Treatment

NET WEIGHT: ONE POUND or FOUR POUNDS

611/ AP101802
EPA REG. NO. 33955-462
EPA Est. No. 2217-KS-X
MANUFACTURED BY:

An Employee Owned Company
1217 West 12th Street
Kansas Cilv. Missouri 64101



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing.

User Safety Requirements:

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. **PESTICIDE DISPOSAL:** Securely wrap original container (bag) in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash. <u>For Bags</u>—Do not reuse bag. Discard bag in trash.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION & USE PRECAUTIONS:

- Start application at first sign of insects. Repeat at 7 day intervals.
- Do not use closer to harvest than indicated following each crop.
- Wearing household latex or rubber gloves, use a dust applicator such as a shaker carl, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust.
- Apply when air is calm to avoid drift and contact with eyes and skin.

- Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.
- For plants above chest height, consider using a liquid carbaryl product.
- Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl (Sevin) labels.

- INSECT CONTROL -

Vegetables and Small Fruit	Insects	Maximum Application Rate, Ozs. of Product/1,000 Sq.Ft.	Retreatment Interval, Days	Preharvest Interval, Days
Beans (fresh & dried - snap, navy, & kidney); Pea (fresh & dried); Cowpea; Lentil	Mexican bean beetle, bean leaf beetle, cucumber beetle, flea beetle, Japanese beetle, grasshoppers, leafhoppers, velvetbean caterpillar, Western bean cutworm, armyworm, corn earworm, tarnished plant bug, and stink bug.	11 ounces per 1,000 sq.ft.	7 days	PHI = 3 days (succulents) PHI = 21 days (dried) PHI = 14 days (forage) PHI = 21 days (hay)
Carrots	leafhoppers, flea beetle and spittlebug.	15 ounces per 1,000 sq.ft.	7 days	PHI = 7 days
Brussel sprouts; Broccoli; Cabbage; Cauliflower; Chinese cabbage; Collards; Kale; Kohlrabi	flea beetle, harlequin bug, armyworm, cabbage caterpillar, grasshoppers, corn earworm, imported cabbageworm, and diamond-back moth larvae	15 ounces per 1,000 sq.ft.	7 days	PHI = 3 days (Brussel sprouts, broccoli, cabbage, kohlrabi, cauliflower) PHI = 14 days (Chinese cabbage, kale, collards)
Sweet Corn Only (See footnotes 1 & 2)	corn earworm, corn rootworm (adults), European corn borer, fall armyworm, flea beetle, Japanese beetle, sap beetle, grasshoppers, and leafhoppers.	15 ounces per 1,000 sq.ft.	3 days	PHI = 2 days (ears) PHI = 14 days (forage) PHI = 48 days (fodder)
Cucumber Melon; Pungkin; Squesh; Okra (See footnote 3)	pickleworm, melonworm, cucumber beetle, flea beetle, leafhoppers, grasshoppers, squash bug, stinkbug and corn earworm	7 ounces per 1,000 sq.ft.	7 days	PHI = 3 days

Continued....

Vegetables and Small Fruit	Insects	Maximum Application Rate, Ozs. of Product/1,000 Sq.Ft.	Retreatment Interval, Days	Preharvest Interval, Days
Potato	Colorado potato beetle, flea beetle, leafhoppers, European corn borer, fall armyworm, lace bug, tomato fruitworm, tomato hornworm, grasshoppers, tarnished plant bug, and stink bug.	15 ounces per 1,000 sq.ft.	7 days	PHI = 7 days
Tomato; Eggplant; Pepper	Colorado potato beetle, flea beetle, leafhoppers, European corn borer, fall armyworm, lace bug, tomato fruitworm, tomato hornworm, grasshoppers, tarnished plant bug, and stink bug.	15 ounces per 1,000 sq.ft.	7 days	PHI = 3 days
Lettuce (head & leaf); Endive; Celery; Dandelion; Parsley; Spinach; Swiss Chard; Hanover Salad, Rhubarb; Garden Beets (tops only); Turnips (tops only)	flea beetle, harlequin bug, leafhoppers, armyworm, cabbage caterpillar, corn earworm, spittlebug, grasshoppers, tarnished plant bug and stink bug.	15 ounces per 1,000 sq.ft.	7 days	PHI = 14 to 15 days
Strawberry	meadow spittlebug, strawberry leaf roller, and strawberry weevil	15 ounces per 1,000 sq.ft.	7 days	PHI = 7 days

FOOTNCTE:

- 1) Do not feed forage to dairy animals or animals being finished for slaughter.
- 2) Application of this product to the corn tassel during the pollination period will seriously reduce bee population.
- 3) Do not use on watermelon in Florida. Do not apply to melon or cucumber when temperatures exceed 80°F or when vines are wet.

CHICKENS:

Fleas, lice, mites, and fowl ticks. One (1) pound of product will treat 100 chickens (12 ounces of product treats 75 chickens). It can also be used on pheasants, pigeons, and partridge. Dust the chicken house and roosts for mites and fowl ticks with one (1) pound of product per 40 square feet (12 ounces of product per 30 square feet). Direct dust to vent and fluff areas. Also treat head and neck for stick-tight fleas. Repeat in 4 weeks if needed. Force dust into cracks and crevices. Do not dust birds within 7 days of slaughter. Avoid dusting of nests or eggs. Do not use on pet birds.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

