


Please read instructions on reverse before completing form.

Form Approved. OMB No 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number  192010
	Application for Pesticide:		
	Section I		

1. Company/Product Number 33955-474	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Acme® Garden Weed Preventor Granules	PM# (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 4090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	


Section II	
<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
**NOTIFICATION:**  
 Revision of the wetlands warning statement within the Environmental Hazards section according to definition stated in Pesticide Regulation (PR) Notice 93-3, "Labeling Statement Prohibiting Application to Water", March 9, 1993. This is to certify that this notification meets the requirements of PR-Notice 88-6. Three copies of the revised labeling are enclosed.

**NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 88-6**  
DATE 7/12/93

Section III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Unit Package wgt. _____ No. per container _____	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Package wgt. _____ No. per container _____	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted.			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (_____)			

Section IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name James A. Armbruster, Ph.D.	Title Mgr. Regulatory Services	Telephone No. (Include Area Code) (816)421-4070

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Mgr. Regulatory Services	
4. Typed Name James A. Armbruster, Ph.D.	5. Date May 20, 1993	

2 of 6

# ACME® GARDEN WEED PREVENTER GRANULES

Contains 2 1/2% DACTHAL® Herbicide

**Stops New Weed Growth in Flower Beds, around Trees,  
Shrubs, Evergreens, Vegetable transplants, and Strawberries.**

**ACTIVE INGREDIENT:**

DCPA (Dimethyl tetrachloroterephthalate)..... 2.5%

INERT INGREDIENTS..... 97.5%

TOTAL 100.0%

DACTHAL® is a registered trademark of FERMENTA ASC CORPORATION.

**KEEP OUT OF REACH OF CHILDREN**

**NOTIFICATION  
LABEL NOT REVIEWED  
PER PR NOTICE 06-8  
DATE 7/12/83**

## CAUTION

If in Eyes: Flush with plenty of water.  
Call a physician if irritation persists.

See Side Panels for Additional Precautionary Statements

NET WEIGHT FOUR POUNDS

540/ AP052093

EPA REG NO 33955-474  
EPA EST NO 2217-KS-1

DISTRIBUTED by  
ACME DIVISION  
PBI/GORDON CORPORATION  
KANSAS CITY, MISSOURI 64101



**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

#### **Statement of Practical Treatment**

**IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.

**Environmental Hazards:** Collect and incorporate granules spilled on the soil surface. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**Groundwater Advisory:** Tetrachloroterephthalic acid, a breakdown product of Dacthal, is known to leach through soil as a result of agricultural and turf uses and has been found in groundwater which may be used for drinking water. Users are advised not to apply Dacthal to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater used for drinking water.

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### **STORAGE & DISPOSAL**

**STORAGE:** Store in original container in a locked, dry storage area inaccessible to children or pets. Keep container tightly closed using disc seal inside cap. Do not store near seeds or bulbs.


**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING:** Wear long-sleeved shirt and long-legged pants and chemical resistant gloves.

**IMPORTANT!** If the pesticide comes in contact with skin wash off with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

**AFTER USE:** Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Do not reuse contaminated clothing. Clothing worn during use must be laundered separately from household articles.



**IMPORTANT NOTES and PRECAUTIONS ABOUT APPLICATIONS WITH ACME GARDEN WEED PREVENTER GRANULES:**

A second late summer or fall application gives year around weed-free plantings.

Controls crabgrass, purslane, lambsquarters, red root pigweed, common chickweed, spotted spurge, as well as other annual grasses and broadleaf weeds. Does not control ragweed or smartweed.

May be used around and under shade trees, evergreens, flowering shrubs, and hedge rows. Also, may be used in ground covers such as ivy and pachysandra. Do not use on dichondra. Does not prevent growth into treated areas by turf grasses.

May be used very effectively in rose beds and in iris and gladiolus plantings. Treat annual flowers after transplanting from flats or after thinning and initial weeding. Do not treat immediately after seeding petunias, snapdragons, and similar flowers.


**Do not use on the following plants:**

Bugleweed	Germander	Portulaca
Button Pink	Mesembryanthemum	Sweet William
Carnation	(Ice Plants)	Telanthera
Dianthus	Pansy	Violets
Geum	Phlox	

Use around tulips, amaryllis, and hosta is questionable.

**HOW TO USE TO BE EFFECTIVE:**

1. Existing weeds must be removed in early spring or treatment made on freshly cultivated ground.
2. Carefully measure area to be treated and determine the number of square feet. If area to be treated is large, it should be divided into smaller sections of 10 square feet each.
3. Apply at the rate of 1 2/3 ounces (5 level tablespoons) per 10 square feet for ornamentals, shrubs, evergreens, and flowers; 1 1/3 ounces (4 level tablespoons) per 10 square feet for vegetable transplants and strawberries. Spread over ground as uniformly as possible.
4. Do not treat dry, hard ground, and do not cultivate after application.
5. Water lightly after application.



The following species of ornamentals, shrubs, and flowers can be treated. Apply at the rate of 1 2/3 ounces (5 level tablespoons) per 10 square feet. This 4 pound container treats 400 square feet.

Abelia	English Ivy	Oak
Ageratum	Euonymus	Orpine
Alyssum	Evening primrose	Pachysandra
Arborvitae	Feaverfew	Paxistima
Ash	Fernleaf yarrow	Peonies
Aster	Fir	Petunia
Azalea	Forget-me-not	Pink Heath
Babysbreath	Forsythia	Pittosporum
Baltic Ivy	Four-O'Clock	Podocarpous
Barberry	Foxglove	Poker plant
Bellflower	Gaillardia	Poplar
Birch	Geranium	Privet
Bleedingheart	Gladiolus	Purple coneflower
Bloodleaf	Gold dust	Redbud
Boston Ivy	Golden marguerite	Rhododendron
Boxwood	Golden tuft	Rose
Bugloss	Gum	Russian olive
Camellia	Hawthorn	Salvia
Candle Larkspur	Holly	Scarlet sage
Candytuft	Honeysuckle	Snapdragon
Chestnut	Hydrangea	Spirea
Chrysanthemum	Iris	Spruce
Cinquefoil	Japanese andromeda	Stonecrop
Coleus	Juniper	Strawflower
Columbine	Lantana	Sweet Pea
Coral bells	Lavendercotton	Sycamore
Coreopsis	Lilac	Tree Peony
Cosmos	Lily	Tulip tree
Cotoneaster	Locust	Variegated privet
Cottonwood	Lupine	Verbena
Crabapple	Magnolia	Viburnum
Cuphea	Maple	Virginia Spiderwort
Cypress	Marigold	Walnut
Dahlia	Mockorange	Weigela
Delphinium	Morningglory	Willow
Deutzia	Mother-of-Thyme	Wilson Ivy
Dogwood	Mountain Laurel	Wormwood
Elaeagnus	Mourning bride	Yew
Elm	Nasturtium	Zinnia

**STRAWBERRIES:** New planting -- apply overall immediately after transplanting. Established Planting -- apply in the fall and early spring before weeds emerge. Do not apply after first bloom. Apply at the rate of 1 1/3 ounces (4 level tablespoons) per 10 square feet. This 4 pound container treats 480 square feet.

**VEGETABLES:** Treat snap beans as soon as planted. Use around onion sets and after transplanting cabbage, cauliflower, broccoli, sweet potato slips, and tomatoes. On tomatoes, defer treatment 4 to 6 weeks after transplanting. Clean cultivate before making application. Apply at the rate of 1 1/3 ounces (4 level tablespoons) per 10 square feet. This 4 pound container treats 480 square feet.

**LIMITED WARRANTY AND DISCLAIMER.**

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

