

[33955-502]

MAY 16, 1975

FACT REGISTERED

HOW TO USE:

Remove cap, shake can, check nozzle direction. Hold can upright about 18 inches from plant surfaces. Spray all visible insects and infested surfaces. Treat both sides of leaves and stalks or crowns. Do not hold too close to leaves. Injury may result. Use short sweeping blasts. Do not overapply. Do not spray when leaves are wet or directly in hot sun. Use on African Violet, Ivy, Boston Fern, Fuschia, Gloxinia and Azalea for control of mites, aphids, exposed thrips, white fly and mealybug. Make frequent application for mealybugs as they are hard to control. Use old newspapers to catch spray missing the plants.

PA REG. NO. 33955-502-AA
EPA EST. NO. 11715-TN-1

WARNING: Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin or eyes. Wash thoroughly after using. Avoid contamination of cooking utensils, food or drinking water. Do not spray on plastics, furniture or asphalt tile. Do not treat in same area with fish tanks or caged birds. Do not apply to pets or birds, may kill fish.

DISTRIBUTED BY ACME DIVISION
G pbi / GORDON CORPORATION
KANSAS CITY, KANSAS 66118



675-575

ACME® 44-33
indoor plant spray
controls:
aphids, mites, mealy bugs

Active Ingredients:	
Pyrethrins	0.02%
Rotenone	0.13%
Other Cube Resins	0.25%
Technical Piperonyl Butoxide*	0.25%
Petroleum Distillate	0.08%
Inert Ingredients	99.28%

Total 100.00%

*Equivalent to 0.2% (Butylcarbityl) (6-propylpiperonyl) ether and 0.05% related compounds.

WARNING: FLAMMABLE
Keep From Heat Or Flame
CONTENTS UNDER PRESSURE

CAUTION: Keep Out of Reach Of Children
Read caution elsewhere on label.

NET WEIGHT FIVE OUNCES

[33955-502]

MAY 16, 1975



HOW TO USE:

Remove cap, shake can, check nozzle direction. Hold can upright about 18 inches from plant surfaces. Spray all visible insects and infested surfaces. Treat both sides of leaves and stalks or crowns. Do not hold too close to leaves. Injury may result. Use short sweeping blasts. Do not overapply. Do not spray when leaves are wet or directly in hot sun. Use on African Violet, Ivy, Boston Fern, Fuschia, Gloxinia and Azalea for control of mites, aphids, exposed thrips, white fly and mealybug. Make frequent application for mealybugs if they are hard to control. Use old newspapers to catch spray missing the plants.

PA REG. NO. 33955-502-AA
EPA EST. NO. 11715 IN 1

WARNING: Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin or eyes. Wash thoroughly after using. Avoid contamination of cooking utensils, food or drinking water. Do not spray on plastics, furniture or asphalt tile. Do not treat in same area with fish tanks or caged birds. Do not apply to pet or birds, may kill fish.



Active Ingredients:	
Pyrethrins	0.02%
Rotenone	0.13%
Other Cube Resins	0.26%
Technical Piperonyl Butoxide*	0.25%
Petroleum Distillate	0.08%
Inert Ingredients	99.26%
Total 100.00%	

*Equivalent to 0.2% (Butylcarbityl) (6-propylpiperonyl) ether and 0.05% related compounds.

WARNING: FLAMMABLE
Keep From Heat Or Flame
CONTENTS UNDER PRESSURE

CAUTION: Keep Out of Reach Of Children
Read caution elsewhere on label.

NET WEIGHT FIVE OUNCES