



NET WEIGHT FIVE OUNCES

HOW TO USE:

Remove cap, shake can, check nozzle direction. Hold can upright about 18 inches from plant surfaces. Spray all visible insects and infested surfaces. Treat both sides of leaves and stalks or crowns. Do not hold too close to leaves. Injury may result. Use short sweeping blasts. Do not overlap. Do not spray when leaves are wet or directly in hot sun. Use on African Violet, Ivy, Boston Fern, Fuschia, Gloxinia and Azalea for control of mites, aphids, exposed thrips, white fly and mealybug. Make frequent application for mealybugs as they are hard to control. Use old newspapers to catch spray missing the plants.

Active Ingredients:-

Pyrethrins	0.02%
Rotenone	0.13%
Other Cube Resins	0.26%
Technical Piperonyl Butoxide	0.25%
Petroleum Distillate	0.08%
Inert Ingredients	99.26%
Total 100.00%	

*Equivalent to 0.2% (Butylcarbityl (6-propyloiperonyl) ether and 0.05% related compounds

This product contains the toxic inert ingredient methylene chloride.
EPA REG. NO. 33955-502
EPA EST. NO. 11715-TN-1

PHYSICAL OR CHEMICAL HAZARDS: Flammable! Contents under pressure. Keep away from heat, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS)

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin or eyes. Wash thoroughly after using. Avoid contamination of cooking utensils, food or drinking water. Do not spray on plastics, furniture or asphalt. Do not treat in same area with fish tanks or caged birds. Do not apply to pets or birds, may kill fish.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.



33955-502
EPA REG. NO. 33955-502
EPA EST. NO. 11715-TN-1

ACCEPTED

BEST AVAILABLE COPY