

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans & Domestic Animals**  
**CAUTION**—Harmful if swallowed. Avoid inhalation of spray mist, skin contact and contamination of food or feedstuffs. Wash with soap and water after spraying or other contact.

**Statement of Practical Treatment**  
**If Swallowed:** Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.  
**If Inhaled:** Remove victim to fresh air and apply respiration as indicated.  
**If On Skin:** Wash promptly with soap and water. Rinse thoroughly.  
**If In Eyes:** Rinse eyes for at least 15 minutes with water and call a physician immediately.

**Environmental Hazards**  
 This product is toxic to fish. Do not apply directly to water except as directed in labeling. Do not apply when weather conditions favor drift from target area. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

**Physical or Chemical Hazards**  
 Flammable. Keep away from heat and open flame.

**DIRECTIONS FOR USE**  
 It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE & DISPOSAL**  
 Do not reuse empty container. Wrap and put in trash collection.



controls clover mites & red spiders on roses, evergreens, trees and flowers.

**ACTIVE INGREDIENTS**

1-bis (chlorophenyl) 2,2,2-trichloroethanol	18.50%
Xylene Range Aromatic Petroleum Solvent	58.20%
<b>INERT INGREDIENTS</b>	13.30%
<b>TOTAL</b>	<b>100.00%</b>

KELTHANE® is a registered trademark of the Rohm and Haas Company.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 See side panels for Statement of Practical Treatment and additional precautions.

NET CONTENTS EIGHT OUNCES

**HOW TO USE**  
 Use 2 tsp./gal. of water. Apply at first sign of mites. Spray all leaf surfaces. Repeat in 10 days or as necessary to maintain control. Use a 6X magnifying glass to examine mottled or yellowish leaves.

**CLOVER MITES:** Spray in early spring around windows, walls, and foundations. Also, spray shrubs and edge of lawn. Vines such as ivy should be thoroughly sprayed.

**ROSES, EVERGREENS, ORNAMENTALS:** On tender foliage reduce dosage to 1 tsp./gal. and repeat in 5 to 7 days. Greenhouse plants are more susceptible to injury than those outdoors.

**STRAWBERRIES:** Several mites attack this plant. For Cyclamen mites, increase to 4 tsp./gal. Use as high pressure as possible to force spray into crowns. Begin spraying as soon as growth starts. Repeat 2 or 3 times. Do not spray closer than 2 days before picking.



**VEGETABLES:** For two-spotted mites and tomato russet mites, spray beans, melons, cucumbers, tomatoes, and peppers. Do not use on eggplants. Stop spraying beans 7 days before picking, 2 days before harvest on other crops.

**GRAPES, RASPBERRIES:** Apply just before bloom or when mites appear. Repeat as necessary. Do not use on grapes within 7 days of harvest, or 2 days before harvest on cane berries.

**APPLES, PEARS, PEACHES, PLUMS:** Apply at petal fall through second cover spray to control European red and clover mites and prevent build-up of two spotted mite. Repeat during season if necessary, but no closer than 30 days since the last application. Stop spraying peaches 14 days before harvest, apples, pears, plums, 7 days before harvest.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather compatibility with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on the label.

EPA REG. NO. 33986-519  
 EPA EST. NO. 2217-KS-1



**BEST AVAILABLE COPY**

ACCEPTED  
 JUN 10 1972  
 33955-519

COMPANY  
NUMBER 33955-

PRODUCT  
SERIAL NO. 537

LABEL  
APPROVAL DATE 9-31-82