ACKE

PESTROY

25%

### METHOXYCHLOR

For Control of House Flies, Stable Flies and Mosquitoes in Buildings.

\*Equivalent to 22% 1,1,1-trichloro-2,2-bis(p-methoxyphenyl) ethane and 3% other isomers and related reaction products.

# KEEP OUT OF REACH OF CHILDREN

# WARNING

See Side Panel for Additional Precautions

NET CONTENTS ONE QUART

	•••
/1089 AP	•••
EPA REG. NO. 33955-527	•.:
EPA EST. NO. 2217-KS-x	
Mfd. by ACME DIVISION OF	• • • •
PBI/GORDON CORPORATION	7
KANSAS CITY, KS 66118	•

STOP!

READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals
WARNING: Harmful if swallowed. Avoid contact with skin.
Avoid breathing spray mist. Wash thoroughly after
using.

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. IF INHALED: Remove victim to fresh air and apply respiration as indicated.

IF ON SKIN: Warh promptly with soap and water. Rinse thoroughly.

IF IN EYES: Flush with plenty of water and get medical attention immediately.

# Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazard
Do not use or store near heat or open flame.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

In extreme cold, crystals may form. Warm to about 80F to redissolve. Shake bottle to remix contents prior to measuring.

POTATOES: To control leafhoppers, flea beetles and Colorado potato beetles, use 1 TBS. per gallon of water per 150 feet of row. Do not use more than 1 quart of product per 3 acre. Spray as soon as insects appear. Repeat at 10-day intervals. Do not feed treated foliage to animals.

FLIES AND MOSQUITOES: A residual spray for house flies, stable flies and mosquitoes. To make a 5% cilution add 1 quart of this

product to 1 ½ g; ons of water. Apply 1 ga on of mixed spray per 1000 sq. ft. or to runoff point. Spray areas where insects are known to congregate such as farm buildings and barnyards, particularly around windows, doors, porches and garbage cans. Do not use in milk houses or in poultry houses. If used in barns, all animals should be removed and all feed troughs, pans or drinking equipment covered. Do not apply to animals. Do not apply this concentration to foliage as injury may result.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.