

33955-528

6-13-1996

1/5

JUN 13 1996

James A. Armbruster, Ph.D
PBI/Gordon Corporation
P.O. Box 014090
1217 West 12th Street
Kansas City, MO 64101

Dear Dr. Armbruster:

Subject: Deleted Uses
Acme^(R) Methoxychlor 50% Wettable
EPA Registration No. 33955-528
Amendment application of October 18, 1995

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (7505C)

Enclosure

2/5

ACME® METHOXYCHLOR

50% WETTABLE

For Control of ~~Certain Flies, Mosquitoes and~~ Certain Chewing Insects
on Shade Trees, Fruit Trees and Vegetables.

ACTIVE INGREDIENT:

* Methoxychlor: 1,1,1-trichloro-2, 2-bis (p-methoxyphenyl)ethane	50%
INERT INGREDIENTS	<u>50%</u>
TOTAL	100%

*Equivalent to 44% 1,1,1-trichloro-2,2-bis(p-methoxyphenyl)ethane and 6% other isomers and reaction products.

KEEP OUT OF REACH OF CHILDREN

CAUTION


See Side Panels for Precautionary Statements and
Statement of Practical Treatment

NET WEIGHT ONE POUND

ACCEPTED
with COMMENTS
in EPA Letter Dated

APXXXXXX
EPA REG. NO. 33955-528
EPA EST. NO. 2217-KS-X
Mfd. by ACME DIVISION
PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101

JUN 13 1996
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
33955-528



3/5

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist.

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED: Remove victim to fresh air and apply respiration as indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Flush with plenty of water and get medical attention immediately.

Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes, ornamental gardens or parks, or on golf courses and grounds.

STORAGE & DISPOSAL


STORAGE: Store in original container in a locked storage area inaccessible to children or pets.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

With the lid on, shake the can prior to measuring. Apply at 1 to 1½ lbs. per 50 gallons of water or 5 to 8 teaspoonfuls of product per gallon of water. Apply to wet all fruit and foliage. Do not apply more than 500 gallons per acre - 5 lbs. actual Methoxychlor. Make application as soon as insects appear, at petal fall on fruit. Repeat at 7-14 day intervals to maintain control. Do not apply closer to harvest than shown below for specific crops.

~~To control house flies, stable flies, and aid in residual control of mosquitoes, use the contents of this can in 5 quarts of water (5% actual). Apply 1 to 2 gallons per 1,000 sq. ft. or to runoff point. Spray around porches, windows and outside walls of farm buildings where insects tend to congregate. Do not use this dosage on crops. Around barns, remove all animals and cover feed and water supplies before spraying.~~



TREE FRUIT:

Apples and Pears: To control codling moth, plum curculio, apple maggot, tent caterpillar and Japanese beetle. Use the stronger dosage where curculio is a problem.

TIME TO STOP USE BEFORE HARVEST - 7 days.

Apricots, Peaches, Nectarines, Plums (Fresh Prunes): To control plum curculio and Japanese beetle, use 8 tsp./gallon. Start at petal fall or when adults appear.

TIME TO STOP USE BEFORE HARVEST - 21 days.

Cherries: To control cherry fruitworm, cherry fruit fly and rose chafer, use 5 tsp./gallon. Use 8 tsp./gallon for plum curculio and Japanese beetle.

TIME TO STOP USE BEFORE HARVEST - 7 days.

BUSH FRUIT:

Blackberries, Loganberries, Raspberries: To control rose chafer and strawberry weevil, use 8 tsp./gallon on foliage when insects appear.

TIME TO STOP USE BEFORE HARVEST - 3 days.

Strawberries: To control leaf tier, flea beetle, spittlebug, strawberry leaf beetle and strawberry weevil, use 8 tsp./gallon. Apply on foliage as needed.

TIME TO STOP USE BEFORE HARVEST - 3 days.

Grapes: To control grape berry moth, grape leafhopper and rose chafer, use 5 tsp./gallon. Start at petal fall and repeat. Japanese beetle, use 8 tsp./gallon and apply as soon as insects appear.

TIME TO STOP USE BEFORE HARVEST - 14 days.

VEGETABLE GARDENS:

~~Asparagus: To control asparagus beetle, use 5 tsp./gallon. Wash to remove residues.~~

~~TIME TO STOP USE BEFORE HARVEST - 3 days.~~

Beans, Blackeyed Peas: To control corn earworm, flea beetle, Mexican bean beetle, potato leafhopper, use 8 tsp./gallon. Do not graze or feed treated pea vines or pea hay to livestock.

TIME TO STOP USE BEFORE HARVEST - 3 days.

Beets: To control blister beetle and flea beetle, use 8 tsp./gallon. Spray foliage.

TIME TO STOP USE BEFORE HARVEST - 7 days (ROOTS) 14 days (TOPS).

Cucumbers, Squash, Melons: To control cucumber beetle, use 8 tsp./gallon on foliage as soon as insects appear.

TIME TO STOP USE BEFORE HARVEST - 7 days (if dosage is reduced to 1/2 in the last two sprays -1 day).


Eggplant, Pepper: To control flea beetle, use 8 tsp./gallon on foliage as needed.

TIME TO STOP USE BEFORE HARVEST - 1 day.

Potatoes: To control leafhoppers, use 10 tsp./gallon on foliage as needed.

Tomatoes: To control blister beetle, flea beetle and tomato fruitworm, use 8 tsp./gallon. Apply on foliage as needed.

TIME TO STOP USE BEFORE HARVEST - 7 days.



5/8

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

