


SEE ACCOMPANYING BOOKLET FOR USE DIRECTIONS. READ THE LABEL CAREFULLY. DO NOT EXCEED DOSAGE. DO NOT USE INSIDE THE HOME. Use only as specified on this label.


MARNING: Keep out of reach of children. Do not take internally. May be fatal if swallowed. May be absorbed through the skin. Do not get in eyes or on skin. Flush contaminated eyes with plenty of water and get medical attention. Wash thoroughly after handling. Do not smoke while using. Wash contaminated clothing before re-use. Avoid breathing spray mist of vapors. Do not spray vegetable gardens or other plants used for food purposes. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Handle in a ventilated area.

NOTE TO PHYSICIAN Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

EPA REG. NO. 33955-537-AA EPA EST, NO. 2217-KS-1

949-775





DIRECTIONS FOR USE:
READ THE LABEL
CAREFULLY, DO NOT
EXCEED DOSAGE. DO NOT
USE INSIDE THE HOME. Use
only as specified on this label.
CHINCH BUGS, SOD
WEBWORMS, EARWIGS,
CUTWORMS, AND ANTS IN

TURF AND ORNAMENTAL LAWNS: Mix 1½ fl. oz. (3 tbs.) in 20 gallons rated spkayer. Dilute to mark with water. Apply uniformly to 1,000 sq. ft. area, or 4 tsp. per 15 gallons for 500 sq. ft. Measure area to be treated. For best results, lawn should be well watered before spraying. Treat as soon as insects appear. Repeat only if needed. Thorough wetting is necessary for chinch bug control.

TO PREVENT ANTS.

control.

TO PREVENT ANTS,
CRICKETS, EARWIGS,
SOWBUGS, BROWN DOG
TICKS, AND WATERBUGS
(woods roaches) FROM
INFESTING BUILDINGS:
Spray a band 6 to 10 feet wide
around the building, including
2 feet up the foundation. Use
same dosage and dilution as
recommended above.

MEALYBUGS, CUTWORMS.

AND LEAFHOPPERS ON ORNAMENTAL PLANTS: Mix 6½ tbs. in 10 gallons of water. Use a suitable hand sprayer and apply uniformly, but not to the point of excessive runoff. Treat when pests appear and repeat at 7 to 10 day intervals if needed. Mosquitoes resting in sprayed shrubbery will be killed for several days.

NOTE—Do not use on azaleas, cameltias, poinsettias, rose bushes, or variegated ivy because of possible injury to these plants.

WARNING—Keep children and pets off treated areas until spray has completely dried.

spray has completely dried.
CONTAINER AND WASTE
DISPOSAL: Do not reuse
empty container. Discard in a
safe place by burying in a
location away from domestic
water supplies. Bury unused
chemical and spray mixture in

10-2-75

same manner as container.

same manner as container.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatability with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA Reg. No. 33955-537-AA EPA Est. No. 2217-KS-1 Distributed by Acme Division PBI/GORDON CORP. Kansas City, Kansas 66118

NOTE: This booklet is a supplement to the primary label on the container. The primary label contains important precautionary statements. DON'T OVERLOOK!