

DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage areas where foods and feedstuffs are not exposed.

FOR OUTDOOR USE: Application should be made in late evening when hornets, wasps and yellow jackets are at rest. Hold can upright, remove cap. Point valve opening away from face. With wind at back, aim at mests in trees, bushes, under leaves, chimneys, cracks of crevices, etc.

FOR INDOOR USE: Point valve opening away from face. Aim directly at nests of hornets, wasps and yellow jackets under rafters, etc. Do not spray in areas where foods and feedstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Do not contaminate food or feedstuffs.

WARNING:

FLAMMABLE! It to the under pressure. Divine to use the article space is a table to be top-include a top-include above 185 for exceptional actions above 185 for exception to the personal actions.

EPA EST. NO. 11715-TN-1

689-1174

GORDON CORPORATION

NET WEIGHT 13% OUNCES

RNING: Flatamable. Koop from Neat or Flame



KILLS: Hornets, Wasps, Yellow Jackets

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3- (2-methylpropenyl) cyclopropanecarboxylate Related compounds	0.06070
Aromatic petroleum hydrocarbons	U.13376
Petroleum distillate	20.37376
INERT INGREDIENTS	100 0009/
* Cic/trans isomers ratio: max 30% (±)cis and	

* Cis/trans isomers ratio: max 30% (±)cis and min. 70%

(±) trans. + U.S. Patent No. 3,465,007

CAUTION: Keep Out of Reach of Children. Harmful or Fatal If Swallowed. Contents Under Pressure.

See Back Panel for Other Cautions.

WARNING: Flammable. Keep from Heat or Flame.

DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage areas where foods and feedstuffs are not exposed.

FOR OUTDOOR USE: Application should be made in late evening when hornets, wasps and yellow jackets are at rest. Hold can upright, remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys, cracks or crevices, etc.

FOR INDOOR USE: Point valve opening away from face. Aim directly at nests of hornets, wasps and yellow jackets under rafters, etc. Do not spray in areas where foods and feedstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

CAUTION:

FRED OUT OF REACH OF CHILDREN In and control to the district of the district o

WARNING:

FLAMMABLE

EPA REG. NO. 33955-538-AA EPA EST. NO. 11715-TN-1

689-1174

Constitution of the second

NET WEIGHT 13¾ OUNCES