BET A . My

Dr. James A. Armbruster PBI/Gordon Corporation P.O. Box 4090 Kansas City, Missouri 64101

Dear Dr. Armbruster:

Subject: Revised Labeling

Acme Dursban Insecticide for Lawns and Ornamentals

EPA Registration No. 33955-547

Your Submissior Dated July 31, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

At the next printing of your label, or within the next 60 days, whichever comes first, delete the phrase "...and Other Domestic Areas" (it is used once on page 2 and twice on page 3). If you wish to retain this phrase, you must add some additional text to clarify it and then resubmit product labeling with another application for our review.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enc.

ACME(R) DURSBAN(R) INSECTICIDE for lawns & ornamentals

Controls: Chinch Bugs, Sod Webworms, Cutworms, Grasshoppers, Mealybugs, Leafhoppers and many other insects in home lawns and ornamental plants.

ACTIVE I	NGREDIENTS:
----------	-------------

Chlorpyrifos (0,0-diethyl 0-[3,5,6-trichloro-2-	
<pre>pyridyl] phosphorothioate)</pre>	6.62%
INERT INGREDIENTS*	93.38%
TOTAL	100.00%

This Product Contains: 0.50 lb. Chlorpyrifos insecticide per gallon.

*CONTAINS XYLENE RANGE AROMATIC PETROLEUM SOLVENT

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panels for Precautionary Statements and Statement of Practical Treatment.

DURSBAN^(R) is a trademark of The Dow Chemical Company for chlorpyrifos insecticide.

NET CONTENTS ONE QUART

927/791 APXXXXXX

EPA REG NO. 33955-547 EPA EST NO. 2217-KS-1

Distributed by ACME DIVISION
PBUGORDON CORPORATION
KANSAS CITY, KANSAS 66118

3 4,5

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals:

WARNING-This product may be fatal if swallowed. Do not take internally. It can be absorbed through skin and may be injurious to both skin and eyes. Do not get on skin or into eyes. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not breathe vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Keep container closed when not in use and handle concentrate only in a ventilated area.

KEEP CHILDREN AND PETS OFF OF TREATED AREAS UNTIL SPRAY IS WASHED INTO THE SOIL

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of possible aspiration hazard.

If On Skin: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

If In Eyes: Flush eyes with plent; of water and call a physician.

If Inhaled: Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Environmental Hazards: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

Physical or Chemical Hazards:

)

COMBUSTIBLE! Do not use or store near heat or open flame.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original bottle in a locked storage area inaccessible to children or pets. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Discard in trash.

HOME LAWNS and OTHER OUTDOOR DOMESTIC AREAS

SITES: Use Acme Dursban for the control of pests listed in Table 1 for home lawns; picrie sites, recreational areas, and other outdoor domestic sites.

SPRAY EQUIPMENT AND SPRAY VOLUME: Apply Acme Dursban in water tith hydraulic power sprayers, knapsach sprayers, hand-operated sprayers, or other suitable equipment. Spray volumes ranging from 1 to 5 gallons per 1000 sq.ft. will provide sufficient coverage. Apply as a coarse low pressure spray pattern.

4 6 5

SPRAY PREPARATION: See Table 1 for the preparation of spray solutions for home lawns and other domestic areas.

APPLICATION SCHEDULE: Treat problem areas when pests first appear. If retreatment is needed, observe a 7 day application interval.

MANAGEMENT CARE: For best results, the lawn should be moist at the time of treatment. Except for sod webworm, the lawn should be irrigated, sprinkled, or watered within 12 hours of treatment. For sod webworm, delay mowing and watering for 12-24 hours after treatment.

<u>PRECAUTIONS:</u> KEEP CHILDREN AND PETS OFF OF TREATED AREAS UNTIL SPRAY IS WASHED INTO THE SOIL

TABLE 1, DOSAGE RATES OF ACME DURGBAN IN HOME LAWNS AND OTHER DOMESTIC AREAS.

	Amount of Acme Dursban					
Site		Fluid Ounces	Tablespoons	5		
	Pests	Per 1000 sq.ft.	Per 1000 sq.	ft. Directions		

Home Lawns and other Domestic Outdoor Sites	Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch bugs, Clover Mites, Crickots, Cutworm Earwigs, Fleas, Grasshoppers. 	6 is,	12	-Spray volumes ranging from 1-gallons per 1000 sq.ft. should provide complete coverageFor best results, lawn should be moist at the time of application, and the lawn should be irrigated sprinkled or watered after application.		
	i I			-Retreat as needed.		
		6	12	-Spray volumes ranging from 1- gallons per 1000 sq.ft. should provide complete coverage.		
	 			-For best results, lawn should be moist at time of application. Del mowing and watering for 12 to 2 hours after treatment.		
	{Turigrass Weevil {(Hyperodes) }	12	24	-Spray problem areas in mid-Ap and mid:May, or as recommended by your State Agricultural Extension Screice.		

:...:

5 4 5

ORNAMENTALS, OUTDOORS

SITES:Use Acme Dursban for the control of the insect pests listed in Table 2 for flowers, shrubs, shade trees, flowering trees, everyreens, vines, and groundcovers.

SPRAY EQUIPMENT AND SPRAY VOLUME: Apply Acme Dursban in water with hydraulic/power sprayers, knapsack sprayers, hand-operated sprayers, or other suitable equipment. Apply a coarse spray to wet thoroughly the leaves, branches, limbs, and trunks. The wetting of infested limbs and trunks and the wetting of the upper and lower leaf surfaces will provide the best results. Avoid spray runoff.

SPRAY PREPARATION: See Table 2 for the preparation of three gallons of spray solution.

APPLICATION SCHEDULE: Treat ornamentals when pests first appear. If needed, repeat treatments at 7 day intervals.

MANAGEMENT CARE AND LIMITATIONS: Do not use on azaleas, camellias, pc nsettias, rose bushes, or variegated ivy because injury to these plants may occur.

	BLE 2. DOSAGE RATES OF A					
		Amount of Acme Dursban Fluid Ounces Tablespoons				
Site	Pests		Per 3 gallons			
Ornamentals, Flowers, Shrubs, Shade Trees, Flowering Trees, Ever- greens, Ground Covers.	Aphids, Bagworms, Eastern Tent Caterpillar, Fall Webworm, Grass- hoppers, Mites, Orangestriped Oakworm, Spittlebugs, Whiteflies, Yellownecked Caterpillar.	2	4	For all insect pests: -Treat when specified insects appear and observe 7 day application interval if re- treatment is needed.		
	Cutworms, Leafhoppers, Mealybu Mimosa Webworm, Redhumped C pillar, Thrips (exposed).	=	6			
	Ash Borer, Lilac Borer, Scale Craw Oak lecanium, Pine Needle, Tea, 1 Peach.		16			

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.