

**ACME®** 55-33

**one-shot house fogger**

one unit treats up to 5,000 cubic feet

for use in rooms, apartments, homes, attics, basements, campers, boats, garages, kennels, pet-sleeping areas, household storage areas and cabins

**KILLS:** Houseflies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Cockroaches, Spiders, Ticks, Wasps, Pill Bugs, Crickets, Silverfish

<b>ACTIVE INGREDIENTS</b>	
d-trans Allethrin (allyl homolog of Cinerin 1)	0.300%
Related Compounds	0.023%
*3-Phenoxybenzyl d-cis and trans** 2,2 dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.191%
*Other Isomers	0.009%
Petroleum Distillate	14.477%
<b>INERT INGREDIENTS</b>	<b>85.000%</b>
<b>TOTAL 100.000%</b>	

\*d-(cis, trans) phenothrin  
 \*\*cis/trans isomer ratio: max 25% (+or-) cis  
 Min 75% (+or-) trans

**Keep Out of Reach of Children**

**CAUTION**

See back panel for additional precautionary statements.

**NET WEIGHT 6 OUNCES**



**STOP! READ THE ENTIRE LABEL FIRST OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**  
**CAUTION:** Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

**Physical or Chemical Hazards -**  
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**DIRECTIONS FOR USE - GENERAL CLASSIFICATION**  
 It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE & DISPOSAL**  
**Storage:** Store in a cool, dry area away from heat or open flame. **Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

**INSTRUCTIONS:** To kill ticks, remove and destroy pet's old bedding and replace. Treat dogs and cats with registered tick control product prior to re-entry. To control fleas, use one unit per 1,500 cubic feet of room space. Aids in control of cockroaches. Use one canister for each 5,000 cubic feet of unobstructed area. Example: 25' long x 20' wide x 10' high. Use additional units for remote rooms or where free flow of the mist is not assured.

**Preparation:** Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows.

**To Start Fogging:** Place ACME ONE-SHOT HOUSE FOGGER on table, chair or stand, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in upright position on table, etc. and leave building at once. **DO NOT RE-ENTER BUILDING FOR FOUR HOURS.** Then, open exterior doors and windows and allow to air for 30 minutes before reoccupying the area.

EPA REG NO 33955 551  
 EPA EST NO 11715 TN 1 691-882



33955 551