



READ THE ENTIRE LABEL FIRST
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Swallowing, inhaling, or getting on skin may irritate. Wash with soap and warm water after use. If swallowed, induce vomiting by giving one teaspoon of 3% hydrogen peroxide solution. If symptoms persist, call a physician immediately. Do not induce vomiting if patient is unconscious or if vomiting has already occurred. Do not give anything by mouth to an unconscious person.

Statement of Practical Treatment

IN CASE OF POISONING, CALL A PHYSICIAN IMMEDIATELY. HAVE PATIENT LIE DOWN AND KEEP QUIET.

If Swallowed: Induce vomiting as follows: Administer one teaspoon of 3% hydrogen peroxide solution. Do not induce vomiting if patient is unconscious or if vomiting has already occurred. Do not give anything by mouth to an unconscious person.

Note to Physician: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Environmental Hazards:

This product is toxic to bees and should not be applied when bees are actively visiting the area. This product is also toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift away from target area. Do not apply where runoff is likely to occur.

Physical or Chemical Hazards:

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Store in a cool place but not below 25°F. Pesticides should be stored in a safe place well away from the reach of children. DO NOT REUSE CONTAINER. WRAP EMPTY CONTAINER AND PUT IN TRASH COLLECTION.



75-16

KILLS BAGWORMS & MITES. PROTECTS ORNAMENTAL FLOWERS, SHRUBS and TREES from INSECT DAMAGE.

ACTIVE INGREDIENTS
Sur-noxem 0.2%
INERT INGREDIENTS

Keep Out of Reach of Children
DANGER
Statement of Practical Treatment

NET CONTENTS ONE QUART

HOW TO USE
Pressure Sprayer: Mix with water. Follow directions on label for water.
Hose-End Sprayer: Mix with water. Follow directions on label for water.

SPRAY PLANTS UNTIL THEY ARE THOROUGHLY WET. REPEAT APPLICATIONS AS NECESSARY TO MAINTAIN INSECT CONTROL.

INFORMATIVE
Acme Sur-Noxem Systemic Spray is a systemic insecticide. It is absorbed by the plant and moves through the vascular system to the leaves and stems. It kills insects that feed on the plant.

IMPORTANT!
Plant injury has been reported. Do not spray plants used for food or forage.

INSECTS

- | | | |
|------------------------|-----------------------|------------------------|
| Aphids | Dipterous leaf miners | Mites |
| Armyworms | Elm leaf beetle | Salt-marsh caterpillar |
| Bagworms | Holly leaf miners | Stink bugs |
| Bark beetle | Horrorworms | Tarnished plant bug |
| Cabbage looper | Imported cabbageworm | Tent caterpillar |
| Climbing cutworm | Leafhoppers | Trips |
| Darkling ground beetle | Leafrollers | Tobacco budworm |
| Japanese beetle | Lygus bugs | Webworms |
| Longhorn beetle | | Whiteflies |

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA REG. NO. 33955-002 EPA EST. NO. 2217-KS-1 671 782



NOTED
SEP 8 1982
33955-532

TEST UNIT

The test unit was the 2oz/2oz Van Blarcom closure on a high density polyethylene bottle. For the purpose of this test, the units were empty. Directions for opening the unit were printed in raised letters on top of the closure as shown in the drawing below. Prior to testing, the closures were torqued on at 15 inch pounds by the tester.


PANEL 1545

In the child-resistant phase of this study, 209 children were employed. Ages tested were 42 to 54 months.

Adults (100) employed in the study also satisfied the requirements of the protocol, with ages ranging from 18 to 40 years.

INTERVIEWER INSTRUCTIONS

Interviewers were instructed to conduct the evaluation of the unit in strict accordance with the protocol cited in CFR Title 16, Part 1700. To make certain the interviewers adhered to the above, they were periodically observed throughout the closure evaluation program.



All of the following containers use the Van Blarcom "child-resistant" closure shown.

Half-Pint: Boston round, stock bottle, amber color, weight 6-15/16 oz., + 2/8 oz.

Pint: Boston round, stock bottle, amber color, weight 10-3/16 oz., + 1/2 oz., height 6-5/8", width 3", 28-400 finish.

Quart: Boston round, stock bottle, amber color, weight 16-5/16 oz., + 5/8 oz., height 8-1/8", width 3-3/4", 33-400 finish.

Gallon: Boston round, stock bottle, amber color, weight 45 oz., + 1-3/4 oz., height 11 1/2", width 6-5/8", 38-400 finish.

G pbi / GORDON
CORPORATION

P.O. BOX 2270
KANSAS CITY, KANSAS 66118
816-421-4070