

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

SANI CLEAN is a proven "one step" cleaner - disinfectant - sanitizer - mildewstat - virucide in the presence of organic soil and 400 ppm hard water**

Apply SANI CLEAN to walls, floors and other hard (inanimate) surfaces such as tables, chairs, countertops, stairs and bedframes with a cloth, mop or mechanical spray. Surface must be sprayed until thoroughly wetted. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty. Treated surfaces must remain wet for ten minutes.

Disinfection -

Non-Medical Use Areas - Schools, Institutions and Industries - At 2 oz. per gallon use level. The activity of SANI CLEAN has been evaluated in the presence of 5% serum by the AOAC Use Dilution method and found to be effective against a broad spectrum of gram positive and gram negative organisms as represented by

Serratia marcescens	Proteus mirabilis
Salmonella typhi	Klebsiella pneumoniae
Staphylococcus aureus	Enterobacter aerogenes
Salmonella choleraesuis	Salmonella schottmuelleri
Escherichia coli	Shigella dysenteriae
Streptococcus pyogenes	Brevibacterium ammoniagenes

Non-Medical Use Area** - At 3 oz. per gallon use level prepared in water up to 400 ppm hardness. The activity has been evaluated in the presence of both 5% blood serum and 400 ppm hard water against the above referenced organisms.

For Hospitals and Nursing Homes - At 3 oz. per gallon use level. At this dilution, SANI CLEAN is effective against Pseudomonas aeruginosa as well as the broad spectrum organisms listed. The same AOAC tests used above were used to confirm suitable performance.

Virucidal Performance - At 2 oz. per gallon use level, SANI CLEAN was evaluated in the presence of 5% serum and found to be effective against the following viruses: Influenza A (Brazil) virus, Herpes Simplex and Vaccinia on inanimate environmental surfaces.

Mildewstatic Performance - At 2 oz. per gallon, SANI CLEAN will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated above). Allow to dry on surface and repeat weekly or when mildew growth returns.

Sanitizing Non-Food Contact Surfaces - At 1/4 oz. per gallon use level, 30 second contact time. SANI CLEAN is an effective sanitizer in waters of up to 400 ppm hardness against Staphylococcus aureus and Klebsiella pneumoniae for both porous and non-porous surfaces. For sanitizing non-food contact surfaces.

SANI CLEAN is a heavy-duty disinfectant cleaner with superior cleaning efficiency. It has been found formulated to aid in the reduction of cross-contamination in institutions, schools and hospitals. SANI CLEAN is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, and will inhibit mold and mildew and their odors when used as directed. SANI CLEAN is an effective one-step sanitizer cleaner for use on porous and non-porous non-food contact surfaces in waters up to 400 ppm hardness.

SANI CLEAN ONE-STEP

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured By



H. Wilson
Manufacturing Company, Inc.
Jefferson, GA 30549

404-367-5294 • 1-800-635-8053 • FAX 404-367-1137

HEAVY DUTY DISINFECTANT-CLEANER

Active Ingredients

Octyl decyl dimethyl ammonium chloride	0.768%
Diocetyl dimethyl ammonium chloride	0.384%
Didecyl dimethyl ammonium chloride	0.384%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	1.024%

Inert Ingredients	97.440%
	100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER

EPA Registration No. 34052-3
EPA Establishment No. 34052-GA-1

Net Contents: 1 Gallon

FOR SALE, FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

PREC HAZARDS TO

Keep out of reach of children to prevent damage and skin irritation. Wear protective clothing when handling this product. Do not breathe spray mist.

- DO NOT CONTAMINATE FOOD
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINERS

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Immediately collect pesticide wastes and transport to a registered pesticide disposal site (incineration, high temperature steam incineration, or other methods).

CONTAINER DISPOSAL: Triple rinse (or equivalent) and recycle where possible. Do not reuse for pesticide application. GENERAL: Consult Federal, State and local procedures such as those found in 40 CFR 156.

BEST AVAILABLE COPY

ACCEPTED
JUN 18 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is for the pesticide registered under EPA Reg. No. 34052-3

Use
anner inconsistent with its labeling
sanitizer - mildewstat - virucide in the presence
e) surfaces such as tables, chairs, countertops,
surface must be sprayed until thoroughly wet-
red. Prepare a fresh solution daily or when use
an wet for ten minutes

ies - At 2 oz. per gallon use level. The activity
serum by the AOAC Use-Dilution method and
ve and gram negative organisms as represented

otus mirabilis
bsiella pneumoniae
terobacter aerogenes
imonella schottmueleri
egella dysenteriae
mbacterium ammicnagenes

epared in water up to 400 ppm hardness. The
bd serum and 400 ppm hard water against the

level. At this dilution, SANI CLEAN is effective
trum organisms listed. The same AOAC tests

AM CLEAN was evaluated in the presence of
uses: Influenza A (Brazil) virus, Herpes Simplex

EAN will effectively inhibit the growth of mold
ard, non porous surfaces (as indicated above).
growth returns

use level, 30 second contact time. SANI CLEAN
against Staphylococcus aureus and Klebsiella
sanitizing non-food contact surfaces

for cleaning efficiency. It has been found for
stitutions, schools and hospitals. SANI CLEAN
broad spectrum of bacteria, is virucidal, and
directer. SANI CLEAN is an effective one step
nact surfaces in waters up to 400 ppm hardness

SANI CLEAN ONE-STEP

HEAVY DUTY DISINFECTANT-CLEANER

Active Ingredients

Octyl decyl dimethyl ammonium chloride	0.768%
Dioctyl dimethyl ammonium chloride	0.384%
Didecyl dimethyl ammonium chloride	0.384%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	1.024%

Inert Ingredients	97.440%
	100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER

EPA Registration No. 34052-3
EPA Establishment No. 34052-GA-1

Net Contents: 1 Gallon

FOR SALE, FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probable muscosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured By



H. Wilson
Manufacturing Company, Inc.
Jefferson, GA 30549

404-367-5294 • 1-800-635-0053 • FAX 404-367-1137

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or in clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers.

GENERAL

Consult Federal, State or Local disposal authorities for approved procedures such as limited burning.

ACCEPTED
JAN 18 1995

Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34052-3

BEST AVAILABLE COPY

utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

293