

Sani-Clean One Step

Heavy Duty Disinfectant-Cleaner

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	0.768%
Dioctyl Dimethyl Ammonium Chloride.....	0.384%
Didecyl Dimethyl Ammonium Chloride.....	0.384%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	1.024%
INERT INGREDIENTS	97.440%
Total	100.000%

**KEEP OUT OF REACH
OF CHILDREN
DANGER PELIGRO**

See left panel for additional
precautionary statements.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Manufactured by



Jefferson, GA 30649 703-367-1294

E.P.A. Reg. No. 34052-3
E.P.A. Est. No. 34052-GA-1

NET CONTENTS 1 gallon

ACCEPTED

JUN 27 2006

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 34052-3

Non-Medical Use Area** - At 3 oz. per gallon use level prepared in water up to 400 ppm hardness. The activity has been evaluated in the presence of both 5% blood serum and 400 ppm hard water against the above referenced organisms.

For Hospitals and Nursing Homes - At 3 oz. per gallon use level. At this dilution, **SANI CLEAN** is effective against *Pseudomonas aeruginosa* as well as the broad spectrum organisms listed. The same AOAC tests used above were used to confirm suitable performances

Virucidal Performance - At 2 oz. per gallon use level. **SANI CLEAN** was evaluated in the presence of 5% serum and found to be effective against the following viruses: Influenza A (Brazil) virus, Herpes Simplex and Vaccinia on inanimate environmental surfaces.

Mildewstatic Performance - At 2 oz. per gallon, **SANI CLEAN** will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated above). Allow to dry on surface and repeat weekly or when mildew growth returns.

Sanitizing-Non-Food Contact Surfaces - At ¼ oz. per gallon use level, 30 seconds contact time. **SANI CLEAN** is an effective sanitizer in waters up to 400 ppm hardness against *Staphylococcus aureus* and *Klebsiella pneumoniae* for both porous and non-porous surfaces. For sanitizing non-food contact surfaces.


SANI CLEAN is a heavy duty disinfectant cleaner with superior cleaning efficiency. It has been formulated to aid in the reduction of cross contamination in institutions, schools and hospitals. **SANI CLEAN** is a one step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, and will inhibit mold and mildew and their odors when used as directed. **SANI CLEAN** is an effective one-step sanitizer-cleaner for use on porous and non-porous contact surfaces in waters up to 400 ppm hardness

Disinfection of Animal Facilities and Equipment. Hatcheries, poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas, swine farrowing and finishing houses) can be disinfected after thorough cleaning by applying a solution of 1.5 oz. **SANI CLEAN ONE STEP** to 1 gallon of water. Small utensils should be immersed in this solution

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, if absorbed through the skin, or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear goggles, face shield or shielded safety glasses, protective clothing, and chemical-resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS
Do not mix with oxidizers, anionic soaps, and detergents.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid crossing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SANI CLEAN is a proven "one-step" cleaner - disinfectant - sanitizer - mildewstat - virucide in the presence of organic soil and 400 ppm hard water**.

Apply SANI CLEAN to walls, floors and other hard (inanimate) surfaces such as tables, chairs, countertops, sinks and bed frames with a cloth, mop or mechanical spray, surface must be sprayed until thoroughly wetted. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty. Treated surfaces must remain wet for ten minutes.

Disinfection -

Non-Medical Use Areas - Schools, Institutions and Industries - At 2 oz. per gallon use level. The activity of SANI CLEAN has been evaluated in the presence of both 5% serum by the AOAC Use-Dilution method and found to be effective against a broad spectrum of gram positive and gram negative organisms as represented by:

Serratia marcescens
Salmonella typhi
Staphylococcus aureus
Salmonella choleraesuis
Escherichia coli
Streptococcus pyogenes

Proteus mirabilis
Klebsiella pneumoniae
Enterobacter aerogenes
Salmonella schottmulleri
Shigella dysenteriae
Brevibacterium ammoniagenes

