

Reg # 34052-11

PM-31

123

EPA

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Bear-Cat 20 Plus is a proven "one-step" disinfectant-cleaner-sanitizer-mildewstat-virucide* which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply Bear-Cat 20 Plus to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.



Disinfection - To disinfect hard, non-porous surfaces, add 0.5 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of Bear-Cat 20 Plus has been evaluated in the presence of 5% serum and 400 ppm hard water by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella schottmuelleri</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Streptococcus pyogenes</i>	<i>Salmonella typhi</i>
<i>Klebsiella pneumoniae</i>	<i>Serratia marcescens</i>

Mold and Mildew Control - At 0.5 oz. per gallon, Bear-Cat 20 Plus will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

*Virucidal Performance - At 0.5 oz. per gallon use-level, Bear-Cat 20 Plus was evaluated in the presence of 5% serum and 400 ppm hard water and found to be effective against the following viruses: Influenza A/Brazil, Herpes simplex Type 1 and Type 2 and Vaconia on inanimate environmental surfaces.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.) - At 0.5 oz. per 5.5 gal on use-level, Bear-Cat 20 Plus is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.



BEST AVAILABLE COPY

Cross-contamination
and industry. Bear-Cat
these areas.

Bear-Cat 20 Plus is a
bacteria, is virucidal;
directed.

Bear-Cat 20 Plus is a

When used as directed
sinks and counters, ga
can cause malodors

Keep out of reach of
eyes, on skin, or in ch
product. Harmful if

DO NOT CONTAMINATE
OPEN DUMPING IS
DO NOT REUSE EX

PESTICIDE DISPOSAL
Pesticide wastes are
rinsals is a violation of
instructions contact your
representative at the

CONTAINER DISPOSAL
Do not reuse empty o

2 1 3



BEAR-CAT® 20 PLUS

20
PLUS

ארכיאולוגיה של

2010 RELEASE UNDER E.O. 14176

for example on a computer. In most laboratory diagnostic assays for hepatitis B, the patient's serum contains both of the major immunoglobulins, IgM antibodies and IgG antibodies. Standardized procedures exist for separating these substances from patient sera.

Pstelliformes, often grow up to 1000 m above sea level, and the highest peaks of the Andes, which attain elevations of 6000 m above sea level, have elevations of 5000 m above sea level. The highest mountain in the Americas is Mount Aconcagua, which reaches an elevation of 6962 m above sea level. The highest mountain in South America is Mount Aconcagua, which reaches an elevation of 6962 m above sea level.

Number	Text	Page
1	Text 1	101
2	Text 2	102
3	Text 3	103
4	Text 4	104
5	Text 5	105
6	Text 6	106
7	Text 7	107
8	Text 8	108
9	Text 9	109
10	Text 10	110

**THE FORTY-EIGHT
PRACTICE OF CHIRURGY
PLATE VIII.**

2010 RELEASE UNDER E.O. 14176

105-106 | ESTABLISH YOURSELF AS A LEARNER WITH PRACTICAL SKILLS

ACCEPTED

JAN 18 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 34052-11

BEST AVAILABLE COPY

Cross-contamination is a major housekeeping concern not only in hospitals, but in schools, institutions and industry. Bear-Cal 20 Plus has been formulated to aid in the reduction of cross-contamination in these areas.

Bear-Cat 20 Plus is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal and will prevent the growth of mold and mildew and their odors when used as directed.

Bear-Cat 20 Plus is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

When used as directed, Bear-Cat 20 Plus will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.

Precautionary Statements

DANGER

Causes eye or face shield

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISCHARGE.
 - OPEN DUMPING IS PROHIBITED.
 - DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE WASTE

Pesticide wastes are **extremely hazardous**. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Do not reuse empty container. Wrap container and put in trash.

applying a solution of 1.0 oz. BEAR-CAT 20 Plus to 6 gallons of water. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact fecal or drinking water must be rinsed with potable water before reuse.