



**Directions for Use**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Bear-Cat Disinfectant with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

**Disinfection of Animal Facilities and Equipment.** Poultry-brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 1.75 oz. Bear-Cat Disinfectant to 5.0 gallons of water. Small utensils should be immersed in this solution. *see replacement*

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals. After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

**Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations.** For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. No Potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Bear-Cat Disinfectant in 5 gallons of water (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in 1 oz / 5 gallon solution of Bear-Cat Disinfectant. No Potable water rinse is required.

At 1 oz / 5 gallon Bear-Cat Disinfectant fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 800ppm of hardness calculated as CaCO<sub>3</sub> when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. Bear-Cat Disinfectant in 5 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.



# BEAR-CAT<sup>®</sup> DISINFECTANT

**Disinfectant**  
 Sanitizer-Fungicide-Deodorized with  
 Organic Soil Tolerance for Farm/Animal  
 Equipment and Facilities

**Active Ingredients**

Alkyl (C <sub>12</sub> ) 50%, C <sub>12</sub> 40%, C <sub>12</sub> 10%	
dimethyl benzyl ammonium chloride	4.00%
Octyl decyl dimethyl ammonium chloride	3.00%
Didecyl dimethyl ammonium chloride	1.50%
Dioctyl dimethyl ammonium chloride	1.50%
<b>Inert Ingredients</b>	<b>90.00%</b>
	<b>100.00%</b>

**DANGER**  
 KEEP OUT OF REACH OF CHILDREN

EPA Registration No. 34052-15  
 EPA Establishment No. 34052-GA-1

Net Contents

**Statement of Practical Treatment**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured By  
 H. Wilson  
 Manufacturing Company, Inc.  
 Jefferson, GA 30549

404-367-5294 • 1-800-835-8053 • FAX 404-367-1137

Precautionary State Hazards to Humans

Keep out of reach of children. Avoid contact with clothing. Wear goggles when handling this product. Do not breathe spray mist.

STOR

- DO NOT CONTAMINATE WATER
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINERS

**PESTICIDE DISPOSAL**  
 Pesticide wastes are acutely toxic. Do not discharge pesticide wastes into waterways, streams, rivers, or other bodies of water. Pesticide wastes cannot be disposed of in municipal solid waste landfills. Contact your State Pesticide Control Agency for guidance.

**CONTAINER DISPOSAL**  
 Triple rinse (or equivalent) before recycling or reuse. Do not reuse container for pesticide containers.

**GENERAL**  
 Consult Federal, State and local regulations for procedures such as limited use.

BEST AVAILABLE COPY

**ACCEPTED**  
 JAN 18 1995  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34052-15



# BEAR-CAT<sup>®</sup> DISINFECTANT

consistent with its labeling when applied with a mechanical sprayer. Surfaces must remain wet until solution becomes visibly dirty (staining, foaming, foaming equipment, etc.). Surfaces must be disinfected after thorough rinsing with water. Small utensils must be removed from the premises, washed, and disinfected. Remove all litter used by poultry or other animals and not house poultry or other animals until disinfected with potable water before use.

**Food Contact Locations.** For dishes, silverware, glasses, sink and hard non porous surfaces.

Use Bear-Cat Disinfectant in 5 gallons per minute followed by adequate use solution becomes visibly sanitizing applications. Sink and other stationary hard surfaces require a final rinse. Processing equipment can be used. No Potable water rinse.

Use the Grade "A" Pasteurized water in waters up to 800ppm total and Detergent Sanitizer.

Use with a solution of 1 oz. Bear-Cat required. Use a fresh towel. Do not dip used towel back into provide fresh solution.

**Disinfectant Sanitizer-Fungicide-Deodorizer with Organic Soil Tolerance for Farm Animal Equipment and Facilities**

**Active Ingredients**

- Alkyl (C11, 15.0%, C12, 4.0%, C16, 1.0%) dimethyl benzyl ammonium chloride 4.00%
- Octyl decyl dimethyl ammonium chloride 3.00%
- Didecyl dimethyl ammonium chloride 1.50%
- Dioctyl dimethyl ammonium chloride 1.50%

**Inert Ingredients** 90.00%

**DANGER**  
 KEEP OUT OF REACH OF CHILDREN

EPA Registration No. 34052-15  
 EPA Establishment No. 34052-GA-1

Net Contents

**Statement of Practical Treatment**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIANS:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



404-367-5294 • 1-800-835-8053 • FAX 404-367-1137

Precautionary Statements  
 Hazards to Humans and domestic animals

**DANGER**

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or in clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

**STORAGE AND DISPOSAL**

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers.

**GENERAL**

Consult Federal, State or Local disposal authorities for approved procedures such as limited burning.

**BEST AVAILABLE COPY**

**Disinfection of Animal Facilities and Equipment.** Hatcheries, poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas, swine farrowing and finishing houses) can be disinfected after thorough cleaning by applying a solution of 1.75 oz. **BEAR-CAT** Disinfectant to 5 gallons of water. Small utensils should be immersed in this solution.

(

(

100  
100  
100  
100  
100  
100  
100  
100  
100  
100

100  
100  
100  
100  
100  
100  
100  
100  
100  
100

100  
100  
100  
100  
100  
100  
100  
100  
100  
100