

Pm 32

REG# 34088-1

y
1

ACCEPTED

DEC 18 1973

34088-1

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 34088-1 SUBJECT
TO ATTACHED COMMENTS.

S & S LIQ-KLOR

"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in
eye, flush with water for at least 15 minutes. Get medical atten-
tion. If swallowed, drink large quantities of milk, or gelatin solu-
tion or, if these are not available, drink large quantities of water.
Do NOT give vinegar or other acids. Do NOT induce vomiting.
Get prompt medical attention.

See additional precautions on side panel.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irrita-
tion or chemical burns to broken skin. Causes eye damage. Do
not get in eyes, on skin or on clothing. Wear goggles or face
shield and rubber gloves when handling this product. Wash af-
ter handling. Avoid breathing vapors. Vacate poorly ventilated
areas as soon as possible. Do not return until odors have dissi-
pated.

ENVIRONMENTAL HAZARDS: This pesticide
is toxic to fish. Keep out of lakes, streams or ponds. Treated ef-
fluent may not be discharged into lakes, streams, ponds or pub-
lic waters without a valid discharge permit. For guidance, con-
tact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with
water according to label directions. Mixing this product with
gross filth such as feces, urine, etc., or with ammonia, acids,
detergents or other chemicals may release hazardous gases
irritating to eyes, lungs and mucous membranes.

manufactured by

S & S POOL & HOCKEY, INC.
1176 Union Road
West Seneca, NY 14224

EPA REG. NO. 34088-1 EPA EST. NO.

NET CONTENTS

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start-up, superchlorinate with one (1) pint (1 flu ozs) of
sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent
to 3 ppm available chlorine by weight.

For Pool Maintenance
A) Adjust pool water pH to 7.6 - 7.2 range and maintain
B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to
maintain an available chlorine residual of 0.8 to 1.0 ppm. One-fourth pint (4 flu
ozs) of this sodium hypochlorite solution for each 4000 gallons of water will pro-
vide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.8 to
1.0 ppm available chlorine will depend on temperature and number of swimmers.
Use test kit to make certain the pH and chlorine residual are in the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite
solution to 11 parts softened water. Mix sodium hypochlorite solution and water thor-
oughly and begin feeding of solution with a hypochlorinator (metering pump). Main-
tain a free available chlorine residual of at least 0.2 ppm and no more than 0.8 ppm
throughout the distribution system, as determined by a DPD chlorine test kit. Bacteri-
ological sampling must be conducted at a frequency no less than that prescribed by
the National Interim Primary Drinking Water Regulations. Check water frequently
with a DPD chlorine test kit.

*Contact your local Health Department for further details.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING
OR DAIRY EQUIPMENT**

Clean equipment in the normal manner. Just before using, rinse all surfaces thorough-
ly with the sodium hypochlorite solution containing 200 ppm available chlorine. Main-
tain contact with disinfectant for a minimum of two minutes. Do not rinse with water
after treatment with sodium hypochlorite solution. Do not soak overnight. Addition
of one fluid oz (2 flugs) of this sodium hypochlorite solution per 5 gallons of water
will provide approximately 200 ppm available chlorine by weight.

NOTE: This product does not pass U.S. 8 chlorine test kit and increase dosage,
as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away
from direct sunlight. In case of spill, flood, etc. with large quantities of water. Rinse
empty container thoroughly with water and either return to manufacturer or discard
by placing in trash collection or burying in an approved landfill. Product or rinsate that
cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do
not contaminate food, or food preparation or feeding areas.

2/1