Environmental P Ban Lond 28 Government of Look River Discrimining	Protection Age	5 - 12 M - 28 Sourt	Amer The Othe	-	256457
principality of the reductive out is some of A	pplication for	2. EPA Product Man		The second s	Proposed Classification
34147-12		LaRocca			
4. Company#Product (Name) DECIS 1.5EC	· · · ·	РМ# <u>13</u>		L	None Restricted
5. Name and Address of Applicant (Include ZIP Code, Hoechst Schering AgrEvo SA c/o AgrEvo USA Co. 2711 Centerville Road Wilmington, DE 19808 Check if this is a new address)	1 ⁻			ith FIFRA Section 3(c)(3) composition and labeling
	Sec	tion - II			
Amendment - Explain below.			d labels in resp ter dated	onso tNO	TIFICATION
Resubmission in response to Agency letter dated			Application.		
Notification - Explain below.		Other - Exp	lain below.	ΜД	Y 2 8 1997
¥	······································	tion - III	······		· · · · · · · · · · · · · · · · · · ·
¥	······································	tion - III Soluble Packaging Yes No	2. Typ	e of Contair Meta Plast Glass	ic \$
Child-Resistant Packaging Yes* No Contification must lif "Yes"	Water	Soluble Packaging Yes No		Meta Plast Glass Pape Othe	ic \$
Yes* No Certification must submitted	Water	Soluble Packaging Yes No s" No. per ge wgt containe	5. Location o	Meta Plast Glass Pape Othe Label Direc	il ic s r (Specify)
Child-Resistant Packaging Yes* No Certification must submitted 3. Locstion of Net Contents Information 4.	No. per container If "Ye Packa . Size(s) Retail Conta	Soluble Packaging Yes No s" No. per ge wgt containe	5. Location o On I	f Label Directabeling acc	il ic s r (Specify) ctions companying product
Child-Resistant Packaging Yes* No Certification must submitted 3. Locstion of Net Contents Information Label Container	No. per container If "Ye Packa . Size(s) Retail Conta Lithograph Paper glued Stenciled	Soluble Packaging Yes No s" No. per ge wgt containe 1 iner	5. Location o On I	f Label Direct	I ic s r (Specify) ctions companying product
Child-Resistant Packaging Yes* No Certification must submitted 3. Locstion of Net Contents Information Label Container	No. per container Size(s) Retail Conta Lithograph Paper glued Stenciled Sec	Soluble Packaging Yes No s" No. per ge wgt containe 1 iner Othe	5. Location o	f Lebel Directed	I ic s r (Specify) ctions companying product
Child-Resistant Packaging Yes* No Certification must submitted 3. Locstion of Net Contents Information Labot Container 6. Manner in Which Label is Affixed to Product	No. per container Size(s) Retail Conta Lithograph Paper glued Stenciled Sec identification of indiv	Soluble Packaging Yes No s" No. per ge wgt containe 1 iner Othe	5. Location o On I On I	Meta Plast Glass Pape Othe Abel Directabel abeling acc to process to Teleph	I ic s r (Specify) ctions companying product
Child-Resistant Packaging Yes* No Certification must submitted 3. Locstion of Net Contents Information Label Container 6. Manner in Which Label is Affixed to Product 1. Contact Point (Complete items directly below for Name Jacob J. Vukich I certify that the statements I have made on the I acknowledge that any knowingly false or mission both under applicable law.	No. per container If "Ye Packa Size(s) Retail Conta Lithograph Paper glued Stenciled Sec identification of indiv Title Regul Certification is form and all attack leading statement m toabove nuc	Soluble Packaging Yes No s" No. per containe iner iner iner iner vidual to be contacted, Manager, atory Affairs	5. Location of On I On I On I if necessary,	Meta Plast Glass Pape Othe Iabel Direct Iabel Direct Iabe	ic s r (Specify) ctions companying product this application.) none No. flagude Area Code) 12/892-3048 6.Date Application Becelved

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY AND TOXICITY TO FISH AND AQUATIC ORGANISMS For retail sale to and use only by certified applicators or persons under their supervision and only for those uses covered by the certified applicator's certification


DECIS[®] 1.5 EC INSECTICIDE FOR INSECT CONTROL ON COTTON

	Percent by Weight
ACTIVE INGREDIENT: (1R, 3R) - 3(2,2-dibromoviny)-2, 2-dimethycyclopropane-carboxylic acid (S) - alpha-cyano-3-phenoxybenzyl ester	16.6%*
INERT INGREDIENTS**	<u>83.4 %</u>
 TOT. * Equivalent to 1.5 lb. active ingredient per U.S. gallon. ** Contains petroleum distillates 	AL 100.0%

EPA Reg. No. 34147-12 EPA Establishment Number

NOTIFICATION

2410



Si Usted no entiende la etiqueta, busque a alguien para que so la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting because of aspiration hazard. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-tomouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. :

See Side Panels for Additional Precautionary Statements. •

Net Contents:

Marketed by: AgrEvo USA Company 2711 Centerville Road Wilmington, DE 19808

0396

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

DANGER - POISON

Fatal if swallowed. Corrosive. Causes irreversible eye damage and skin burns. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Wear face shield or goggles. Wear protective clothing and chemical resistant gloves. Harmful if absorbed through the skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

Skin exposure may result in a sensation described as a tingling, itching, burning, or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Handlers who may be exposed to the dilute through application or other tasks must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves such as barrier laminate or viton
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when mixing or loading, or cleaning equipment.

Handlers who may be exposed to the concentrate through mixing, loading, application, or other tasks must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves such as barrier laminate or viton
- Chemical-resistant footwear plus socks
- Protective eyewear

°. 1

- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when mixing or loading, or cleaning equipment

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Discard clothing and other abosorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment. Do not apply it or allow it to drift to crops or weeds on which bees are actively foraging.

Notify state and/or Federal authorities and HOECHST SCHERING AgrEvo S.A. (or its registered US agent AgrEvo USA Company) immediately if you observe any adverse environmental effects due to the use of DECIS Insecticide.

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 800-228-5635, EXT. 202

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not store over 100°F or below 50°F.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Empty containers should be triple rinsed into the spray tank during the spray operation. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[or when packed in returnable containers]

Returnable Container Return Procedure: Return the container clean (outside only) to the place of business from which the Decis Insecticide was purchased. This returnable container is the sole property of AgrEvo USA Company and must not be opened or discarded.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Shake well before using.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.


Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves such as barrier laminate or viton
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

APPLICATION

Dilute DECIS 1.5 EC in water according to the directions shown below and use as a foliar spray on cotton at the rates listed. Uniform coverage is essential. Begin applications when economic infestations occur, based on local information, and repeat as needed (observe the restriction in Note 2 below).



Insect*	Pounds	FI. oz./A	Dilution Requirements
	AllA	· · · · · · · · · · · · · · · · · · ·	
Lygus bug			Minimum Gallonage Requirements:
Cotton leaf perforator	0.013	1.11	For aerial applications use a
Cutworm			minimum of two (2) gallons of water
Leafhoppers	to	to	per acre (5 gallons in California
Cotton fleahoppers			and 3 gallons in Arizona). For
Plant bugs	0.019	1.62	ground applications, use a
Thrips			minimum of 4 gallons of water per
Cotton leafworm			acre for thorough coverage of the
			foliage.
Cotton bollworm			Optimum Gallonage Requirements:
Tobacco budworm			For aerial applications under hot,
Pink bollworm			dry environmental conditions or
Boll weevil			when the crop canopy is dense,
Cabbage looper	0.019	1.62	gallonage requirements may need
Soybean looper**			to be increased to 3-5 gallons of
Fall armyworm**	to	to	water plus crop oil concentrate at 1
Beet armyworm**			pint to 1 quart per acre. For ground
European corn borer	0.03	2.56	applications, use a minimum of four
Stink bugs			(4) gallons of water per acre for
Mites**			thorough covergae of the foliage.
Aphids**	i i i i i i i i i i i i i i i i i i i		
Whitefly**			
Saltmarsh caterpillar			

 * Make the first application as required before insect populations increase to economic significance. Additional applications may be made if insect populations rebuild.
 ** Suppression only

NOTES:

....

- 1. DO NOT make more than (10) applications of DECIS 1.5 EC (for a total of no more than 0.3 pound of active ingredient per acre or 25.6 fluid ounces per acre) per growing season.
- 2. Allow at least 5 days between successive applications of DECIS 1.5EC
- 3. DO NOT apply DECIS 1.5 EC through any type of irrigation system.
- 4. DO NOT apply DECIS 1.5 EC within 21 days of harvest.
- Do not apply this product as a ULV application. Dilute the desired amount of DECIS 1.5EC so that at least 2 gallons of spray solution per acre is applied.

r i

RESISTANCE

Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use_area. Consult your local or state agricultural authorities for details.

If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and resistance is a reasonable cause, immediately consult your local company representative or agricultural advisor for the best alternative method of control for your area.

TANK MIX RECOMMENDATIONS

DECIS 1.5 EC Insecticide may be applied in tank mixtures with other products approved for use on cotton. Observe all restrictions and precautions which appear on the labels of those products.


SUPPLEMENTAL SPRAY RECOMMENDATIONS AND PRECAUTIONS FOR COTTON

- Do not make more than a total of 10 synthetic pyrethroid applications (of one product or combination of products) to a cotton crop in one growing season. Synthetic pyrethroid products include AMBUSH[®], AMMO[®] 2.5 EC, ASANA[®] XL, BAYTHROID 2, CAPTURE[®] 2EC, CYMBUSH, DANITOL 2.4 EC, DECIS[®], FURY[™] 1.5 EC, KARATE[®], MUSTANG, POUNCE[®] 3.2 EC, SCOUT X-TRA[®], and SynerGin[™]2.
- All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers.

OBSERVE THE FOLLOWING PRECAUTIONS WHEN SPRAYING IN THE VICINITY OF AQUATIC AREAS SUCH AS LAKES; RESERVOIRS; RIVERS; PERMANENT STREAMS, MARSHES OR NATURAL PONDS; ESTUARIES AND COMMERCIAL FISH FARM PONDS.

- Do not apply by ground within 25 feet or by air within 150 feet of lakes; reservoirs; rivers; permanent streams, marshes, or natural ponds; estuaries and commercial fish farm ponds.
- For aerial applications, the spray boom should be mounted on the aircraft sc as to minimize drift caused by wing tip vortices. The minimum practical boom length should be used, and must not exceed 75% of wing span or rotor diameter.

- Use the largest droplet size consistent with pest control. Formation of very small droplets may be minimized by appropriate nozzle selection, by orienting nozzles away from the air stream as much as possible, and by avoiding excessive spray boom pressure.
- Spray should be released at the lowest height consistent with good pest control and flight safety. Applications more than 10 feet above the crop canopy should be avoided.
- Make aerial or ground applications when the wind velocity favors on-target product deposition (approximately 3 to 10 mph). Do not apply when wind velocity exceeds 15 mph. Avoid applications when wind gusts approach 15 mph.
- Risk of exposure to aquatic areas can be reduced by avoiding applications when wind direction is toward the aquatic area.
- Do not cultivate within 10 feet of the aquatic area so as to allow growth of vegetative filter strip.
- Low humidity and high temperatures increase the evaporation rate of spray droplets and therefore the likelihood of increased spray drift to aquatic areas.
- Do not make aerial or ground applications during temperature inversions. Inversions are characterized by stable air and increasing temperatures with height above the ground. Mist or fog may indicate the presence of an inversion in humid areas. The applicator may detect the presence of an inversion by producing smoke and observing a smoke layer near the ground surface.



0396

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond AgrEvo USA Company's control, it is impossible for AgrEvo USA Company to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of AgrEvo USA Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. AgrEvo USA Company disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AGREVO USA COMPANY'S ELECTION, THE REPLACEMENT OF PRODUCT.

©AgrEvo USA Company, 1996

م عاد الم

Ambush, Cymbush and Karate are registered trademarks of Zeneca, Inc.					
Ammo, Capture, Fury, Mustang and Pounce are registered trademarks of FMC Corporation.					
Asana XL is a registered trademark of E.I. duPont de Nemours & Co., Inc.					
Baythroid is a registered trademark of Bayer A.G.					
Danitol is a registered trademark of Valent USA Corporation					
DECIS is a registered trademark of AgrEvo S.A. de C.V.	••••				
SCOUT X-TRA is a registered trademark of HOECHST SCHERING AgrEvo S.A.	·····				
SynerGin is a trademark of AgrEvo	• • •				
\$ \$*\$\$\$	•				
DECIS 1.5 EC LABEL (N	970500)				

10% 10