

# Chemrite

## CR-338 SANIR

### USE DIRECTIONS:

#### Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use CR-338 with a cloth or mop and apply to walls, floors and other hard surfaces.

#### Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons). **NO RINSE REQUIRED AT THIS LEVEL.**

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A<sub>2</sub>, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

### PHENOL COEFFICIENTS:

Guaranteed	Minimum
<i>S. aureus</i>	42
<i>S. typhosa</i>	27

Rinse empty container thoroughly with water and discard.

NET CONTENTS \_\_\_\_\_

CLEANER  
DEODORIZER

DISINFECTANT  
FUNGICIDE

Designed for Hospital and Institutional Use

### ACTIVE INGREDIENTS:

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides . . . . .  
n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl  
ethylbenzyl ammonium chlorides . . . . .  
Sodium Carbonate . . . . .

### INERT INGREDIENTS: . . . . . 9

### DANGER

Keep Out of Reach of Children. See right panel for additional precautionary and first aid statements.

*Manufactured By*  
**CHEMRITE CORPORATION**  
12600 SOUTH DAPHNE AVENUE  
HAWTHORNE, CALIFORNIA 90250

**MADE FOR INDUSTRIAL & INSTITUTIONAL USE ONLY**

*No separate letter required.  
Label sent  
with Registration Notice  
Jm*



# 38 SANIRITE

**DEGREASER**                      **DISINFECTANT**  
**DEODORIZER**                      **FUNGICIDE**

Designed for Hospital and Institutional Use

**ACTIVE INGREDIENTS:**

Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
Quaternary methyl benzyl ammonium chlorides	2.25%
Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl	
benzyl ammonium chlorides	2.25%
Sodium Bicarbonate	3.00%

**INERT INGREDIENTS:** ..... 92.50%

**DANGER**                      100.0%

Keep Out of Reach of Children. See right side label for additional precautionary and first aid instructions.

**Manufactured By**  
**CHEMRITE CORPORATION**  
**12600 SOUTH DAPHNE AVENUE**  
**HAWTHORNE, CALIFORNIA 90250**

**EPA Reg. No. 34224-7**

**EPA EST. NO. 34224-CA-1**

CR338 is a cleaner, disinfectant, and sanitizer designed for institutional use, such as, hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. CR-338 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level **No Potable Water Rinse** is required.

<b>ACCEPTED</b>
<b>MAY 5 1975</b>
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide EPA Reg. No. registered under <b>34224-7</b>

*Comment*

**DANGER**

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

ACCEPTED WITH COMMENTS