

MAY 04 1988

Chemrite Corporation
12600 South Daphne Avenue
Hawthorne, CA 90250

Attention: D.C. Atkins, D.Sc. F.A.I.C.

Gentlexen:

Subject: CR-350 BIO-TRINARITE
EPA Registration No. 34224-8
Your Submission Dated September 22, 1988

The submission referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

1. Expand the sanitizing claims under the Food Processing Equipment, Dairies, and Restaurant and Bar Rinse heading to include the following:
 - a. The method of application (e.g., immersion, flooding, spraying) to wet all surfaces thoroughly.
 - b. The contact time of at least 1 minute required for sanitization. The directions must also provide instructions to drain the use solution from the surface and air dry.
2. Under the USE DIRECTIONS heading add the following misuse statement.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
3. Delete the terms Household and Homes or submit a certification that this product uses child-resistant packaging.

11182-I.Lee-L-12:KENCO:4/14/88:4/25/88:Am-VO:SG:Am
CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

copy

-2-

4. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please call Mr. Robert Young at (703) 557-3966.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

CR-35

Cold Disinfection

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1/8 ounce CR-350 per gallon of water for 10 minutes.

FOR ROOM FOGGING

DIRECTIONS:

To minimize the danger of cross-contamination from environmental surfaces apply solution of CR-350 as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOG-MASTER TRI-JET MODEL 6208 or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. of CR-350 to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Rinse empty container thoroughly with water and discard.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

MAY 04 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
34224-8

NET CONTENTS: _____

MADE FOR INDUSTRIAL & INSTITUTIONAL USE ONLY

BEST AVAILABLE COPY

ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level CR-350 will be effective against *Pseudomonas aeruginosa* PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Food Processing Equipment

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce CR-350 per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, No Potable Water Rinse is required.

effective against influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.