

USE DIRECTIONS

FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of SANIRITE per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas — mop or brush soiled surface with a solution containing 2-3 ounces of SANIRITE per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of SANIRITE per gallon of water. Surfaces that are heavily soiled should be cleaned with 1-2 ounces of SANIRITE per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing $\frac{3}{4}$ ounce in 1 gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of SANIRITE per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing $\frac{3}{4}$ ounce of SANIRITE per gallon of water. If surface is heavily soiled, use SANIRITE at a rate of 2-3 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing $\frac{1}{2}$ ounce of SANIRITE per gallon of water. Those surfaces which will contact food must be rinsed with water of drinking quality before reuse.

DANGER

KEEP OUT OF REACH

See First Aid and other precautions.
Container Disposal: When empty, dilute with water and destroy it by

Made for Industrial & Institutional Use Only

CR-316 SANIRITE

DISINFECTANT—CLEANER—SANITIZER—
FUNGICIDE—DEODORANT

ACTIVE INGREDIENTS

n-Alkyl (50% C ₁₂ , 40% C ₁₄ , 10% C ₁₆) dimethyl benzyl ammonium chloride	5.0%
Sodium metasilicate	3.0%
Tetrasodium salt of ethylene diamine tetraacetic acid	1.8%
INERT INGREDIENTS	90.2%

EPA Reg. No. 34224-10-AA

EPA Est. No. 34224-CA-1

A.O.A.C. Phenol Coefficients:

S. Typhosa 42

S. Aureus 32

DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid and other precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CONTENTS _____

Manufactured By

CHEMRITE CORPORATION

**12600 SOUTH DAPHNE AVENUE
HAWTHORNE, CALIFORNIA 90250**

other hard
is, mop or
ution con-
n of water.
with blood,
thoroughly
ounces per
h a fresh
n of water

nt in food
ly with a
IRITE per
soiled, use
r gallon to
ed surface
ounce of
se surfaces
with water

ial Use Only

DEOD
To dec
brush s
of SAN
SANIR
designe
institut
SANIR
floors,
relied u
pails, fo
areas w
product
bacteria
restaura
rooms,
where e
desired.
See left

DANC
KEEP O
OF CHI
Corrosiv
Do not
eyes and
if swallo

onium chloride 5.0%
3.0%
1.8%
90.2%

No. 34224-10-AA
No. 34224-CA-1

Phenol Coefficients:
osa 42
us 32

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of SANIRITE per gallon of water.

SANIRITE is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, SANIRITE will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

See left panel for use directions.

DANGER

**KEEP OUT OF REACH
OF CHILDREN**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED

SEP 23 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 34224-10

34224-10