

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

IN FOGGING EQUIPMENT & HAND SPRAYERS

To Kill Accessible Stages of Insects* Infesting Dried Fruit

Products in Storage or Being Processed

Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications as necessary for insect control but do not exceed more than ten applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part CR-175 plus 56 parts oil.

*Indian Meal Moth, Dried Fruit Beetle,
Confused Flour Beetle, Saw-Toothed
Grain Beetle

To Kill the Adult and Accessible Forms of Insect Pests* of

Stored Food (Stored in Multi-wall Paper Bags or in Cloth Bags)

in Warehouses, Storage Rooms and Similar Locations

Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

*Rice Weevil, Yellow Meal Worm, Codette,
Confused Flour Beetle, Saw-Toothed Grain
Beetle, Angoumois Grass-Moth,
Mediterranean Flour Moth and Indian
Meal Moth.

To Kill Flies, Mosquitoes and Gnats

Close room and discharge spray mist as described above. Use a dosage of ½ to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

Chemrite

CR-175 HI-KILL

SYNERGIZED PYRETHRIN INDUSTRIAL SPRAY

ACTIVE INGREDIENTS: 100%

Pyrethrins	.50%
*Piperonyl butoxide, technical	1.00%
+N-Octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%

*Equivalent to .80% (butylcarbitol)(6-propyl(piperonyl) ether
and 20% related compounds.

+MGK-264, Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION:

PRECAUTIONARY STATEMENTS

HAZARDS to HUMANS and DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or mists. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in bakeries, and other food processing plants, wash all equipment with potable water, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of waste.

BEST DOCUMENT AVAILABLE

NOTE: This spray, when applied per the directions and cautions above, conforms with Food Additive Regulations 193.360 and 193.390 and the food additive tolerances established thereunder.

EPA. REG. NO. 34224-13

EPA. EST. 34224-QA-1

NET CONTENTS _____

©CHEMRITE CORPORATION 1973

MADE FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

Chemrite

CR-175 HI-KILL

SYNERGIZED PYRETHRIN INDUSTRIAL SPRAY

ACTIVE INGREDIENTS: 100%

Pyrethrins	50%
*Piperonyl butoxide, technical	1.00%
+N-octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%

*Equivalent to .80% (butylcarbitol)(6-propylpiperonyl) ether
and .20% related compounds.

+MGK-264, Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION:

PRECAUTIONARY STATEMENTS HAZARDS to HUMANS and DOMESTIC ANIMALS

Inhalation if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and processing equipment during application. Do not apply while food processing is under way. After spraying in bakeries, and other food processing plants, wash all equipment with potable water, hoses, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

Product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

BEST DOCUMENT AVAILABLE

This spray, when applied per the directions and cautions above, conforms with Food Additive Tolerance 193.360 and 193.360 and the food additive tolerances established thereunder.

REG. NO. 34224-13

EPA. EST. 34224-CA-1

NET CONTENTS

16 CORPORATION - HAWTHORNE, CALIFORNIA (213) 757-8203

MADE FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DIRECTIONS Continued

IN PRESSURIZED TANK SPRAYERS FOR WETTING

CONTACT SPRAYS

As a Surface Spray to Kill the Accessible Stages of Granary
Insects: Rice Weevils, Confused Flour Beetles, Rusty Red Flour
Beetles, Saw-Toothed Grain Beetles, Cockroaches, Meal Moth Larvae
and Adults, Cigarette Beetles, Drug Store Beetles and Granary
Weevils. Apply as a coarse, wet spray to all areas infected by
these insects. Use a dosage of 1 gallon per 1000 square feet.
Pay particular attention to cracks and crevices in floor, walls
and ceilings. Spray thoroughly around and into floor drains,
conveyors and other areas where granary insects may be found.
(For Flying Moths and Beetles, treat as for Flies, Mosquitoes
and Gnats. See above). Do not apply this spray to surfaces
that may come in contact with food. Excessive residues in
food may result.

To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations

Apply this spray with a sprayer that produces coarse, wetting
droplets into all cracks and crevices in woodwork, floors,
underneath sinks, areas behind pipes, and in all places where
these insects shelter. Contact as many insects as possible.
Repeat as necessary for control. Do not allow spray to
contact any stored food.

STORAGE and DISPOSAL

KEEP CONTAINER CLOSED

Triple rinse. Then offer for recycling or
reconditioning, or puncture and dispose of
in a sanitary landfill, or by other
approved state and local procedures.

Pesticide, spray, mixture, or rinse water
that cannot be used according to label
instructions must be disposed of according
to applicable Federal, state and local
procedures.

ACCEPTED
with C.O.V. NUMBER
in EPA Reg. 34224

DEC 1 1982

16224-13
16224-13
16224-13
16224-13
34224-13