

**PRECAUTIONARY
STATEMENTS:
HAZARD TO HUMANS &
DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN — If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD:
Keep Out of Lakes,
Streams or Ponds.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS — For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with foods.

SELECTION OF TREATMENT AREAS — Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

READY - TO - EAT

THEY EAT
'TIL THEY
DIE

READY-TO-USE ANTICOAGULANT RODENTICIDE

CHIEF LOGAN



PRICE

RAT & MOUSE KILLER

Kills Norway Rats, Roof Rats and House Mice

ACTIVE INGREDIENT	Warfarin (3-(3-Acetyl-4-hydroxyphenyl)-4-hydroxy-2H-pyridin-2-one)	0.025
	benzyl-4-Hydroxycoumarin*	0.025
INERT INGREDIENTS		99.975
TOTAL		100.0%

BEST USE

BEST DOCUMENT AVAILABLE

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg No 34274E
EPA Est No 34274
NET CONTENTS 2 Pounds

BLUE RIBBON FEED MILL
6221 ST. RT. 274
CELINA, OHIO 45822

READY-TO-USE ANTICOAGULANT RODENTICIDE

CHIEF LOGAN



PRICE

RAT & MOUSE KILLER

Kills Norway Rats, Roof Rats and House Mice

ACTIVE INGREDIENT	Warfarin 3-benzyl-4-Hydroxycoumarin*	Alpha Acetonyl
		0.025
INERT INGREDIENTS		99.975
TOTAL		100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Reg. No 34271E
Est. No 34274
CONTENTS 2 Pounds

BLUE RIBBON FEED MILL
6221 ST RT 274
CELINA, OHIO 45822

APPLICATION DIRECTIONS

RATS Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS & MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestations, eliminate food, waste, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bag in a sanitary landfill or by incineration if allowed by State and local authorities.

BEST AVAILABLE

READY - TO - EAT

THEY EAT
TIL THEY
DIE

