

## **ENVIRONMENTAL PRECAUTIONS**

This pesticide is toxic to fish. Pool wastes treated with Sodium Hypochlorite Solution should not be drained into streams, ponds or public water. Do not contaminate water by cleaning equipment or disposing of wastes.

# **PHYSICAL OR CHEMICAL HAZARDS**

-Mix only with water according to label directions. Do not mix with other products or chemicals (such as household ammonia, detergents or acids). To do so will release hazardous gases.

-Use only in well ventilated areas.


-Organic contamination must be removed by washing and rinsing with recommended use dilutions.

-Vacate treated areas as soon as possible and do not return until vapors and odors have dissipated.

**NET WEIGHT:** 

LOT NUMBER:

increase dosage as necessary to obtain required level of available chlorine.



of water. 5. Place san

Mix 1 gallon vour normal

For initial de Hypochlorite until the Ch One gallon c twice a week Chlorine test all times. The

# SODIUM HYPOCHLORITE SOLUTION

100.0%

# BACTERICIDE


## DEODORANT

cessing plants, farms, restaurants, hotels, swimming ial applications as a bleach. See directions.

# WARNING **EP OUT OF REACH** OF CHILDREN

## . DRY PLACE, OUT OF SUN AND AWAY FROM TAND LIGHT. Degrades with age. Use a test kit and

ecessary to obtain required level of available chlorine.



# **KEEP OUT OF REACH** OF CHILDREN

# MAY BE HARMFUL **IF SWALLOWED**

Will irritate skin and eyes. In case of contact: EXTERNAL: Flush area with water. ..... INTERNAL: Drink milk, raw egg white mucilage or rice gruel. Follow with emetic (Tablespoon of mustard in glass of warm water.) CALL A PHYSICIAN.

# **DIRECTIONS FOR USE**

## DEODORIZING AND SANITIZING FOR USE BY HOTELS, RES-TAURANTS, FARMS AND FOOD PROCESSING PLAN'S:

- 1. Scrape and prewash all utensils and glassware.
- 2. Thoroughly wash in solution of 1 ounce of Sozium Hypechlorite to 1<sup>3</sup>/<sub>4</sub> gals. of water.
- 3. Rinse in clear potable water.
- 4. Sanitize in solution of 1 ounce of Sodium Hypochlorite to 7 ¼ gals. of water. Immerse all utensils for a minimum cf 2 minuter.
- 5. Place sanitized utensils on rack or drainboard to air dry.

# COMMERCIAL LAUNDRY BLEACH

Mix 1 gallon to 14 gallons of water. Introduce Sodium Hypochlorite into your normal laundry process.

# SWIMMING POOLS

For initial dosage of swimming pool water, use 10 ounces of Sodium Hypochlorite solution per 1,000 gals. of water. Bathers: Do not enter pool until the Chlorine residual falls below 3ppm. One gallon of Sodium Hypochlorite solution per 10,000 gallons of water twice a week to provide a Chlorine residual of .6 to 1ppm. Use a reliable Chlorine test kit to maintain the Chlorine residual between .6 and 1ppm at all times. The PH should be kept between 7.2 and 7.6.