

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE
NAME OF PESTICIDE PRODUCT
Pestkiller Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)
Western Laboratories
Div. of ABC Corporation
7230 Florence Blvd.
Omaha, NE 68112

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Update the storage and disposal statement on the label per PR Notice 83-3.
2. Provide a pH measurement of a use dilution of this water-dispersible product. Include in the report the conditions of measurement, such as the dilution factor and temperature.
3. Add the phrase "EPA Registration No. 34346-12" to your label before you release the product for shipment.
4. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

BEST AVAILABLE COPY

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

ENCLOSURE ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL  DATE 6-25-85

PEST KILLER SPRAY

EMULSIFIABLE CONCENTRATE

A Food Industry Insect Spray for use in Bakeries, Restaurants, Food Processing Plants, Institutions, Residences and Office Buildings.

May be diluted with either water or oil

Authorized for use in all departments of Official Establishments operating under the meat, poultry, shell egg grading and egg products inspection programs.

Provides rapid kill of insects without objectionable residues.

Food additive tolerances have been established for the insecticide components in this product. When this product is used as directed, allowable tolerance levels will not be exceeded.

ACTIVE INGREDIENTS:

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical.	10.0%
Petroleum Distillate	79.0%
INERT INGREDIENTS:	10.0%
	<u>100.0%</u>

*Equivalent to 8% (butylcarbityl)(6-propylpiperonyl) ether and 2% related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

EPA Reg. No. 34346

EPA Est. No. 34346-NB

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NET CONTENTS _____

Lot No. on Bottom of Container

When diluting with water, prepare only amount needed for immediate use. Hold water dilution more than 24 hours is not recommended. Agitate occasionally. For dilutions, a deodorized petroleum oil is recommended.

For maximum effectiveness, a combination of localized application and space treatment is recommended.

AS A SURFACE SPRAY: For initial clean up or severe insect infestations, dilute at a rate of 1 part concentrate in 4 parts water. This dilution may not be used in edible areas of Federally inspected meat and poultry plants. In these plants and in other plants for normal infestations, dilute 1 part concentrate in 9 parts water or oil.

To control ants, cockroaches, crickets, mites, cheese mites, confused flour beetle, cigarette beetles, casellas, drug store, granary weevils, grain mites, meal worm, weevils, rust red flour beetles, silver, spiders, sawtoothed grain beetles, and beetles: Use a good sprayer adjusted to give a coarse wet spray. Direct the spray into cracks and crevices, under pallets, around corners of stored foods, around the base of machines and behind shelves and drawers. For spiders, spray bookcases. For ants, spray trails and points of entry. If surface application only is to be used, spray floors, walls and other surfaces applying at a rate of 1 to 750 square feet of surface.

To control carpet beetles: Spray the carpeting and under carpeting and rugs with localized application to floors and baseboards. Spray directly into cracks, crevices, and infested areas of shelving. Repeat as needed.

To control bedbugs: Spray mattresses particularly around tufts and seams. Pull apart and spray in all joints. Treat headboard moldings, and floors. Repeat treatment as needed.

SEE REVERSE SIDE

To control fleas and brown dog ticks. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and the entire floor and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

AS A SPACE SPRAY: Dilute at a rate of 1 part concentrate to 19 parts water or oil. Apply with mechanical or compressed air equipment (non-thermal) adjusted to deliver a fine mist. Close doors and windows and shut off ventilating systems. For rapid control of Angoumois grain moths, fruit flies, flies, gnats, hornets, Indian meal moths, mosquitoes, Mediterranean flour moths, skipper flies, tobacco moths, and wasps: Direct spray at an upward angle distributing it uniformly through the entire area at a rate of 1 ounce per 1000 cubic feet. Keep area closed for at least 10 minutes. Ventilate area before reoccupying.

For rapid kill of exposed or accessible stages of any of the insects named on this label, dilute 1 part concentrate with from 1 to 9 parts water or oil. Apply with mechanical or compressed air equipment (non-thermal), following directions for space spraying. Apply the above dilutions at from 1 to 10 ounces per 1000 cubic feet of space.

When used in meat and poultry processing plants a dilution of not less than 1 to 1 (50%) is acceptable. It must be dispersed from equipment adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

OUTDOORS: To control brown dog ticks around residential areas, rural fields or wood lots, roadside edges, pathways, and coastal vegetation areas. Dilute 2.5 gallons of material with 50 gallons of water. Apply with a mist blower applicator calibrated to deliver three gallons per acre at 200 psi. Make applications during peak of infestation and repeat if necessary. Apply directly to vegetation where the ticks rest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Food should be removed or covered before treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned with potable water before using. Remove any birds, pets or fish aquarium before spraying. Vacate premises after treatment and ventilate before reoccupying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Aspiration is a potential hazard. If in Eyes: Flush with plenty of water. Contact a physician if irritation persists. If on Skin: Wash affected areas with soap and water. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY