

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 13 2000

Mr. Dave Stevens  
Project Manager  
Armatron International, Inc.  
2 Main Street  
Melrose, MA 02176

Subject: Label Amendment Application Regarding Modified Mosquito Magnet Use  
Directions; Revised Basic Confidential Statement of Formula Dated 7/11/00  
EPA Registration No. 34473-4

Dear Mr. Stevens:

The amendments referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(A), are acceptable provided that you:

- 1) Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2) Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

We note that the Confidential Statement of Formula dated 7/11/00 is your basic and only formulation for this product. Existing retail product sizes containing either 400 mg or 1660 mg octenol are still acceptable. Please note that per PR Notice 98-10 II.E., you may not change


CONCURRENCES

SYMBOL	7511C						
SURNAME	Rully						
DATE	7-12-00						

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

the packaging of this product without first obtaining EPA approval of an amendment requesting such a change.

Sincerely,



Janet L. Andersen, Ph.D., Director  
Biopesticides and Pollution  
Prevention Division (7511C)

Enclosure

CONCURRENCES

SYMBOL				2				
SURNAME								
DATE								


A

**FLOWTRON<sup>®</sup>  
OCTENOL**

# MOSQUITO ATTRACTANT

**For Use With All  
Electronic Insect Killers**

C



### OCTENOL

Makes your insect killer more effective in killing certain MOSQUITOES and BITING FLIES

Slow-release cartridge emits attractant when insect killer is on

Keep out of reach of children

### CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

<b>ACTIVE INGREDIENTS</b>	
1-OCTEN-3-OL.....	67.2%
INERT INGREDIENTS.....	32.8%
	100.0%

\* Contains  of 1-OCTEN-3-OL

**Net Contents: ONE CARTRIDGE**

SEE BACK PANEL FOR DIRECTIONS

EPA Reg. No. 34473-4  
EPA Est. No. 34473-MA-1

B

#### LABEL VARIANCES

A: SEARS —  
FLOWTRON —

Z1 14327  
MA 1000

B: WEIGHT —  
WEIGHT —

1660 mg  
400 mg

C: SEARS & FLOWTRON —  
MOSQUITO MAGNET &  
MOSQUITO MAGNET PRO —

page 1  
page 2

**ACCEPTED**  
JUL 13 2000  
Under the Federal Insecticides, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 34473-4

# OCTENOL ATTRACTANT

Replace your  
**OCTENOL**  
cartridge for  
**Mosquito  
Magnet™  
Biting  
Insect  
Equipment**

FOR BEST RESULTS  
replace your  
OCTENOL cartridge  
every 450 hours of  
Mosquito Magnet use.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**  
CAUTION: Harmful if swallowed,  
absorbed, if skin is wet or  
inhaled. Avoid skin, mouth and  
eye contact with the evaporation  
holes. Wash thoroughly with  
soap and water after handling.  
Avoid inhalation.

**STATEMENT OF PRACTICAL  
TREATMENT IF INHALED:** Move  
to fresh air. IF ON SKIN - wash  
affected areas with soap and  
water. IF IN EYES - flush with  
plenty of water. Call a physician  
if irritation develops.

**STORAGE & DISPOSAL:** Storage:  
Store unopened attractant  
cartridge in a cool, dry place  
until ready to use.  
Disposal: Do not reuse attractant  
cartridge. Wrap attractant  
cartridge in several layers of  
newspapers and discard in trash.



**ACTIVE INGREDIENTS**

1-OCTEN-3-CL.....	67.2%
INERT INGREDIENTS.....	32.8%
	100.0%

CONTAINS 1560 mg of 1-OCTEN-3-CL  
See Inside For Directions

Keep out of reach  
of children

## CAUTION


EPA REG. NO. 34473-4  
EPA EST. NO. 34473-MA-1

**FLOWTRON**

# OCTENOL MOSQUITO ATTRACTANT


**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove sealed attractant cartridge from package and peel off adhesive label covering evaporation holes. (See figure 1).



Attach cartridge to insect killer using double faced adhesive tape as follows:

1. Remove double faced tape from package and peel off backing paper from one side of tape. Press tape to bottom of cartridge. (Side opposite evaporation holes).
2. Peel off backing paper from opposite side of tape and press cartridge to bulb retainer at bottom of enclosure. (See figure 2).



D

When your insect killer is operating, it will produce the required heat and convective air flow to vaporize the attractant and disperse it at the proper rate per hour.

E

For best results, replace cartridge after  hours of insect killer use.

**PRECAUTIONARY STATEMENTS:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, absorbed through the skin or inhaled. Avoid skin, mouth and eye contact with the evaporation holes. Wash thoroughly with soap and water after handling. Avoid inhalation.

**STATEMENT OF PRACTICAL TREATMENT:** IF INHALED — move to fresh air. IF ON SKIN — wash affected areas with soap and water. IF IN EYES — flush with plenty of water. Call a physician if irritation develops.

**STORAGE & DISPOSAL:** Storage: Store unopened attractant cartridge in a cool, dry place until ready to use. Disposal: Do not reuse attractant cartridge. Wrap attractant cartridge in several layers of newspaper and discard in trash.

Manufactured by ARMATRON International, Inc., Melrose, MA 02176

**LABEL VARIANCES**

D SEARS & FLOWTRON —

page 3

Mosquito Magnet & MOSQUITO MAGNET PRO —

page 4

E: 1660 mg —

450

400 mg —

100

### Directions for use: Mosquito Magnet or Mosquito Magnet Pro

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**1** Peel protective foil cover from OCTENOL cartridge.



**3** **MOSQUITO MAGNET PRO** -  
**3** **MOSQUITO MAGNET** -  
Slide OCTENOL cartridge into the appropriate carrier compartment.



**2** **MOSQUITO MAGNET PRO** -  
Using a coin, unscrew cover from OCTENOL carrier compartment, located inside the black plume chamber.



**4** **MOSQUITO MAGNET PRO** -  
Reverse step two to close OCTENOL carrier compartment.



**5** **MOSQUITO MAGNET** -  
Open trap door by lifting up and swinging out.



**4** **MOSQUITO MAGNET** -  
Lift trap door and swing to close securely.

