

34473-4

4/27/2010

10f8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

April 27, 2010

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Sal G. De Yoreo
Armatron International, Inc.
15 Highland Ave.
Malden, MA 02148

RE: Product Name: Flowtron Octenol Mosquito Attractant
EPA Reg. No.: 34473-4
Application for Label Notification dated March 25, 2010 to update the
storage and disposal language per Pesticide Registration (PR) Notice
2007-4.

Dear Mr. De Yoreo:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under PR Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification Accepted" and will be placed accordingly in our records.

Please note that 40 CFR § 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions concerning this action, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda Hollis

Linda Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention
Division (7511P)

2098

Please read instructions on reverse before completing form.

Form Approved

B No. 2070-0060

Print Form



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (checked)

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number: 34473-4
2. EPA Product Manager: Leonard Cole
3. Proposed Classification: None (checked)
4. Company/Product (Name): Flowtron Octenol Mosquito Attractant
5. Name and Address of Applicant: Armatron International, Inc.
6. Expedited Review: EPA Reg. No. 34473-4, Product Name: Flowtron Octenol Mosquito Attractant

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below. Notification Accepted Date: APR 27 2010

Explanation: Use additional page(s) if necessary. (For section I and Section II.) Reviewer: C. Walsh
Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 146.144, 156.146, and 156.156. No other changes have been made to the labeling or to the Confidential Statement of Formula for this product. (See additional page).

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container: Metal, Plastic, Glass, Paper, Other. 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV


1. Contact Point: Name David Stevens, Title Project Manager, Telephone No. 781-321-2300
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: Sal G. De Yoreo
3. Title: Vice President
4. Typed Name: Sal G. De Yoreo
5. Date: March 25, 2010
6. Date Application Received (Stamped)

30f8

Form 8570-1; Section II, Explanation

Continued from Page 1.

I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.





4 of 8

March 29, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
1200 Pennsylvania Ave., NW
Washington, DC 20460-0001

Re: Flowtron Octenol Mosquito Attractant;
Product Number MA-1000;
REG. NO. 34473-4


Purpose of this Application is to provide notice of revised Disposal instructions in accordance with Pesticide Registration Notice (PR) 2007-4.

Enclosed labels with the exact Disposal wording as set forth in the regulations, and as provided in PR Notice 2007-4, include the following:


1. Inner pack label; (label information printed on plastic bag).
2. Outer carton label; net contents: one cartridge; (label printed on fiberboard box).
3. Outer carton label; net contents six cartridges; (label printed on fiberboard box).

Thank you.

Sincerely Yours,


Sal De Yoreo
Vice President

Encls.



15 HIGHLAND AVENUE
MALDEN, MASSACHUSETTS 02148
TEL. 781-321-2300
FAX. 781-324-8403

5048

Notification Accepted

Date: APR 27 2010

Reviewer: C. Walsh

FLOWTRON OCTENOL MOSQUITO ATTRACTANT

For Use with All Electronic Insect Killers and Mosquito PowerTrap™ Devices

ACTIVE INGREDIENTS

1-Octen-3-ol	67.2%
OTHER INGREDIENTS	32.8%
TOTAL	100.0%

Keep out of reach of children

CAUTION

SEE BELOW FOR ADDITIONAL PRECAUTIONS
SEE BACK PANEL FOR DIRECTIONS

Net Contents: ONE CARTRIDGE*

*Contains 1660 mg of 1-OCTEN-3-OL

EPA Reg. No. 34473-4


EPA Est.No. 34473-MA-1

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Avoid inhalation and avoid skin, mouth and eye contact with the evaporation holes. Wash thoroughly with soap and water after handling.

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	




6049

FLOWTRON OCTENOL MOSQUITO ATTRACTANT

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove the Octenol cartridge from the sealed pouch and peel the protective cover from the face of the cartridge. Avoid touching the openings in the cartridge and always wash hands thoroughly after contact.



Installation:

Refer to the owners manual accompanying your Flowtron or Galaxie insect control device for instructions on locating and installing the Octenol cartridge.

For other brands of insect control devices, use the enclosed double face tape to secure the cartridge in the location specified in the device's owners manual.


When your device is operating, it will produce the required heat and convective air flow to vaporize the attractant and disperse it at the proper rate per hour. **For best results replace cartridge after 450 hours of use.**

STORAGE AND DISPOSAL:

Storage: Store unopened mosquito attractant cartridge in a cool, dry place until ready to use.


Disposal: Nonrefillable container. Do not reuse or refill this cartridge. *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency or **1-800-CLEANUP** for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by ARMATRON International, Inc., Malden, MA 02148 • 781-321-2300 – www.flowtron.com



Electronic Insect Killers and
Mosquito PowerTrap™ Devices
 For Use With ALL
FLOWTRON®
 OCTENOL
 # MA 1000

MOSQUITO ATTRACTANT



OCTENOL
 Makes your insect killer
 more effective in
 killing certain
**MOSQUITOES &
 BITING FLIES**

Slow-release cartridge
 emits attractant when
 insect killer is on

Keep out of reach of children

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS
AND DIRECTIONS FOR USE

- ACTIVE INGREDIENT:
- 1-Octen-3-ol 67.2%
- OTHER INGREDIENTS 32.8%
- TOTAL 100.0%

Net Contents: ONE CARTRIDGE*

* Contains 1650 mg of 1-Octen-3-ol

EPA Reg. No. 34473-4
EPA Est. No. 34473-MA-1

FLOWTRON®

OCTENOL

UPC:
 0-26713-81000-2

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Avoid inhalation and avoid skin, mouth and eye contact with the openings in the cartridge. Wash thoroughly with soap and water after handling.


FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove the Octenol cartridge from the sealed pouch and peel the protective cover from the face of the cartridge. Avoid touching the openings in the cartridge and always wash hands thoroughly after contact.



Installation:

Refer to the owners manual accompanying your Flowtron or Galaxie insect control device for instructions on locating and installing the Octenol cartridge.

For other brands of insect control devices, use the enclosed double face tape to secure the cartridge in the location specified in the device's owners manual.

When your device is operating, it will produce the required heat and convective air flow to vaporize the attractant and disperse it at the proper rate per hour. For best results replace cartridge after 450 hours of use.

STORAGE AND DISPOSAL:

Storage: Store unopened mosquito attractant cartridge in a cool, dry place until ready to use.

Disposal: Nonrefillable container. Do not reuse or refill this cartridge. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by ARMATRON International, Inc., Malden, MA 02148 781-321-2300 - www.flowtron.com

3/25/10
 JCS

**Mosquito Trapping Devices
Electronic Insect Killers and**

For Use With ALL

OCTENOL

#MA 1000-6

FLOWTRON

FLOWTRON

#MA 1000-6

**Net Contents:
SIX OCTENOL CARTRIDGES**

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Avoid inhalation and avoid skin, mouth and eye contact with the openings in the cartridge. Wash thoroughly with soap and water after handling.

FIRST AID


If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed:	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove the Octenol cartridge from the sealed pouch and peel the protective cover from the face of the cartridge. Avoid touching the openings in the cartridge and always wash hands thoroughly after contact.



Installation:

Refer to the owners manual accompanying your Flowtron or Galaxie insect control device for instructions on locating and installing the Octenol cartridge.

For other brands of insect control devices, use the enclosed double face tape to secure the cartridge in the location specified in the device's owners manual.

When your device is operating, it will produce the required heat and convective air flow to vaporize the attractant and disperse it at the proper rate per hour. For best results replace cartridge after 450 hours of use.

STORAGE AND DISPOSAL:

Storage: Store unopened mosquito attractant cartridge in a cool, dry place until ready to use.

Disposal: Nonrefillable container. Do not reuse or refill this cartridge. If empty: Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by ARMATRON International, Inc., Malden, MA 02148 • 781-321-2300 - www.flowtron.com


FLOWTRON

Flowtron Octenol Mosquito Attractant

FLOWTRON

Flowtron Octenol Mosquito Attractant

**MOSQUITO
ATTRACTANT**



OCTENOL

Makes your insect killer more effective in killing certain **MOSQUITOES & BITING FLIES**

Slow-release cartridge emits attractant when insect killer is on

Keep out of reach of children

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS AND DIRECTIONS FOR USE.

ACTIVE INGREDIENT	
1-Octen-3-ol	67.2%
OTHER INGREDIENTS	32.8%
TOTAL	100.0%

Net Contents: SIX OCTENOL CARTRIDGES*

* Contains 1660 mg of 1-Octen-3-ol per cartridge

EPA Reg. No. 34473-4
EPA Est. No. 34473-MA-1

UPC:
0-26713-81006-4

559 0270 Rev 3
D-6120

8048