

• FILE NUM: RENT340.COM (FORMERLY ENTR340.COM)

LABEL NUMBER FOR UNIT: 340-174-96, M1, 34271-1, 601E, 10-1300

SENT TO EPA 8/12/83. AIR WASHER AFFILIATION AND STORAGE AND DISPOSAL.

BETZ ENTEC 340

(FIRST PANEL)

### **PRECAUTIONARY STATEMENT**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

[DANGER 14bf ]

**MAY BE FATAL IF SWALLOWED.** May be absorbed through skin. Causes skin irritations. Do not get into eyes, on skin or on clothes. Do not inhale vapors or mist. Use with adequate ventilation. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling. Avoid storage near food or feed products.

## **ENVIRONMENTAL HAZARDS** [14bf]

This Pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For substance content, see Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

## PHYSICAL AND CHEMICAL HAZARDOUSNESS

**Do not use pour or strike near heat or open flame.**

**DIRECTIONS FOR PUPILS**

It is a violation of federal law to use this product in manner inconsistent with its labeling.

REVIEWING THE COMING HOME - 1788-1811

1912 Enter 240 for the control or printing time if the flash timer is set to five seconds. This will give you a shutter speed of 1/250 sec. (1/250 sec. = 240/1000). If you want a longer exposure, enter 1 and then multiply by the number of prints.

WATER SOILED SYSTEMS must be cleaned before  
recommence use.

Spill Control: If spill occurs, contact your dealer.

DATE 020-0309

Business Name: FMC 74-9200 (Cont'd bottom of second panel)

**DISCLAIMER PANEL**

**Content:** Liquid

**Active Ingredients:**

N-Alkyl (C12-5%, C14-30%,  
C16-30%, C18-5%) dimethyl  
benzyl ammonium chloride.....24.0%

Bis(tributyltin) oxide.....5.0%

Inert Ingredient(s).....71.0%

Total.....100.0%

Inert ingredients include solubilizing and  
dispersing agents.

EPA Reg. No. 74-71-1

WEIGHT PER GALLON OF PRODUCT  
8.22 Pounds (NET)

NET WEIGHT OF Vessel  
AS MANUFACTURED OR SHIPPED

**KEEPS OUT OF REACH OF CHILDREN (Top)**

**DANGER LEVEL**

**STATEMENT OF PRACTICAL INERTING (Act 1)**

The active ingredient is the only one which  
may be used in this product. It is not  
intended for use in other products.

The active ingredient is not intended to be  
used in other products. It is not intended  
for use in other products.

The active ingredient is not intended to be  
used in other products.

For further information concerning this product, contact your dealer or manufacturer.

© 1974 FMC CORPORATION

(THIRD PANEL)

FOR THE CONTROL OF BACTERIA AND FUNGUS

INTERMITTENT OR SLUG METHOD(12)

INITIAL DOSE: When the system is noticeable fouled, add BETZ Entec 340 at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add BETZ Entec 340 at the rate of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD(12)

INITIAL DOSE: When the system is noticeable fouled, add BETZ Entec 340 at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system.

SUBSEQUENT DOSE: Continuously feed BETZ Entec 340 to maintain a dosage of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system.

OR THE CONTROL OF ALGAE(12)

INTERMITTENT OR SLUG METHOD(12)

INITIAL DOSE: When the system is BETZ Entec 340 at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algae control is evident, add BETZ Entec 340 at the rate of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons daily or as needed to maintain control.

CONTINUOUS FEED METHOD(12)

INITIAL DOSE: When the system is noticeably fouled, add BETZ Entec 340 at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Once algae control is evident, add BETZ Entec 340 at the rate of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system every 4 hours or as needed to maintain control.

AIR WASHER(1,000)

FOR THE CONTROL OF BACTERIA AND FUNGUS(1,000)

INITIAL DOSE: Add control - 1 time 1000 lb. of water to a 1000 gallon tank. Add water to system, add BETZ Entec 340 at the rate of 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system.

44 - 1000 lb. of water to each state tank  
every 4 hours.

FOR THE CONTROL OF ALGAE(1,000)

**INITIAL DOSE:** When microbial control is noticeably fouled, add BETZ Entec 340 at the rate of 0.2 to 1.0 pound (12 to 120 PPM) per 1000 gallons of water in the system, except for control of algae only.

**SUBSEQUENT DOSE:** When microbial control is evident, add BETZ Entec 340 at the rate of 0.1 to 0.75 pound (12 to 90 PPM) every 3 days or as needed to maintain control.

#### (FOURTH PANEL)

##### CONTINUOUS FEED METHOD (12b)

**INITIAL DOSE:** When the system is noticeably fouled, add BETZ Entec 340 at the rate of 0.2 to 1.0 pound (12 to 120 PPM) per 1000 gallons of water in the system.

**SUBSEQUENT DOSE:** Maintain this level by pumping a continuous feed of BETZ Entec 340 at the rate of 0.1 to 0.75 pound (12 to 90 PPM) per 1000 gallons every 3 days or as needed to maintain control.

##### STORAGE AND DISPOSAL (12bf)

**STORAGE:** Keep container tightly closed. Store in a dry place. Protect from freezing. Do not store at elevated temperatures.

**DISPOSAL:** Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutele hazardous and/or toxic. Improper disposal of a used pesticide, spray mixture, or mixture is a violation of Federal law. If the user cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

**STORING (1)** Use containers! Triple rinse for empty tanks. Then either for recycling or reconditioning or structure, the storage of incinerable, ignitable, or incompatible or burn in aluminum by state and local authorities. It burns stay out of smoke.

Local Disposal - with respect to the locality and the manner in which the material is to be disposed of, to implement plans of the local health and environmental protection agencies, fire departments, and other appropriate local or state agencies, to determine whether the material may be disposed of in accordance with these plans.

The above information applies to the use of the product.

For further information concerning the use of this product, contact the manufacturer, the distributor, or the supplier.

ACCREDITED

34/571-1

34/571-1

34/571-1

34/571-1

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

08 NOV 1983

Betz Entec, Inc.  
508 Prudential Road  
Horsham, PA 19044

Attn.: Robert N. Goodell

Subject: Betz Entec 340  
EPA Registration No. 34571-1  
Your Submission Dated October 10, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(B), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/re-registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

John P. Lee  
Product Manager (311)  
Insecticides Branch  
Registration Division (LS-767C)

|                      |         | CONCURRENCES |  |  |  |  |  |
|----------------------|---------|--------------|--|--|--|--|--|
| SYMBOL               | SURNAME |              |  |  |  |  |  |
|                      |         |              |  |  |  |  |  |
|                      |         |              |  |  |  |  |  |
|                      |         |              |  |  |  |  |  |
|                      |         |              |  |  |  |  |  |
|                      |         |              |  |  |  |  |  |
|                      |         |              |  |  |  |  |  |
| EPA Form 1325-112-27 |         |              |  |  |  |  |  |
| OFFICIAL FILE COPY   |         |              |  |  |  |  |  |