

BETZ ENTEC

346

DANGER—TOXIC

KEEP OUT OF REACH OF CHILDREN.

OXIDIZING MATERIAL—HARMFUL IF SWALLOWED. Avoid contact with organic material. Avoid inhaling. Causes skin irritations. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of

equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

DIRECTIONS FOR USE

BETZ ENTEC 346 aids in the control of objectionable slime-forming microorganisms in industrial cooling tower water equipment.

This product should be added directly to the cooling water at a rate of 0.2 to 1.0 pound per thousand gallons of cooling water. The frequency of feeding and the duration of treatment depend upon the severity of slime deposits.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ ENTEC.

Contents: POWDER

Active Ingredient*

Sodium dichloro-s-triazinetri-
onate dihydrate 54%

Inert Ingredient** 46%

*Nominal percentage equivalent
chlorine of this ingredient—60%
Nominal percentage equivalent
chlorine of this product—30%

**Inert ingredients include solubilizing
and dispersing agent

EPA Reg. No. 34571-7

NET WEIGHT AND VOLUME

As Marked on Container

ELC 154 7508

STORE IN COOL DRY PLACE—KEEP CONTAINER COVERED

BETZ ENTEC CO., INC. / WILLOW GROVE, PENNSYLVANIA 19086