APR 13 2005

174

Mr. Kevin C. Manning GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053

Subject: Betz Entec 362 EPA Registration Number 34571-14 Application Date: 3/17/05 Receipt Date: 3/18/05

Dear Mr. Manning:

U

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

To update the "First Aid" statement in accordance with PR Notice 2001-1

ED STATES ENVIRONMENT

Conditions

1. Change the "EPA Registration Number" to read: 34571-14.

2. Under the "Environmental Hazards Statement" revise the first sentence to read: This pesticide is toxic to fish and aquatic organisms.

3. You must place your "EPA Establishment Number" on your label.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

| CONCURRENCES | | | | | | | | |
|--------------|---------|----------|--|--|--|--|--|--|
| YMBOL) | 75100 | 7570C | | | | | | |
| SURNAME | | Mitchell | | | | | | |
| DATE) | 4/13/05 | 4/13/05 | | | | | | |

"U.S. Government Printing Office: 1982 - 620-698/40672

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

- - - -

,

Sincerely,

151

Emily H. Mitchell Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510C) 2 74

| | Lot Number: | | HEALTH | 3 | | | | |
|---|---|---|---|-------------------|-----|--|--|--|
| | Material ID: 6021256 | | FLAMMABILITY | 1 | | | | |
| MUCEPIED GEBet | | | REACTIVITY | 2 | ŀ | | | |
| - ESA Letter Develo | Net Weight: | | PERSONAL PROTECTION | В | | | | |
| | Packaging Date: 03/01/2005 | Vash: | Made in USA | | | | | |
| Index the Feore Concepticide. Pungicide, an | z Entec 362 | | | | | | | |
| PRECAUTIONARY STATEMENTS | ACTIVE INGREDIENT: | [| FIRST AID | | | | | |
| HAZARDS TO HUMANS AND DOMESTIC ANIMALS | Sodium dichlors-s-triazinetrione dihydrate 99.0% INERT INGREDIENTS: 1.0% | ff in eyes | Hold eye open and rinse slowly and gently with water i | or | | | | |
| DANGER PELIGRO | TOTAL | | 15-20 minutes. Remove contact lenses, if present, after the first 5 min then continue rinsing eye. Call a poison control center or doctor for treatment ad | utes, vice. | | | | |
| CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. MAY BE FATAL IF INHALED. HARMFUL IF SWALLOWED OR ABSORBED THROUGH | CONTENTS: POWDER | if swalicwed | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poiso | <u></u> | | | | |
| SKIN. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, | EPA REGISTRATION NUMBER: 34571-14-3876 EPA ESTABLISHMENT NUMBER: | | control enter or doctor. Do not give anything by mouth to an unconcious person. | | | | | |
| face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. ENVIRONMENTAL HAZARDS | KEEP OUT OF REACH OF CHILDREN | If inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, th give artificial respiration, preferably mouth-to-mouth if possible. | nen | | | | |
| This product is toxic to fish. Do not discharge | DANGER PELIGRO | | Call a poison control center or doctor for further treatm advice. | rent | | | | |
| effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National | PHYSICAL AND CHEMICAL HAZARDS | If on skin or clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 Call a poison control center or doctor for treatment ad | minutes. vice, | | | | |
| permit and the permitting authority has been notified | CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. | ├── ── ┘ | HOT LINE NUMBER: 1-800-222-1222 | | | | | |
| effluent containing this product to sewer systems without previously notifying the local sewage | Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and | Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-977-1940 for emergency medical treatment information. | | | | | | |
| State Water Board or Regional Office of the EPA. | hazardous gases, and possible generation of fire and explosion. In case of contamination do not reseal the container. | Note to Physician: | Probable mucosal damage may contra use of gastric lavage. | indicate f | the | | | |
| | STORAGE AND DISPOSAL | | | | | | | |
| STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures. PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL - METAL & PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke. | | | | | | | | |
| FIBER DRUMS WITH LINERS: Completely empty liner by shakin drum in a sanitary landfill or incinerate if allowed by state and loca | g and tapping sides and bottom to loosen dinging particles. Em al authorities. Do not reuse empty drum or liner. | pty residue ir | nto application equipment. Then dispose o | f liner ar | nd | | | |
| | nc., 4636 Somerton Road, Trevose, e: 215-355-3300 • | | | intoo 362 | 005 | | | |
| | | | | | | | | |

1 t C

1


シャーク きょうかんかい アイ・エスト 生産品 ふんかんかい うちょう かんかか 中国 ひがか ほんけんしい ゆうかく アイス・ディー・マング ション・チャー・コン ロン

•

.

-

•



ار مربع م برم م

Made in USA

GEN 0410 - Entec 362-tech - 3/1/05

| 1 | HEALTH | 3 | |
|---|---------------------|---|----------|
| 1 | FLAMMABILITY | 1 | * |
| | REACTIVITY | 2 | |
| | PERSONAL PROTECTION | В | |

Betz Entec 362

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, cooling and retort systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons and industrial water scrubbing systems. This product may be added to the systems either continuously or intermittently or as needed to the tower basin, distribution box or some other point to insure uniform mixing. The frequency of feeding and duration of the treatment will depend upon the severity of the contamination. Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1 ppm as free chlorine. Determine chlorine residual using a commercially available test kit. BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR THE CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.5 pounds (12 to 180 ppm) per 1000 gallons of water in the system. Repeat until control is achieved. SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.05 to 1.0 pound (6 to 120 ppm) per1000 gallons in the system daily, every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.5 pounds (12 to 180 ppm) per 1000 gallons of water in the system. Continue until control is achieved. SUBSEQUENT DOSE: When microbial control is evident, continuously feed this product to maintain a dosage of 0.05 to 1.0 pound (6 to 120 ppm) per 1000 gallons of blowdown (or water loss) from the system.

| Lot Number: | Material ID: | 6021256 | Packaging Date: 03/01/2005 | Net Weight: |
|-------------|-----------------------------|---------|--|-------------|
| | GE Betz, I Business Phon | | nerton Road, Trevose, PA 00 F.mergency Phone: 8 | |

Enter ? 2nd pane