



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 13, 2017

Lynne M. Hall
Product Stewardship Specialist
GE Betz, Inc.
4636 Somerton Road
Trevose, PA 19053

Subject: Label Notification per PRN 2007-4 – To change container disposal language
Product Name: Betz Entec 362
EPA Registration Number: 34571-14
Application Date: May 12, 2017
Decision Number: 529784

Dear Ms. Hall:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification via PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Wanda Henson at (703) 308-6345 or by email at henson.wanda@epa.gov

Sincerely,

A handwritten signature in blue ink that reads "Wanda G. Fuller, for".

Demson Fuller, Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510P)
Office of Pesticide Programs



GE Power & Water
Water & Process Technologies

Lot Number:

Material ID:

Net Weight:

Packaging Date:

HEALTH 3

FLAMMABILITY 1

REACTIVITY 2

PERSONAL PROTECTION B

NOTIFICATION

Made in 34571-14

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

06/13/2017

BETZ ENTEC 362

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER PELIGRO

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. MAY BE FATAL IF INHALED. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Apply this pesticide only as specified on this label.

ACTIVE INGREDIENT:
Sodium dichloro-s-triazinetrione dihydrate . . . 99.0%
INERT INGREDIENTS: 1.0%
TOTAL 100.0%

Minimum Available Chlorine 55.0%

CONTENTS: POWDER

EPA REGISTRATION NUMBER: 34571-14

EPA ESTABLISHMENT NUMBER:

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases, and possible generation of fire and explosion. In case of contamination do not reseal the container.

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: 1-800-877-1940

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-877-1940 for emergency medical treatment information.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: For plastic containers, less than or equal to 5 gallons: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available.
For plastic containers, greater than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Recap and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available.



GE Power & Water
Water & Process Technologies

Made in

HEALTH	3
FLAMMABILITY	1
REACTIVITY	2
PERSONAL PROTECTION	B

BETZ ENTEC 362

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, cooling and retort systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons and industrial water scrubbing systems.

This product may be added to the systems either continuously or intermittently or as needed to the tower basin, distribution box or some other point to insure uniform mixing. The frequency of feeding and duration of the treatment will depend upon the severity of the contamination.

Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1 ppm as free chlorine. Determine chlorine residual using a commercially available test kit. **BADLY FOULED SYSTEMS** must be cleaned before treatment is begun.

FOR THE CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.5 pounds (12 to 180 ppm) per 1000 gallons of water in the system. Repeat until control is achieved. **SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 0.05 to 1.0 pound (6 to 120 ppm) per 1000 gallons in the system daily, every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.1 to 1.5 pounds (12 to 180 ppm) per 1000 gallons of water in the system. Continue until control is achieved. **SUBSEQUENT DOSE:** When microbial control is evident, continuously feed this product to maintain a dosage of 0.05 to 1.0 pound (6 to 120 ppm) per 1000 gallons of blowdown (or water loss) from the system.

Lot Number:

Material ID:

Packaging Date:

Net Weight:

GE Betz, Inc., 4636 Somerton Road, Trevose, PA, 19053
Business Phone: 215-355-3300 • Emergency Phone: 800-877-1940

Panel 2 of 2