

INTERCIDE TMP

EPA REG. No. 34688-8

ACTIVE INGREDIENTS:

Folpet - N-[(trichloromethyl) thio] phthalimide 50%

INERT INGREDIENTS 50%

TOTAL 100%

Refer to Technical Bulletin for directions for use.

ANTIDOTES: If swallowed. Give milk or white of eggs beaten with water, then a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Repeat milk or white of eggs beaten with water. Call a Physician Immediately.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

May cause irritation of skin, eyes, nose and throat.
Avoid breathing dust. Avoid contact with skin and eyes.
Wash after handling.


This product is toxic to fish.
Do not contaminate water by cleaning of equipment, or disposal of wastes.

FOR MANUFACTURING USE ONLY!

MANUFACTURED FOR:

INTERSTAB

100 Jersey Avenue
New Brunswick, N.J. 08903



10/13/1974

34688-8

INTERCIDE TMP (N-(trichloromethyl) thio phthalimide) EPA Reg. No. 34688-8

Product Description

Intercide TMP is a powdered organic microbiocide. Designed for use in non-synthetic coatings. Intercide TMP provides efficient protection against a wide variety of mildew producing fungi.

Typical Physical Properties

Form	Powder
Color	Off-White
Volatiles	None
Water	1%
Particle Size	100% Through 400 Mesh (37 microns)
Bulking Value	.067 Gallons/Pound
Specific Gravity	1.79 (14.91 Pounds/Gallon)



Suggested Applications

In all oil and alkyd flat, semi-gloss and gloss exterior or interior finishes.

Suggested Levels and Methods of Use

Intercide TMP must be incorporated into the pigment grind portion of the coatings to insure uniform dispersion and performance. Levels of 0.5% to 1.0% based on total weight of the formulation should give adequate control of mildew.

Advantages to be Obtained

1. Intercide TMP will not retard drying time characteristics of a paint.
2. Intercide TMP causes no discoloration of a paint film providing all lead compounds are excluded from the formulation.
3. Intercide TMP will not adversely affect storage stability of the coating composition.
4. Intercide TMP imparts no odor to the paint system.
5. Effective against a wide variety of microorganisms associated with mildew growth on both exterior and interior paints.

Toxicity

Acute Oral: All male albino rats survived at the highest dosage used of 10 gms/kg. of body weight.

Caution

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Keep out of reach of children.

May cause irritation of skin, eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash after handling.

Antidotes

If swallowed, give milk or white of eggs beaten with water, then a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Repeat milk or white of eggs beaten with water. Call a physician immediately.

