US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON. DC 20460

EPA REGISTRATION NO. 34688-27

TERM OF ISSUANCE

^TNOV: 12.5 1585

NOTICE OF PESTICIDE: KI REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

Conditional

Intercide Copper Octoate 2% Wood
Preservative - WD

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

\_\_

Interstab Chemicals, Inc. 500 Jersey Avenue New Prunswick, NJ 08903 1 /

8 /

---

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally requistered in accordance with FIFRA sec. 3(d)(1)(A) provided that you:

- 1. Submit and/or city all data required for regraration/reregistration of your product under FIEPA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling change listed below before you release the product for chipment:
  - A. Add the phrase "TPA Registration No. 34688-2/."
  - b. Correct tabel incredient statement to read 100%.
  - c. Under Storage and Disposal add statement for product storage information.
- 3. Submit free (5) copies of your rinal printed Labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed Labeling.

ATTACHMENT IS APPLICABLE	//			<b>.</b>
SIGNATURE OF APPROVING OFFICIAL	HKKIY	M. X ecos	y DATE	25/55

make a state of the state of th

EPA Form 8570.6 (Rev. 5-76) 88814: Forrest: RD-84: KENCO: 1377/85: 17/85: DED: PS

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

### Front Panel

# INTERCIDE COPPER OCTOATE 2% WOOD PRESERVATIVE-WD

A Ready-to-Use Fungicide for the Control of Mildew and Fungal Rot on Wood

Active Ingredient:	
Copper 2-ethylhexanoate	11.021
(Copper as metal2%)	
Inert Ingredients:	89.33

Keep Out of Reach of Children (12 pt)

Total

CAUTION (18 pt)

100,00%

Ĺ.

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 34688-NJ-1

Net Contents: 55 gals.

Interstab Chemicals, Inc. 500 Jersey Ave. -- PO Box 638 New Brunswick, NJ 08903



# NOV2 5 1985

Under the Federal Insectible, Pungicide, and Rodenticide Act amended, for the posicide registered under EPA Reg. No.

34688-27

# Right Panel

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

(12 pt)

Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

# Instructions for Treating Wood

Intercide Copper Octoate 2% is a ready-to use product containing Copper 2-ethylhexoate. It is a water containing system and can be used for treating lumber and heavy timbers such as fence posts, poles, structural timbers, stakes, sheathing, etc. It should not be used on fine-finished lumber where a slightly raised grain would be objectionable.

Dip Treatment: Lumber and small wooden structures should be totally immersed in Intercide Copper Octoate 2% treating solution for a period of from 30 seconds to 3 minutes depending on the thickness of the wood and the absorption required. Heavy lumber items should be dipped for 3 minutes, whereas light and absorptive stakes, window frames, etc. may be sufficiently treated in less time. The treated wood should be drained of excess solution and allowed to air dry. This usually takes 24 hours.

Brush Coating and Spraying: Intercide Copper Octoate 2% is ideal for brushing or spraying all types of wood items as illustrated above. When using a brush or spraying, coverage should be complete or until runoff starts to occur. After permitting to dry for 24 hours, a second coat may be applied.

Treated dried wood may be painted over if desirable.

# Cleaning of Brushes or Spraying Equipment

Equipment and/or brushes may be cleaned under running water or in soap and water.

# Left Panel

### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

(18 pt)

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

# Statement of Practical Treatment:

If in eyes, flush with plenty of water and get medical attention.

If swallowed, do not induce vomiting. Call a physician immediately.

If on skin, wash with plenty of soap and water.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.